

10-25-69

EPA

MALATHION

Effective new foe of FLIES!

MALATHION is an organic phosphate and a potent insecticide which will kill DDT resistant flies.

The U. S. Department of Agriculture has now accepted "Malathion" for fly control **INSIDE DAIRY BARNs.**

EASY TO HANDLE—EASY TO APPLY
HIGHLY EFFECTIVE AGAINST
RESISTANT STRAINS
OF FLIES . . .

WHERE TO USE: "Goodway Malathion Dairy Barn Fly Spray" can be used for fly control in all of the following places: Inside dairy barns, manure piles, hog and calf pens, poultry houses, horse and sheep barns, yards, around water troughs, corrals, garbage heaps, and city dumps.

DIRECTIONS FOR USE:

STRAIGHT MALATHION SPRAY

For the reduction of fly population use 1 pint GOODWAY MALATHION DAIRY BARN FLY SPRAY in 5 gallons of water. Thoroughly mix. Apply spray thoroughly to wet ceiling, walls, stanchions, windows and other places where flies rest.

Repeat applications may then be necessary for continued control.


BAIT SPRAY (With Sugar)

As a bait spray, sugar can be used as an attractant. Use 1 Pint GOODWAY MALATHION DAIRY BARN FLY SPRAY with 3 to 7 cups of sugar per 5 gallons of water. Mix thoroughly.

Repeat application as necessary

GOOD-WAY
MALATHION
DAIRY BARN FLY SPRAY
CONCENTRATE WATER MISCIBLE SPRAY

ACTIVE INGREDIENTS:
Malathion*50.0%
INERT INGREDIENTS 50.0%
Total100.0%
*O, O-dimethyl dithiophosphate of diethyl mercaptosuccinate.



KILLS
DDT RESISTANT FLIES



CAUTION:
KEEP OUT OF THE REACH OF CHILDREN
See Additional Cautions on Back Panel

TABLE FOR PREPARING
MALATHION FLY CONTROL SPRAYS

STRAIGHT MALATHION SPRAY		BAIT SPRAY		
Amount Spray Desired	Emulsifiable Liquid to Use	Amount Spray Desired	Emulsifiable Liquid to Use	Sugar
1 1/2 quarts	1 ounce (2 lbs)	1 1/2 quarts	1 ounce (2 lbs)	1 ounce (2 level lbs)
2 gallons	2 ounces	2 gallons	2 ounces	1 cup
4 gallons	1 pint	4 gallons	1 pint	3 cups
12 gallons	1 quart	12 gallons	1 quart	2 1/2 lbs.

CAUTION:

Harmful if swallowed. Avoid prolonged breathing of spray mist. Avoid contact with skin, eyes or clothing.

Do not use in dwellings. Do not use where milk is processed or stored. Avoid contamination of feed and food products.

Remove animals and poultry from buildings before treating.

Keep away from heat or open flame.

Keep out of reach of children.

CAUTION: In case of contact, wash with soap and water. For eyes: flush with water and get immediate medical attention.

This product is toxic to fish.

Keep out of lakes, streams, and ponds.

AFTER USE, CRUSH CONTAINER AND BURY IN GROUND

GOODWAY INSECTICIDE, INC.

Wheeling, Illinois

E.P.A. Reg. No. 2006-13
E.P.A. Est. No. 2006-1L-1

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.