
M14 2-866 H1 M

10/5

Please read instructions on reverse before completing for n. Form Approved. OMB No. 2070-0060. Approval expires 11-30-9 United States Environmental Protection Agency OPP Jentifier Number Registration Office of Pesticirie Programs (H7505C) Amendment Washington, DC 20460 196247 **Application for Pesticide:** Other Section I 1. Co: \pany/Product Number 2. EPA Product Manager 3. Proposed Classification 228 - 244 R. Forrest X None Restricted PM# 4. Company/Product (Name) Good-Way Malathion Dairy Barn Fly Spray 6. Expedited Review. In accordance with FIFRA Section 3(c)(3) 5. Name and Address of Applicant (Include ZIP Code) (b)(i), my product is similar or identical in composition and labeling RIVERDALE CHEMICAL COMPANY 425 West 194th Street Glenwood, IL 60425-1584 EPA Reg. No._ Check if this is a new address **Product Name** Section II Final printed labels in response to Amendment - Explain below Agency letter dated_ Resubmission in response to Agency letter dated "Me Too" Application. Notification - Explain below. Other - explain below Explanation: Use additional page(s) if necessary, (For section I and Section II.) NOTIFICATION To comply with PR Notice 93-3 Section III 1. Material This Product Will Be Packaged in: Child-Resistant Packaging Water Soluble Packaging 2. Type of Container **Unit Packaging** Yes Yes* Yes Plastic No Glass No No Paper If Yes. If "Yes," No. per No. per Other (Specify) Unit Package wgt, container Package wgt. container * Certification must be submitted. 4. Size(s) of Retail Container 3. Location of Net Contents Information 5. Location of Label Directions On Label Label Container On Labeling accompanying product 6. Manner In Which Label Is Affixed To Product Lithograph Other (Paper glued Stenciled Section IV 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application) Name Telephene No. (Include Area Code) `**`1**08/754-3330 Russell F. Sawyer Regulatory Affairs Manager Certification 6. Date Application I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or (Stamped) both under applicable law. 2. Signature 3. Title Regulator, Affairs Manager 4. Typed Name 5. Date Russell F. Sawyer June 28, 1993

GOOD-WAY

MALATHION DAIRY BARN FLY SPRAY



ACTIVE INGREDIENT:

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONS

AND STATEMENT OF PRACTICAL TREATMENT

NET CONTENTS

GAL.

EPA REG. NO. 228-244

EPA EST. NO. 228-IL-1

Manufactured By

RIVERDALE CHEMICAL COMPANY

Glenwood, IL 60425-1584

(Right Side Panel)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid breathing spray mists and avoid contact with skin. Wash thoroughly after handling. Avoid contamination of feed or foodstuffs. Do not allow children in treated areas until surfaces are dry.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED:

Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE vomiting unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert

Revised A/O 3/9/93

SA CONTRACTOR

finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: Malathion causes cholinesterase inhibition.

Atropine is antidotal.

IF INHALED:

Remove victim to fresh air. Apply respiration if indicated.

IF ON SKIN:

Wash immediately with plenty of soap and water.

IF IN EYES:

Flush eyes with plenty of water. Call a physician immediately.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, aquatic invertebrates, and aquatic life stages of amphibians. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in areas near the application site. Do not contaminate water when disposing of equipment washwaters. Do not apply this product through any type of irrigation system.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply if bees are visiting the treatment area. Do not apply when weather conditions favor drift from treated areas.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill, or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RE-ENTRY STATEMENT

Do not apply malathion in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons. Do not enter treated areas without protective clothing until sprays have dried. Because certain states may require more restrictive re-entry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to the workers who are expected to be in treated area or in an area to be treated with this product. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written or oral warnings must include the following information: "CAUTION, Area to be treated with malathion date of application. Do not enter without appropriate protective clothing until sprays have dried."

NOTE: While using indoors - Use only with adequate ventilation. After using this product indoors, ventilate choroughly before occupying enclosed spaces. Do not allow contact with treated surface until sprays have dried.

(Back Panel)

EASY TO HANDLE - EASY TO APPLY HIGHLY EFFECTIVE AGAINST RESISTANT STRAINS OF FLIES ...

WHERE TO USE: "Goodway Malathion Dairy Barn Fly Spray" can be used for fly control in all the following places: Inside dairy barns, manure piles, hog and calf pens., poultry houses, horse and sheep barns, yards, around water troughs, corrals, garbage heaps, and city dumps.

NOTE: Do not use these sprays in buildings where milk is processed or stored or in dwellings. Do not use on animals. Remove animals and poultry from buildings before spraying. For best results remove manure, waste materials and other fly-breeding sites.

STRAIGHT MALATHION SPRAY

For the reduction of fly population use 1 pint GOODWAY MALATHION DALRY BARN FLY SPRAY in 6 gallons of water. Thoroughly mix. Apply spray thoroughly to wet ceiling, walls, stanchions, windows and other places where flies rest.

Repeat applications may then be necessary for continued control

BAIT SPRAY (With Sugar)

As a bait spray, sugar can be used as an attractant. Use 1 Pint GOODWAY MALATHION DAIRY BARN FLY SPRAY with 3 to 7 cups of sugar per 6 gallons of water. Mix thoroughly. Repeat application as necessary.

TABLE FOR PREPARING MALATHION FLY CONTROL SPRAYS

| STRAIGHT MALATHION SPRAY | | . BAIT SPRAY | | |
|-----------------------------|-------------------------------|----------------------|-------------------------------|----------------|
| Amount Spray Desired | Emulsifiablo Liquid to Use | Amount Spray Desired | Emulsifiable Liquid to Use | Sugar |
| 1½ quarts | 1 ounce (2 Tbs) | 12 quarts | 1 ounce (2 Tbs) | l ounce |
| 2 gallons | 5 ounces | 2 gallons | 5 ounces: | (3; level Tbs) |
| 6 gallons | 1 pint | 6 gallons | 1 pint | 3 cups |
| 12 gallons | 1 quart | 12 gallons | 1 quart | 2½ 1bs. |

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry area. Always store pesticides in a secured warehouse or storage building. Do not store near seeds, fertilizers, insecticides or fungicides. Keep containers closed and away from heat, sparks and open flame. Containers should be opened in well-ventilated areas. Do not contaminate water, feed or foodstuffs by storage or disposal.. PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. If container is damaged or if pesticide has leaked, contain all spillage. Absorb and clean up all spilled material with granules or sand. Place in a closed labeled container for proper disposal. Apply liquid household bleach to contaminated area. Scrub thoroughly using long handled brush. Let stand for 15 minutes. Wash area thoroughly with water. CONTAINER DISPOSAL: Triple rinse (or equivalent). The offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

NOTICE: Follow directions carefully. Local conditions may affect the use of this chemical. Timing and method of application, weather conditions, mixing with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage and handling of the material not in strict accordance with directions given herewith.

(PR933 042194)