

(A) 	United States Environmental Protection Agency Office of Pesticide Programs (H7505C) Washington, DC 20460 Application for Pesticide:	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number <div style="font-size: 24pt; text-align: center;">196256</div>
----------------	---	--	---

Section I

1. Company/Product Number 228-254	2. EPA Product Manager Joanne I. Miller	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Riverdale Team TM .88 Lawn Weed and Feed	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) RIVERDALE CHEMICAL COMPANY 425 West 194th Street Glenwood, IL 60425-1584 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section II

<input type="checkbox"/> Amendment - Explain below <input type="checkbox"/> Resubmission in response to Agency letter dated _____ <input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____ <input type="checkbox"/> "Me Too" Application. <input type="checkbox"/> Other - explain below.
---	---

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

To comply with PR Notice 93-3

**NOTIFICATION
LABEL NOT REVIEWED
PER PR NOTICE 93-3**
DATE: 7/12/93

Section III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____	
* Certification must be submitted.		If "Yes," Unit Package wgt.	No. per container	If "Yes," Package wgt.	No. per container
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) of Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed To Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled				<input type="checkbox"/> Other (_____)	

Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Russell F. Sawyer	Title Regulatory Affairs Manager	Telephone No. (Include Area Code) 708/754-3330
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Regulatory Affairs Manager	
4. Typed Name Russell F. Sawyer	5. Date June 28, 1993	

RIVERDALE

TEAM™ .88 LAWN WEED AND FEED

Contains Milorganite^(R) and Nitroform^(R)

NOTIFICATION
LABEL NOT REVIEWED
PER PR NOTICE 98-8

DATE 7/12/93

CRABGRASS PREVENTOR

20-2-5 + IRON

At 2 Lbs. A.I. Per Acre 50 Lbs. Covers Approx. 10,000 Sq. Ft.
See Directions For Use For Specific Recommendations

ACTIVE INGREDIENTS:

N-butyl-N-ethyl-alpha-alpha-alpha, trifluoro-2,6-dinitro-p-toluidine59%
Trifluralin: alpha,alpha,alpha-trifluoro-2,6-dinitro-N,N-dipropyl- p-toluidine29%

INERT INGREDIENTS:	99.12%
TOTAL	100.00%

GUARANTEED ANALYSIS

Nitrogen (N)	20.0%
15% Urea Nitrogen	
5% Water insoluble Nitrogen (W.I.N.)	
Available Phosphoric Acid (P ₂ O ₅)	2.0%
Soluble Potash (K ₂ O)	5.0%
Sulfur (S)	1.5%
Iron (Fe)	1.5%

Primary Plant Food derives from Milorganite^(R), Nitroform^(R), Urea, Triple Super Phosphate, Sulfate of Potash

Milorganite^(R) is a Registered Trademark of Milwaukee Metropolitan Sewerage District Team™ - the trademark for DowElanco benefin plus trifluralin Nitroform^(R) is a Registered Trademark of Nor-Am Corp.

KEEP OUT OF REACH OF CHILDREN

WARNING

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

Causes eye irritation. Do not get in eyes. Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing dust and contact with skin or clothing. The granular formulation may cause skin sensitization reactions in certain individuals. Use eye protection and protective clothing such as coveralls, a long-sleeved shirt and impermeable gloves when handling this product. Wash thoroughly with soap and water after handling. Wash contaminated clothing before reuse. Do not allow children or pets on lawn until 1/2" or water has been

applied to lawn and water has dried (or, if wet conditions persist, until 24 hours have passed).

STATEMENT OF PRACTICAL TREATMENT

- IF IN EYES:** Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Call a physician.
- IF SWALLOWED:** Call a physician or Poison Control Center. Drink promptly, a large quantity of milk, egg white, gelatin solution, or if these are not available, large quantities of water. Avoid alcohol.
- IF ON SKIN:** Wash with plenty of soap and water. Get medical attention if irritation persists.
- IF INHALED:** If breathing difficulty occurs, move individual to fresh air and get medical attention.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift or runoff from treatment areas may be hazardous to aquatic organisms in neighboring aquatic sites. Do not contaminate water when disposing of equipment washwaters.

NET WT. 50 LBS.

EPA REG. NO. 228-254

EPA EST. NO. 228-IL-1

MANUFACTURED BY

RIVERDALE CHEMICAL COMPANY

GLENWOOD, ILLINOIS 60425-1584

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

RIVERDALE TEAM™ .88 LAWN WEED AND FEED is a high quality fertilizer product that combines turf food to feed the lawn and a selective pre-emergence herbicide to control the below listed annual grasses.

RIVERDALE TEAM™ .88 LAWN WEED AND FEED is a pre-emergence herbicide which is applied to established turfgrasses for the control of annual bluegrass (poa annua), smooth and hairy crabgrass, goosegrass (silver crabgrass or crowfoot), barnyardgrass (watergrass), and green and yellow foxtail. RIVERDALE TEAM™ .88 LAWN WEED AND FEED controls these annual weeds by killing their seeds as they germinate. Apply before these annual weeds begin to germinate since it does not control established weeds. When RIVERDALE TEAM™ .88 LAWN WEED AND FEED is applied as directed, the following established turfgrasses are tolerant

Bahiagrass
Fescue
St. Augustinegrass

Bermudagrass
Kentucky Bluegrass

Centipedegrass
Perennial Ryegrass
Zoysiagrass

RIVERDALE TEAM™ .88 LAWN WEED AND FEED will not harm most nearby established ornamental trees and shrubs.

USE PRECAUTIONS

Apply RIVERDALE TEAM™ .88 LAWN WEED AND FEED to the turf prior to the germination of weed grasses since this product will not control established weeds. RIVERDALE TEAM™ .88 LAWN WEED AND FEED may thin established annual bluegrass (poa annua) turfs and line-leaved fescues at rates above 75 lbs. per acre (1.5 lbs. active ingredient). RIVERDALE TEAM™ .88 LAWN WEED AND FEED should not be applied in the Spring to turfgrass planted the previous Fall. In Bermudagrass areas that have been overseeded with winter grasses, a Spring application of RIVERDALE TEAM™ .88 LAWN WEED AND FEED may thin the overseeded grasses. Because of varying cultural practices, RIVERDALE TEAM™ .88 LAWN WEED AND FEED should not be used on putting greens, dichondra, nor on newly sprigged areas of Bermudagrass, St. Augustinegrass or Centipede grass until these turfs are well established.

APPLICATION DIRECTIONS

Rates, Frequency and Timing of Application.

Successful pre-emergence control of the annual grass weeds listed on this label requires proper timing of application.

Apply RIVERDALE TEAM™ .88 LAWN WEED AND FEED approximately one to two weeks prior to the germination of annual grass weeds. All summer annual grasses do not germinate at the same time. If application timing does not coincide with the normal germination period of any of the annual grass weeds listed on this label, weed control results may be erratic or poor. Optimum weed control performance will be obtained if treated areas are irrigated soon after application.

Any cultural practices that disturb the soil, such as aerification or verticutting, should be done prior to application of RIVERDALE TEAM™ .88 LAWN WEED AND FEED.

Spring germinating Summer annual grasses - Crabgrass, Foxtails and Barnyardgrass

One 50 lb. bag of RIVERDALE TEAM™ .88 LAWN WEED AND FEED will cover 10,000 sq. ft. or 227 lbs. per acre. Application at this rate will supply 1 lb. of actual nitrogen per 1000 sq. ft. and 2 lbs. of actual Team™ per acre. Do not reseed 12 to 16 weeks after application.

A. Northern (cool season) turfgrasses

For pre-emergence control, apply 170 to 227 lbs. per acre (1.5 to 2 lbs. active ingredient) of RIVERDALE TEAM™ .88 LAWN WEED AND FEED in the Spring one to two weeks prior to the onset of conditions favorable for annual weed grass seed germination.

B. Southern (warm season) turfgrasses

For pre-emergence control, apply 227 to 340 lbs. per acre (2 to 3 lbs. active ingredient) of RIVERDALE TEAM™ .88 LAWN WEED AND FEED in the late Winter or, early Spring one to two weeks prior to the onset of conditions favorable for annual weed grass seed germination.

5045

In areas of the United States where germination of the annual weed grass species continues for extended periods of time, a second application of RIVERDALE TEAM™ .88 LAWN WEED AND FEED at the recommended rate may be made 8 to 10 weeks after initial treatment for continued control.

TEAM™ .88 LAWN WEED AND FEED	Lbs. Per 1,000 Sq. Ft.
170 lbs.	3.9 lbs.
227 lbs.	5.2 lbs.
340 lbs.	7.8 lbs.

STORAGE AND DISPOSAL

STORAGE: Store in original container only. Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: In case of leak or spill, contain material and dispose of waste. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPCAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY: Riverdale warrants that this herbicide conforms to the chemical description on its label. When used in accordance with label directions under normal conditions, this herbicide is reasonably fit for its intended purposes. Since timing, method of application, weather, plant, and soil conditions, mixtures with other chemicals, and other factors affecting the use of this product are beyond our control, no warranty is given concerning the use of this product contrary to label directions or under conditions which are abnormal or not reasonably foreseeable. The user assumes all risks of any such use. (PR933 042194)

GROW WITH A WINNER
For Quality Nitrogen
NITROFORM(R)

TEAM™

CONTAINS
MILORGANITE(R)