

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (15 707)
WASHINGTON DC 20460

EPA REGISTRATION NO.

DATE OF ISSUANCE

261

MAR 15 1990

TERM OF REGISTRATION

(00111111)

NOTICE OF PESTICIDE: ~~REGISTRATION~~ ~~REREGISTRATION~~
(Under the Federal Insecticide, Fungicide
and Rodenticide Act, as amended.)

NAME OF PESTICIDE PRODUCT

Triallinone Jet Weeder

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Mr. Russell E. Sawyer
Riverdale Chemical Company
401 West 17th Street
Glenwood, IL 60425-1566

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(a)(5) provided that you:

1. Submit all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

2. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the 3/7 previously mailed to you for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 3(a)(5) and release of the product is prohibited until acceptance of these conditions.

For a complete copy of the FIFRA Act, please refer to the following references:

Thomas J. Blyler, Jr.
Acting Product Manager (123)
Fungicide, Herbicide Branch
Registration Division (47505)

BEST AVAILABLE COPY

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

Loanne J. Mills

DATE

3-15-90

RIVERDALE

TRIAMINE™ JET WEEDER

- * Kills Dandelion, Clover, Chickweed, Plantain, Wild Onion.
- * Kills Broadleaf Lawn Weeds - Roots and All.
- * Contains a Foam Marker to Indicate Coverage.

(ILLUSTRATION)

	BY WT.
ACTIVE INGREDIENTS:†	
Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid*	0.245%
Dimethylamine Salt of 2-(2-Methyl-4-Chlorophenoxy)propionic Acid** ..	0.746%
Dimethylamine Salt of 2-(2,4-Dichlorophenoxy)propionic Acid***	0.243%
INERT INGREDIENTS:	99.266%
	TOTAL ... 100.000%

Isomer Specific AOAC Methods Equivalent to:

*2,4-Dichlorophenoxyacetic Acid	0.20%
**2-(2-Methyl-4-Chlorophenoxy)propionic Acid	0.20%
***2-(2,4-Dichlorophenoxy)propionic Acid	0.20%

†Triamine - a trademark of Riverdale Chemical Co. Patent Pending

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET WEIGHT 1 LB. 7 OZ.

ACCEPTED
with COMMENTS
MAR 15 1990

(Side Panel)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

CAUTION: Harmful if absorbed through skin. If on skin, wash with plenty of soap and water.

Note to Physicians: Emergency Information - Call (xxx)xxx-xxxx

ENVIRONMENTAL HAZARDS: Do not apply directly to water or wetlands.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not use or store

KEEP OUT OF REACH OF CHILDREN

near heat or open flame. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

DIRECTIONS: Jet Weeder is formulated for "spot" application to individual weeds in lawns. This spot weeder produces a "foamy" white leather for direct weed contact which avoids drift and marks weeds as treated. (To treat entire lawn, use Triamine™ Lawn Weed Killer as a spray.)

HOW TO APPLY:

1. Shake can before using and occasionally during use.
2. Invert can, hold at arm's length, and point can at weed as you press button. Do not press button when can is in upright position.
3. Stand close to weed (1 to 2 feet) with can aimed at weed and away from face.
4. Push down briefly on button. Spray to cover center of weed, do not over-spray. The spray's foaming action will make it easy for you to see coverage.
5. One application will kill most weeds listed. If certain tough weeds are not dead within 3 weeks, repeat application.

WEEDS CONTROLLED:

Bindweed*, Black medic, Broadleaf plantain, Buckhorn plantain, Buttercup, Canada thistle, Carpetweed, Chickweed, Chicory, Clover, Cocklebur, Creeping beggarweed*, Dandelion, dogfennel, English daisy, Florida pusley, Frenchweed, Ground ivy*, Healall, Heartleaf drymary, Henbit, Jimsonweed, Knotweed, Lambsquarter, Mallow, Mustard, Oxalis*, Pennywort, Pepperweed, Pigweed, Poison ivy*, Poison oak*, Purslane, Ragweed, Red clover, Red sorrel, Scarlet pimpernel, Sheep sorrel, Speedwell*, Spurge, Spurweed, Stitchwort, Toadflax, Veronica*, Wild aster, Wild carrot, Wild garlic, Wild geranium, Wild lettuce, Wild morningglory*, Wild onion*, Wild radish, Woodsorrel*, Tarrow and other broadleaf weeds.

*Requires 2 applications 10 days apart.

IMPORTANT: Be careful when treating weeds not to spray surrounding desirable grasses unless temporary discoloration can be tolerated. Do not use this product for controlling weeds in vegetable gardens, flower beds, or around shrubs or ornamental plants. Wash off desirable plants immediately if accidental spray drift occurs. Do not apply to Dithondra, Lippia, and Clover lawns. Bentgrass, St. Augustine or Carpetgrass may be injured by this product. Do not apply when temperatures are expected to exceed 85°F, or if rain is expected to occur within 48 hours following application.

Weeds in newly seeded lawns may be sprayed after lawn has been mowed 3 times. Treated spots in lawn may be reseeded in 4 weeks.

BEST AVAILABLE COPY

STORAGE AND DISPOSAL

STORAGE: Keep from freezing. Store in a secure, preferably locked storage area away from heat or open flame.

DISPOSAL: PRODUCT - Unused product may be disposed of by securely wrapping original container in several layers of newspaper and discarding in trash.

CONTAINER: Replace cap and discard container in trash. Do not incinerate, puncture or discard in home trash compacter.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Manufactured By

RIVERDALE CHEMICAL COMPANY

Glenwood, IL 60425-1584

EPA REG. NO. 228-

EPA EST. NO. 33994-IL-2

Superscript corresponds to first letter of lot number on bottom of can.