

4. . . pm 23

228-263

1 of 4

CLF date-

7-17-90

RIVERDALE

SUPER GREEN WEED AND FEED

10-6-4

Premium Lawn Care

NOTIFICATION  
LABEL NOT REVIEWED  
PER FR NOTICE 88-4  
DATE JUL 18 1990

This product is designed for the control of dandelion and many other broadleaf weeds. See back panel for a complete list of weeds controlled by this product.

TRIPLE ACTION

✓ Feeds ✓ Kills Dandelions and other Broadleaf weeds ✓ Contains Iron for Color

Treats (Covers) 5,000 Sq. Ft. (50' x 200')

ACTIVE INGREDIENT:

Isooctyl Ester of 2,4-Dichlorophenoxyacetic Acid\* ..... 0.86%

INERT INGREDIENTS: ..... 99.14%

TOTAL ..... 100.00%

\*Isomer Specific AOAC Method, Equivalent to 2,4-Dichlorophenoxyacetic Acid .. 0.57%

GUARANTEED ANALYSIS:°

Total Nitrogen (N) ..... 10.00%

2.3% Ammoniacal Nitrogen

7.7% Urea Nitrogen

Available Phosphoric Acid (P<sub>2</sub>O<sub>5</sub>) ..... 6.00%

Soluble Potash (K<sub>2</sub>O) ..... 4.00%

Primary Plant Foods derived from Di-Ammonium Phosphate, Urea, Triple Super Phosphate, and Muriate of Potash

Iron (Fe) ..... 0.2%

Secondary Plant Food derived from Iron Sulfate

Chlorine Maximum ..... 3.5%

KEEP OUT OF REACH OF CHILDREN


CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND STATEMENT OF PRACTICAL TREATMENT

NET WEIGHT - 20 LBS.

EPA REG. NO. 228-263

EPA EST. NO. 228-IL-1



2 of 4

MANUFACTURED BY

RIVERDALE CHEMICAL COMPANY

GLENWOOD, ILLINOIS 60425-1584

(Back Panel)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Avoid contact with skin, eyes, or clothing. Avoid breathing dust. Wash thoroughly after handling.

STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED: Get medical attention.
- IF IN EYES: Flush eyes with water for 15 minutes. Get medical attention.
- IF ON SKIN: Wash skin with soap and water.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

NOTE: Do not apply on Lippia, St. Augustine, Bentgrass or Dichondra. DO NOT USE this product where desirable clovers are present.


This product is designed to promote lush green growth and control many broadleaf weeds in lawns, such as:

Bindweed  
 Buckhorn  
 Burdock  
 Chickweed  
 Chicory  
 Cocklebur  
 Creeping Jenny  
 Dandelion

Fanweed  
 Goldenrod  
 Ground ivy  
 Healall  
 Henbit  
 Jewelweed  
 Jimsonweed  
 Kochia

Lambsquarters  
 Mallow  
 Morningglory  
 Mustard  
 Nettle  
 Oxalis  
 Pennywort  
 Peppergrass

Pigweed  
 Plantain  
 Purslane  
 Ragweed  
 Smartweed  
 Speedwell  
 Thistle  
 Yarrow



and many other weeds susceptible to 2,4-D

3 of 4

**WHEN TO APPLY:** For best results apply when weeds are young and actively growing in Spring or early Fall. Apply when grass is moist (after a rain, sprinkling or dew). For most effective broadleaf weed killing action, avoid unnecessary disturbances, including watering, of treated areas for 48 hours after application. Watering will wash off weed killing material. Do not apply if rainfall is expected within 48 hours following treatment. Avoid contact with desirable shrubs, plants, vegetables, or flowers. Possible retreatment in approximately 30 days may be necessary if lawn is heavily overrun with weeds or if adverse low moisture conditions prevail and weeds are in a state of poor growth. Do not over-apply. Do not reseed for at least 3 to 4 weeks after application. Do not apply to newly seeded or sodded lawn until after 3 mowings. Do not cut grass 1 to 2 days before and after application.

**HOW TO APPLY:** This 20 pound bag should be used on 5000 square feet. Apply evenly with a lawn spreader as a one pass application. A two pass application, criss-crossing the area at half the rate each time is also acceptable.

The following settings are approximate for applying contents of this package at suggested rate of 4 lbs. per 1000 sq. ft. Settings are based on an average walking speed. Reduce setting for slower speed; raise setting for higher speed. Check your spreader on 250 sq. ft. and adjust to apply at the rate of 1 lb. per 250 sq. ft. Clean spreader thoroughly after use.

| SPREADER SETTINGS:<br>ONE PASS APPLICATION: | MAKE      | SETTING |
|---|-----------|---------|
|   | Cyclone   | 4       |
|   | Sears     | 5       |
|   | Scott's   | 5       |
|   | Jackson   | 5       |
|   | Greenview | 5       |

Sweep all fertilizer materials from concrete surfaces immediately after application. Do not wash material from concrete surfaces because fertilizers which contain iron may cause discoloration upon oxidation.

Consumer Statement (for bags less than 50#)

**STORAGE AND DISPOSAL**

**STORAGE.** Store in original container and keep any bags containing unused product in locked storage area inaccessible to children and domestic animals. Do not store near other feed or foodstuffs. To prevent cross-contamination, do not store near other fertilizers, or near herbicides, insecticides, fungicides or seeds.

**PRODUCT DISPOSAL:** To dispose of bag which contains unused product, securely wrap original container in several layers of newspaper and discard in trash.

**CONTAINER DISPOSAL:** Do not reuse empty bag. Fold empty bag and discard in trash.

Commercial Statement (for bags 50# and over)

**STORAGE AND DISPOSAL**

**STORAGE:** Always use original container to store pesticide in a secured warehouse or storage building. Do not store near seeds, fertilizers, insecticides or fungicides.

4 of 4

Do not stack more than two pallets high. Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE DISPOSAL:** Pesticide wastes are toxic. If container is damaged or if pesticide has leaked, clean up all spilled material. Improper disposal of excess pesticide, spray mixtures or rinsate is a violation of Federal law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay away from smoke.

**NOTICE:** Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

The following note will not be part of the actual label copy.

\*NOTE: Guaranteed (fertilizer) Analysis and Spreader Settings will vary among various commercial fertilizer manufacturers.

