

DISSOLVE™

A Water Soluble Herbicide

KEEP OUR OF REACH OF CHILDREN

DANGER

See Product Label on Carton for
Additional Precautionary Statements
And Statement of Practical Treatment

EPA REG. NO. 228-265 EPA EST. NO. 228-IL-1

RIVERDALE CHEMICAL (Logo)

ACTIVE INGREDIENTS:

Dimethylamine Salt of Dichloro- phenoxyacetic Acid*	46.96%
Dimethylamine Salt of 2-(2-Methyl- 4-Chlorophenoxy)propionic Acid**	24.20%
Dimethylamine Salt of 2-(2,4-Dichloro- phenoxy)propionic Acid***	23.84%
INERT INGREDIENTS:	5.00%
TOTAL	100.00%



Isomer Specific AOAC Method

Equivalent to:

*2,4-Dichlorophenoxyacetic Acid	39.0%
**2-(2-Methyl-4-Chlorophenoxy) propionic Acid	20.0%
***2-(2,4-Dichlorophenoxy)propionic Acid ...	20.0%

Exposure to moisture prior to mixing may cause water
soluble bag to rupture.

Individual soluble bags are not to be offered for sale.



11
11
11

April 30, 1993

Ms. Joanne I. Miller
Product Manager (23)
Registration Division - H7505C
U.S. Environmental Protection Agency
Crystal Mall Bldg. #2
1921 Jefferson Davis Highway
Arlington, VA 22202

Dear Ms. Miller:


Subject: 2,4-D Exposure Reduction Program Label Revisions Due 3/1/93
Label Corrections

Following the submission of approximately sixty (60) labels, we conducted an audit and found, for more reasons than we care to go in to, it became necessary to correct the majority of the labels previously submitted.

We have made two copies of each corrected label. We respectfully request that they be entered in to our registration file as replacements. We apologize for any inconvenience this may cause the Agency.

Sincerely yours,

RIVERDALE CHEMICAL COMPANY


By Russell F. Sawyer
Regulatory Affairs Manager

RFS:ls

Enc.

CPDA Chemical Producers
and Distributors
Association



(Non-Commercial Label)

2 of 3

RIVERDALE

SUPER GREEN WEED AND FEED
X-X-X

Premium Lawn Care

This product is designed for the control of dandelion and many other broadleaf weeds. See back panel for a complete list of weeds controlled by this product.

TRIPLE ACTION

Feeds Kills Dandelions and other Broadleaf weeds Contains Iron for Color

Treats (Covers) 5,000 Sq. Ft. (50' x 100')

ACTIVE INGREDIENT:

Isooctyl (2-ethylhexyl) Ester of 2,4-Dichlorophenoxyacetic Acid* 0.86Z

INERT INGREDIENTS: 99.14Z

TOTAL 100.00Z

*Isomer Specific AOAC Method, Equivalent to 2,4-Dichlorophenoxyacetic Acid .. 0.57Z

GUARANTEED ANALYSIS:°

Total Nitrogen (N) XZ

XZ Ammoniacal Nitrogen

XZ Urea Nitrogen

Available Phosphoric Acid (P₂O₅) XZ

Soluble Potash (K₂O) XZ

Primary Plant Foods derived from Di-Ammonium Phosphate,
Urea, Triple Super Phosphate, and Muriate of Potash

Iron (Fe) XZ

Secondary Plant Food derived from Iron Sulfate

Chlorine Maximum XZ

KEEP OUT OF REACH OF CHILDREN

CAUTION


SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS
AND STATEMENT OF PRACTICAL TREATMENT

NET WEIGHT - 20 LBS.

EPA REG. NO. 228-263

EPA EST. NO. 228-IL-1

Revised A/O 1/14/93 Corr.



345

MANUFACTURED BY

RIVERDALE CHEMICAL COMPANY

GLENWOOD, ILLINOIS 60425-1584

(Back Panel)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Avoid inhalation of dust and contact with eyes, skin, or clothing. When using this product, wear long-sleeved shirt, long pants, socks and shoes. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. The maximum number of broadcast applications per treatment site is 2 per year. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until dusts have settled.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Get medical attention.
 IF IN EYES: Flush eyes with water for 15 minutes. Get medical attention.
 IF ON SKIN: Wash skin with soap and water.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

NOTE: Do not apply on Lippia, St. Augustine, Bentgrass or Dichondra. DO NOT USE this product where desirable clovers are present.

This product is designed to promote lush green growth and control many broadleaf weeds in lawns, such as:

- | | | | |
|-----------|------------|---------------|-----------|
| Bindweed | Fanweed | Lambsquarters | Pigweed |
| Buckhorn | Goldenrod | Mallow | Plantain |
| Burdock | Ground ivy | Morningglory | Purslane |
| Chickweed | Healall | Mustard | Ragweed |
| Chicory | Henbit | Nettles | Smartweed |
| Cocklebur | Jewelweed | Oxalis | Speedwell |

Creeping Jenny Jimsonweed Pennywort Thistle
 Dandelion Kochia Peppergrass Yarrow
 and many other weeds susceptible to 2,4-D

WHEN TO APPLY: For best results apply when weeds are young and actively growing in Spring or early Fall. Apply when grass is moist (after a rain, sprinkling or dew). For most effective broadleaf weed killing action, avoid unnecessary disturbances, including watering, of treated areas for 48 hours after application. Watering will wash off weed killing material. Do not apply if rainfall is expected within 48 hours following treatment. Avoid contact with desirable shrubs, plants, vegetables, or flowers. Possible retreatment in approximately 30 days may be necessary if lawn is heavily overrun with weeds or if adverse low moisture conditions prevail and weeds are in a state of poor growth. Do not over-apply. Do not reseed for at least 3 to 4 weeks after application. Do not apply to newly seeded or sodded lawn until after 3 mowings. Do not cut grass 1 to 2 days before and after application.

HOW TO APPLY: This 20 pound bag should be used on 5000 square feet. Apply evenly with a lawn spreader as a one pass application. A two pass application, criss-crossing the area at half the rate each time is equal to one application.

The following settings are approximate for applying contents of this package at suggested rate of 4 lbs. per 1000 sq. ft. Settings are based on an average walking speed. Reduce setting for slower speed; raise setting for higher speed. Check your spreader on 250 sq. ft. and adjust to apply at the rate of 1 lb. per 250 sq. ft. Clean spreader thoroughly after use.

SPREADER SETTINGS: ONE PASS APPLICATION:°	MAKE	SETTING
	Cyclone	4
	Sears	5
	Scott's	5
	Jackson	5
	Greenview	5

Sweep all fertilizer materials from concrete surfaces immediately after application. Do not wash material from concrete surfaces because fertilizers which contain iron may cause discoloration upon oxidation.

STORAGE AND DISPOSAL

STORAGE. Store in original container and keep any bags containing unused product in locked storage area inaccessible to children and domestic animals. Do not store near other feed or foodstuffs. To prevent cross-contamination, do not store near other fertilizers, or near herbicides, insecticides, fungicides or seeds.

PRODUCT DISPOSAL: To dispose of bag which contains unused product, securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse empty bag. Fold empty bag and discard in trash.

