

228-270

1/28/2008

10/15

 <p align="center">U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505P) Ariel Rios Building 1200 Pennsylvania Ave., NW Washington, D.C. 20460</p> <p align="center">NOTICE OF PESTICIDE: ___ Registration <u> X </u> Reregistration (under FIFRA, as amended)</p>	EPA Reg. Number: 228-270	Date of Issuance: 1-28-08
	Term of Issuance:	
	Name of Pesticide Product: Riverdale Tri-power Weed and Feed	

Name and Address of Registrant (include ZIP Code):
 Nufarm Americas, Inc.
 150 Harvester Drive, Suite 200
 Burr Ridge, IL 60527

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is reregistered in accordance with FIFRA section 4(g)(2)(C) provided you agree in writing to make the following changes:

1. This product is a restricted use pesticide due to its acute inhalation toxicity. Specify "Not for Home Use" under the product title. Also, add "Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purpose."
2. Remove the "Residential Use" section from the proposed label
3. Under "Signal Word";
 Change "Caution" to "Warning."
4. Under "Precautionary Statements";
 Use the following statements:
 "May be fatal if inhaled. Do not breathe dust. Wear an approved particulate filter respirator. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Causes moderate eye irritation."

Signature of Approving Official:  Product Manager (23) Registration Division (7505P)	Date: 1-28-08
--	----------------------

2015

5. Under "First Aid"

a. Add the following "If Inhaled" statements:

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.
- Call a poison control center or doctor for further treatment advice. This product causes series irritation to eyes.

b. Rearrange the first aid treatments with the following sequence:

- If inhaled.
- If in eyes.
- If on skin or clothing.
- If swallowed.

6. Under "Personal Protective Equipment";

a. Add the following respiratory protection requirements:

- i. A National Institute for Occupational Safety and Health (NIOSH) approved half-mask respirator equipped with N-, R-, P-series, or HE particulate air filters and has the approval number prefix (84A-XXX).
- ii. It is recommended that you require that respirator wearers be fit tested, and trained in the proper use, care, cleaning, inspection, and storage of the respirator. Refer to the Occupational Safety and Health Administration (OSHA) standard for Respiratory Protection (29 CFR 1910.134) for additional information.

b. Add "Chemical resistant gloves made of any waterproof materials."

7. Under "Directions for Use";

Your proposed application rate for residential turf is 2.13 lbs. ae /per acre/year [270 x (0.0066 + 0.0013)]. It has exceeded the maximum allowed application rate of 1.5 lbs ae/acre/year. Yu need to reduce the application rate within the specified limit. This maximum application rate, number of retreatment intervals also apply to golf course applications.

8. Under "Storage and Disposal";

Add instructions on "Pesticide Disposal."

9. Under "Warranty Disclaimer";

Add "To the extent consistent with applicable law" before "Unintended consequences, including but not limited to . . . assumed by buyer or user."

10. Under "Limitation of Liability";

Add "To the extent consistent with applicable law" before "Manufacturer or seller shall not be . . . sold by the manufacturer or seller to buyer" and "Buyer's or user's exclusive remedy . . . or its customers."

G. W. 1-28-08

Page 3
EPA Reg. No. 264-270

11. Under "Notice";

Add "To the extent consistent with applicable law" at the beginning of this paragraph.

Reregistration under this section does not eliminate the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of your product.

A stamped copy of your labeling is enclosed for your records. Submit one copy of the revised final printed label for the record before you release the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Enclosure

EW 1-28-08

(Commercial Label)

Tri-Power[®] Weed and Feed

THIS PRODUCT IS A PREMIUM GRADE HERBICIDE AND TURF FOOD
COMBINATION WHICH CONTROLS A WIDE SPECTRUM OF BROADLEAF WEEDS
WHILE PROVIDING BOTH FAST AND LONG-FEEDING ACTION.

Weeds contacted by this product gradually die and disappear from the lawn.

Treats (or covers) 5,000 Sq. Ft. (50' x 100')

GET THE OPTICAL ADVANTAGE[®]

ACTIVE INGREDIENTS:

Dimethylamine Salt of 2-Methyl-4-Chlorophenoxyacetic Acid*	0.808%
Dimethylamine Salt of (+)-R-2-(2-Methyl-4-Chlorophenoxy)propionic Acid**‡	0.157%
Dimethylamine Salt of Dicamba (3,6-Dichloro-o-Anisic Acid)***	0.079%

OTHER INGREDIENTS:	98.956%
TOTAL:	100.000%

ISOMER SPECIFIC AOAC METHOD, EQUIVALENT TO:

*2-Methyl-4-Chlorophenoxyacetic Acid	0.660%
**(+)-R-2-(2-Methyl-4-Chlorophenoxy)propionic Acid	0.130%
***3,6-Dichloro-o-Anisic Acid	0.066%

‡CONTAINS THE SINGLE ISOMER FORM OF MECOPROP-p.

GUARANTEED ANALYSIS:°

Total Nitrogen (N)	X%
X% Ammoniacal Nitrogen	
X% Urea Nitrogen	
Available Phosphate (P ₂ O ₅)	X%
Soluble Potash (K ₂ O)	X%

Primary Plant Foods derived from Ammonium Phosphate, Sulfur Coated Urea, Urea, Triple Super Phosphate, and Muriate of Potash.
Chlorine (Cl) Maximum X%
The urea nitrogen in this product has been coated to provide X% coated slow release urea nitrogen.

Fertilizer guaranteed by (Name of fertilizer registrant)

KEEP OUT OF REACH OF CHILDREN
CAUTION
SEE INSIDE BOOKLET FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300
For Medical Emergencies Only, Call (877) 325-1840

EPA REG. NO. 228-270
EPA EST. NO. 228-IL-1

MANUFACTURED BY
NUFARM AMERICAS INC.
BURR RIDGE, IL 60527



NET WEIGHT LBS.

000228-00270.20061012.pending RED

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Avoid contact with skin, eyes, or clothing. Harmful if absorbed through skin. Causes moderate eye irritation. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Loaders, applicators and other handlers must wear:

- Long-sleeved shirt and long pants, and
- Shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS	
Users should:	
<ul style="list-style-type: none"> • Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. • Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. • Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing. 	

FIRST AID	
IF IN EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	

ENVIRONMENTAL HAZARDS

This pesticide may be toxic to fish, aquatic invertebrates, and aquatic plants. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

Do not apply this product in a way that will contact any person, or pet, either directly or through drift. Keep people and pets out of the area during application.

Do not allow people or pets to enter the treated area until dusts have settled.

RESTRICTIONS AND LIMITATIONS FOR USE ON RESIDENTIAL TURF

Do not apply more than 270 pounds product/acre per year.

Do not apply more than 2 applications per year with a minimum retreatment interval of 21 days.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.**

This product is a stable mixture of three herbicides. It is for use on Ornamental Turf Lawns (Residential, Industrial and Institutional), Parks, Cemeteries, Athletic Fields and Golf Courses (Fairways, Aprons, Tees and Roughs) and similar turf areas.

This product may be used on Bahia, common Bermuda, Blue Grass, Centipede, Fescue, Rye, St. Augustine, and Zoysia grass. **DO NOT USE** on Dichondra and Carpet grass. **DO NOT USE** this product where desirable clovers are present or allow the product to "wind drift" onto flowers, vegetables, ornamentals, shrubs, trees or other desirable plants.

60415

This product is designed to promote lush green growth in lawns and control many broadleaf weeds such as:

Beggartick	English daisy	Marshelder	Redstem	Wild aster
Bindweed	Fat hen	Mexican poppy	Sheep sorrel	Wild carrot
Black medic	Fennel	Morningglory	Shepherdspurse	Wild geranium
Buckhorn	Florida pusley	Mustard	Sicklepod	Wild gooseberry
Burcucumber	Frenchweed	Nettles	Smartweed	Wild jute
Burdock	Galinsoga	Oxalis	Sneezeweed	Wild lettuce
Buttercup	Goatsbeard	Pennycress	Sow thistle	Wild marigold
Canadian thistle	Goldenrod	Pennywort	Spanishneedle	Wild onion
Carpetweed	Ground ivy	Peppergrass	Speedwell	Wild petunia
Catsear	Halbert-leaved saltbush	Pepperweed	Spurge	Wild radish
Chervil	Hawkweed	Pigweed	Spurweed	Wild sage
Chicory	Healall	Plantain	Stinging nettle	Wild garlic
Chickweed	Heartleaf drymary	Poison hemlock	Stinkweed	Wintercress
Cinquefoil	Hempnettle	Poison ivy	Stitchwort	Witchweed
Clover	Henbit	Poison oak	Sunflower	Wood sorrel
Cocklebur	Hoary cress	Prickly lettuce	Thistle	Yarrow
Croton	Honeysuckle	Puncturevine	Thornapple	Yellow charlock
Daisy	Jimsonweed	Purslane	Toadflax	Yellow daisy
Dandelion	Knotweed	Ragweed	Veronica	Yellow rocket
Dock	Kochia	Red clover	Vetch	
Dogfennel	Lambsquarter	Red root	Whitebrush	
Dragonhead mint	Mallow	Red sorrel	White top	

WHEN TO APPLY: Best results are obtained when weeds are growing actively in Spring or early Fall. Avoid contact with desirable shrubs, plants, vegetables, or flowers; especially when applying with a rotary (spinner) type spreader. Do not reseed for at least 3 to 4 weeks after application. Do not apply to newly seeded or sodded lawn until after 3 mowings. For optimum results (1) Avoid mowing 1 to 2 days before and after application; (2) Apply when grass is moist (after a rain, sprinkling or dew); (3) Avoid unnecessary disturbances, including watering of treated areas for 48 hours after application. Watering will wash off weed killing material; and (4) Avoid applying if rainfall is expected within 48 hours following treatment. Possible retreatment in approximately 30 days may be necessary if lawn is heavily overrun with weeds or if adverse low moisture conditions prevail and weeds are in a state of poor growth. Do not exceed recommended rates because damage to turf may occur.

NOTE: When applying to Southern Grasses – under conditions of inadequate moisture, high temperature and high humidity, over-application may cause minor transitory discoloration on Centipede and St. Augustine grasses. It is recommended that during hot, dry conditions, application rates should be reduced 50% to avoid possible dehydration or browning of grass.

HOW TO APPLY: This 20 pound (or 18 pound) bag should be used on 5,000 square feet. Apply evenly with a lawn spreader as a one-pass application. A two-pass application, criss-crossing the area at half the rate each time is also acceptable.

The following settings are approximate for applying contents of this package at a suggested rate of 4 pounds (3.6 pounds for 18# bag) per 1,000 square feet. Settings are based on an average walking speed. Reduce setting for slower speed; raise setting for higher speed. Check your spreader on 250 square feet and adjust to apply at the rate of 1 pound (0.9 lb. for 18# bag) per 250 square feet.

**SPREADER SETTINGS
ONE-PASS APPLICATION*:**

MAKE	SETTING
Central Calibrated	5
Cyclone Broadcast	3-3/4
Jackson	5
Sears Broadcast	3
Sears	5
Scotts Calibrated	4

Sweep (do not wash) all fertilizer materials from surfaces immediately after application, because certain fertilizer ingredients can cause permanent stains. Wash out spreader after each use and allow it to dry thoroughly. Treat any exposed metal spreader areas with oil to reduce corrosion.

(The following paragraph is mandatory in Kentucky when the nitrogen analysis does not provide 1 lb. nitrogen/1,000 square feet; otherwise, this information is optional.)

A lawn typically will utilize 1 to 4 pounds of nitrogen per 1,000 square feet per growing season. When used as directed, this product will supplement your regular fertilizer program by providing *(No. of lbs.) of nitrogen per 1,000 square feet (optional P₂O₅ and K₂O levels) and herbicide to control listed weeds. Please consult your local extension office for questions regarding a regular fertilizer program.

*Based on Inert fertilizer claimed.

Environmental Benefits

(Grasscycling Logo)

Besides increasing property values, did you know a well-maintained lawn provides the following benefits to your home and environment:

Grass clippings and yard waste are approximately 20% of the volume in our nation's landfills. To do your part to reduce this amount, leave grass clippings on your lawn. Increased mowing height and frequency will produce smaller grass clippings that will decompose more readily so nutrients go back into your lawn.

- √ A 50' x 50' lawn produces enough oxygen for a family of 4 every day
- √ Reduces Glare & Reduces Noise
- √ Traps Dust, Smoke Particles & Other Pollutants
- √ Purifies Water & Modifies Temperature
- √ Improves Soil Condition & Controls Erosion

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Always use original container to store pesticides in a secured warehouse or storage building. Do not store near feed or foodstuffs. Do not stack more than two pallets high. To prevent cross-contamination, do not store near open containers of fertilizers, seed or other pesticides.

PESTICIDE DISPOSAL: If container is damaged or if pesticide has leaked, clean up all spilled material. Improper disposal of excess pesticide, spray mixtures or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER. TO THE EXTENT PERMITTED BY LAW, MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO CROP INJURY OR INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

LIMITATION OF LIABILITY

TO THE EXTENT PERMITTED BY LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR ARISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS.

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

(Residential Label)

Tri-Power® Weed and Feed

THIS PRODUCT IS A PREMIUM GRADE HERBICIDE AND TURF FOOD COMBINATION WHICH CONTROLS A WIDE SPECTRUM OF BROADLEAF WEEDS WHILE PROVIDING BOTH FAST AND LONG-FEEDING ACTION.

Weeds contacted by this product gradually die and disappear from the lawn.

Treats (or covers) 5,000 Sq. Ft. (50' x 100')

GET THE OPTICAL ADVANTAGE®

ACTIVE INGREDIENTS:

Dimethylamine Salt of 2-Methyl-4-Chlorophenoxyacetic Acid*	0.808%
Dimethylamine Salt of (+)-R-2-(2-Methyl-4-Chlorophenoxy)propionic Acid**‡	0.157%
Dimethylamine Salt of Dicamba (3,6-Dichloro-o-Anisic Acid)***	0.079%

OTHER INGREDIENTS:	98.956%
TOTAL:	100.000%

ISOMER SPECIFIC METHOD, EQUIVALENT TO:

*2-Methyl-4-Chlorophenoxyacetic Acid	0.660%
**(+)-R-2-(2-Methyl-4-Chlorophenoxy)propionic Acid	0.130%
***3,6-Dichloro-o-Anisic Acid	0.066%

‡CONTAINS THE SINGLE ISOMER FORM OF MECOPROP-p.

GUARANTEED ANALYSIS:¹

Total Nitrogen (N)	X%
X% Ammoniacal Nitrogen	
X% Urea Nitrogen	
Available Phosphate (P ₂ O ₅)	X%
Soluble Potash (K ₂ O)	X%

Primary Plant Foods derived from Ammonium Phosphate, Sulfur Coated Urea, Urea, Triple Super Phosphate, and Muriate of Potash. Chlorine (Cl) Maximum X%
The urea nitrogen in this product has been coated to provide X% coated slow release urea nitrogen.


Fertilizer guaranteed by (Name of fertilizer registrant)

KEEP OUT OF REACH OF CHILDREN
CAUTION
SEE INSIDE BOOKLET FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300
For Medical Emergencies Only, Call (877) 325-1840

EPA REG. NO. 228-270
EPA EST. NO. 228-IL-1

MANUFACTURED BY
NUFARM AMERICAS INC.
BURR RIDGE, IL 60527



NET WEIGHT LBS.

000228-00270.20061012.pendingRED

100A15

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Avoid contact with skin, eyes, or clothing. Harmful if absorbed through skin. Causes moderate eye irritation. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Loaders, applicators, and other handlers must wear:

- Long-sleeved shirt and long pants, and
- Shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS	
Users Should:	
<ul style="list-style-type: none"> • Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. • Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. • Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing. 	

FIRST AID	
IF IN EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	

ENVIRONMENTAL HAZARDS

This pesticide may be toxic to fish, aquatic invertebrates, and aquatic plants. Do not apply directly to water. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours. Do not contaminate water when disposing of equipment washwaters or rinsate.

Do not apply this product in a way that will contact any person, or pet, either directly or through drift. Keep people and pets out of the area during application.

Do not allow people or pets to enter the treated area until dusts have settled.

RESTRICTIONS AND LIMITATIONS FOR USE ON RESIDENTIAL TURF

Do not apply more than 270 pounds product/acre per year.


Do not apply more than 2 applications per year with a minimum retreatment interval of 21 days.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.**

TRI-POWER® WEED AND FEED is a stable mixture of three herbicides. It is for use on Residential Turf.

This product may be used on Bahia, common Bermuda, Blue Grass, Centipede, Fescue, Rye, St. Augustine, and Zoysia grass. **DO NOT USE** on Dichondra and Carpet grass. **DO NOT USE** this product where desirable clovers are present or allow the product's "wind drift" onto flowers, vegetables, ornamentals, shrubs, trees or other desirable plants.



This product is designed to promote lush green growth in lawns and control many broadleaf weeds such as:

Beggartick	English daisy	Marshelder	Redstem	Wild aster
Bindweed	Fat hen	Mexican poppy	Sheep sorrel	Wild carrot
Black medic	Fennel	Morningglory	Shepherdspurse	Wild geranium
Buckhorn	Florida pusley	Mustard	Sicklepod	Wild gooseberry
Burcucumber	Frenchweed	Nettle	Smartweed	Wild jute
Burdock	Galinsoga	Oxalis	Sneezeweed	Wild lettuce
Buttercup	Goatsbeard	Pennycress	Sow thistle	Wild marigold
Canadian thistle	Goldenrod	Pennywort	Spanishneedle	Wild onion
Carpetweed	Ground ivy	Peppergrass	Speedwell	Wild petunia
Catsear	Halbert-leaved saltbush	Pepperweed	Spurge	Wild radish
Chervil	Hawkweed	Pigweed	Spurweed	Wild sage
Chicory	Healall	Plantain	Stinging nettle	Wild garlic
Chickweed	Heartleaf drymary	Poison hemlock	Stinkweed	Wintercress
Cinquefoil	Hempnettle	Poison ivy	Stitchwort	Witchweed
Clover	Henbit	Poison oak	Sunflower	Wood sorrel
Cocklebur	Hoary cress	Prickly lettuce	Thistle	Yarrow
Croton	Honeysuckle	Puncturevine	Thornapple	Yellow charlock
Daisy	Jimsonweed	Purslane	Toadflax	Yellow daisy
Dandelion	Knotweed	Ragweed	Veronica	Yellow rocket
Dock	Kochia	Red clover	Vetch	
Dog fennel	Lambsquarter	Red root	Whitebrush	
Dragonhead mint	Mallow	Red sorrel	White top	

WHEN TO APPLY: Best results are obtained when weeds are growing actively in Spring or early Fall. Avoid contact with desirable shrubs, plants, vegetables, or flowers; especially when applying with a rotary (spinner) type spreader. Do not reseed for at least 3 to 4 weeks after application. Do not apply to newly seeded or sodded lawn until after 3 mowings.³ For optimum results (1) Avoid mowing 1 to 2 days before and after application; (2) Apply when grass is moist (after a rain, sprinkling or dew); (3) Avoid unnecessary disturbances, including watering of treated areas for 48 hours after application. Watering will wash off weed killing material; and (4) Avoid applying if rainfall is expected within 48 hours following treatment. Possible retreatment in approximately 30 days may be necessary if lawn is heavily overrun with weeds or if adverse low moisture conditions prevail and weeds are in a state of poor growth. Do not exceed recommended rates because damage to turf may occur.

NOTE: When applying to Southern Grasses – under conditions of inadequate moisture, high temperature and high humidity, over-application may cause minor transitory discoloration on Centipede and St. Augustine grasses. It is recommended that during hot, dry conditions, application rates should be reduced 50% to avoid possible dehydration or browning of grass.

HOW TO APPLY: This 20 pound (or 18 pound) bag should be used on 5,000 square feet. Apply evenly with a lawn spreader as a one-pass application. A two-pass application, criss-crossing the area at half the rate each time is also acceptable.

The following settings are approximate for applying contents of this package at a suggested rate of 4 pounds (3.6 pounds for 18# bag) per 1,000 square feet. Settings are based on an average walking speed. Reduce setting for slower speed; raise setting for higher speed. Check your spreader on 250 square feet and adjust to apply at the rate of 1 pound (0.9 lb. for 18# bag) per 250 square feet.

**SPREADER SETTINGS
ONE-PASS APPLICATION¹**

<u>MAKE</u>	<u>SETTING</u>
Central Calibrated	5
Cyclone Broadcast	3-3/4
Jackson	5
Sears Broadcast	3
Sears	5
Scotts Calibrated	4

Sweep (do not wash) all fertilizer materials from surfaces immediately after application, because certain fertilizer ingredients can cause permanent stains. Wash out spreader after each use and allow it to dry thoroughly. Treat any exposed metal spreader areas with oil to reduce corrosion.

(The following paragraph is mandatory in Kentucky when the nitrogen analysis does not provide 1 pound nitrogen/1,000 square feet; otherwise, this information is optional.)

A lawn typically will utilize 1 to 4 pounds of nitrogen per 1,000 square feet per growing season. When used as directed, this product will supplement your regular fertilizer program by providing 1 (No. of lbs.) of nitrogen per 1,000 square feet (optional P₂O₅ and K₂O levels) and herbicide to control listed weeds. Please consult your local extension office for questions regarding regular fertilizer program.

¹Based on Inert fertilizer claimed.

Environmental Benefits

(Grasscycling Logo)

Besides increasing property values, did you know a well-maintained lawn provides the following benefits to your home and environment:

Grass clippings and yard waste are approximately 20% of the volume in our nation's landfills. To do your part to reduce this amount, leave grass clippings on your lawn. Increased mowing height and frequency will produce smaller grass clippings that will decompose more readily so nutrients go back into your lawn.

- √ A 50' x 50' lawn produces enough oxygen for a family of 4 every day
- √ Reduces Glare & Reduces Noise
- √ Traps Dust, Smoke Particles & Other Pollutants
- √ Purifies Water & Modifies Temperature
- √ Improves Soil Condition & Controls Erosion

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Always use original container to store pesticides and keep any bags containing unused product in locked storage area inaccessible to children and domestic animals. Do not store near other feed or foodstuffs. To prevent cross-contamination, do not store near open containers of fertilizers, seed or other pesticides.

CONTAINER DISPOSAL: If empty – Do not reuse this container. Place in trash or offer for recycling if available. If partly filled – If product cannot be used as directed, or offered to others for their use, call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER. TO THE EXTENT PERMITTED BY LAW, MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO CROP INJURY OR INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

LIMITATION OF LIABILITY

TO THE EXTENT PERMITTED BY LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR ARISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS.

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

(RV101206)

Tri-Power and The Optical Advantage are registered trademarks of Nufarm Americas Inc.

OPTIONAL SPREADER INSTRUCTIONS:

- (Illustration) For Drop Spreaders: First apply two strips at ends. Then apply product along the length of the lawn, overlapping very slightly and shutting off spreader when turning.
- (Illustration) For Rotary Spreaders: Apply in a circular path, starting on the outside and working toward the center, overlapping very slightly.

OPTIONAL MARKETING STATEMENTS:

Contains Tri-Power® A Premium Broadleaf Herbicide

NOTE: ¹Guaranteed (fertilizer) Analysis and Spreader Settings will vary among various commercial fertilizer manufacturers.
²Chlorine declaration and fertilizer guarantee are optional except where mandated by State fertilizer regulation. ³(Optional)
 Do not apply during time periods when the maximum daily temperatures are in excess of 90°F.

(Additional Optional Fertilizer and Advertising Information)

Lawn Fertilizer
 Plus Weed Control
 Effectively Controls Dandelions And Other Broadleaf Weeds

(ILLUSTRATION)

- * Exclusive DeepGreen® Feeding System Keeps Lawn Green While Controlling Weeds, Whatever The Weather – Hot Or Cold, Wet Or Dry.
- * Contains Time-Release Nitrogen For Longer Feeding And Consistently Green Lawns.
- * Feeds Up To Three Times Longer Than Ordinary Soluble Lawn Fertilizer.
- * 100% Satisfaction Guaranteed
- * Toll-Free Helpline: 1-888-XXX-XXXX

EXPERIENCE THE (SELLER'S NAME) ADVANTAGE™

Only [Seller's Name] has the extraordinary DeepGreen® nutrient delivery system containing an exclusive polymer-coated time-release nitrogen source, assuring you the predictable, continuous feeding ordinary soluble lawn fertilizers can't deliver. So you'll enjoy the advantage of a consistently beautiful lawn week after week, whether it's hot or cold, wet or dry.

(Illustration)

(Seller's) DeepGreen® System Feeds Your Lawn Continuously When Ordinary Soluble Fertilizers Can't.

SUGGESTED SPREADER SETTINGS
One-Pass Application

(Illustration) **Drop Spreaders:** First, mow lawn then apply 2 border strips along each end of the lawn. Apply fertilizer along the length of the lawn overlapping slightly between passes.

Drop Spreader	Setting
K-Gro, Sears Drop	5
Republic E-Z Drop	5
Scotts Drop - All Models	6
Ortho Drop	5

(Illustration) **Rotary Spreaders:** First, mow lawn then apply fertilizer in a circular pattern, working from the outer edge towards the center of the lawn. Overlap slightly to insure uniform application and complete coverage.

Rotary Spreader	Setting
Cyclone	4
Republic E-Z Rotary	3
Scotts Easy Green Rotary	26
Scotts Speedy Green Rotary	4-1/2
Ortho Rotary 6000	3

The above suggested spreader settings are approximate. In general, spreaders should be calibrated to apply 1 lb. of this fertilizer product per 275 square feet of lawn.

Be sure to close spreader openings when loading, turning or when stopped.

(SELLER'S NAME) 100% GUARANTEE OF SATISFACTION

If not totally satisfied with the results of this product, simply send proof of purchase and a brief description of your problem to (Seller's name & address) for a prompt refund.

(SELLER'S NAME) HELPLINE

Questions concerning lawn care or fertilizer application? Just call toll free 1-888-XXX-XXXX

To avoid staining patios, sidewalks, swimming pools and other surfaces, remove any spilled product from these areas immediately by sweeping, vacuuming or blowing.

Made in the U.S.

TRIPLE ACTION WEED CONTROL FORMULA

X•X•X

Smart Solutions for a Beautiful Lawn™

LONGER LASTING NUTRITION

This product is a premium grade herbicide and turf food combination which controls a wide spectrum of broadleaf weeds while providing both fast and long feeding action

TRIPLE-ACTION WEED CONTROL

Weeds contacted by this product gradually die and disappear from the lawn


DEEP GREEN COLOR

Provides nutrition (X% nitrogen, X% phosphate and X% potassium) for a deep, rich green lawn

DELIVERS MORE NUTRITION WHEN NEEDED MOST

X% nitrogen includes temperature-release nutrients that release when the lawn is growing and needs it most

(Logo)
AMERICAN
HORTICULTURAL
SOCIETY
NuLife proudly supports
AHS National



<p>THIN, LOW DENSITY GRASS Low density makes your lawn look uncared for, invites weed infestation, and makes your lawn susceptible to damage and disease. It is also an indicator of poor organic activity, which may indicate a lack of organic material.</p>	<p>BEFORE (Illustrations)</p>	<p>AFTER (Illustrations)</p>	<p>DEEP GREEN COLOR NuLife Weed & Feed provides nutrition (24% nitrogen, 6% phosphorous, 12% potassium) for a deep, rich green lawn. Nitrogen is the most important factor in lawn color. Augment with soil sweeteners if the soil becomes acidic.</p>
<p>WEAK UNDERGROWTH Healthy roots are the key to strong, drought-resistant lawns. Root systems need phosphorous and potassium, and are aided by the organic materials and beneficial bacterial action.</p>	<p>WEED INFESTATION Widespread weed infestation indicates a lack of sufficient plant density to naturally choke off new weeds.</p>	<p>UNIFORM DENSITY AND WEED FREE NuLife Weed & Feed keeps the lawn weed free in two ways. First, special formula Tri-Power® weed control has three active ingredients that work together to kill most types of broadleaf weeds. Secondly, NuLife Weed & Feed provides a steady supply of slow-release nitrogen to help the lawn become vigorous and dense, which prevents new weeds from germinating and taking hold.</p>	<p>THICK, LUSH, DENSE LAWN NuLife Weed & Feed provides three sources of nitrogen: fast-release nitrogen for immediate greening; slow release for longer time between feeding, and temperature-sensitive sources that provide nitrogen when your lawn is growing and needs it most.</p>
<p>POOR SUB-LAYER AND DEPLETED SOIL Lawns need a rich sublayer of decomposing organic material to continually improve the soil and release the full range of nutrition through beneficial bacterial action. A proper layer of decomposing material helps retain moisture and provides a constantly cycling organic system.</p>	<p>POOR COLOR Low nitrogen, low iron, acid soil or disease cause yellowing or poor color. Low usable nitrogen is the most typical cause. The lawn needs a consistent supply of nitrogen to develop and maintain good color.</p>		<p>DURABLE ROOT SYSTEMS AND UNDERGROWTH NuLife Weed & Feed contains phosphorous, potassium and 5% natural organic based materials to strengthen your lawn's root system, resist drought, and promote the vigor for your lawn.</p>

The NuLife "Greenhouse of Ideas" Program for Vigorous Lawns

NuLife is constantly developing and testing new ideas to make your gardening more successful and satisfying. At NuLife, we blend organic and non-organic materials to give you the best of both worlds, and to help your garden and the environment.

All NuLife formulations have been carefully developed for effectiveness and monitored for highest quality. They represent the best of the horticultural sciences and contain advanced or proprietary formulations. Good gardening!
To you from NuLife.

NuLife Guarantee of Quality: NuLife guarantees your satisfaction or your money back. If you are dissatisfied for any reason, return the bag or proof of purchase to the manufacturer for a refund limited to the amount of purchase.

ACCEPTED
with COMMENTS
in EPA Letter Dated

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

228-270

JAN 28 2008