

US ENVIRONMENTAL PROTECTION AGENCY  
OFFICE OF PESTICIDES PROGRAMS  
REGISTRATION DIVISION (TS 767)  
WASHINGTON, DC 20460

EPA REGISTRATION NO.

225-215

DATE OF ISSUANCE

03 APR 1992

TERM OF ISSUANCE

CONDITIONAL

NAME OF PESTICIDE PRODUCT

EVERETT "EVA" BRAND  
GRANDIAR WEED KILLER

NOTICE OF PESTICIDE:  REGISTRATION  
 REREISTRATION

(Under the Federal Insecticide, Fungicide,  
and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

EVERETT CHEMICAL COMPANY  
425 WEST 19TH STREET  
CLEMSON, IL 64505-1004

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 6(e)(1)(iv), provided that you:

1. Add the words "EPA Registration No. 225-215" to the label before you release the product for shipment.
2. Advise the labeling as described on an addendum to this notice.
3. Agree to submit an acceptable acute inhalation study or a study waiver request to support this registration within 9 months from the date of this notice. We noted your statement that the physical properties of this product did not mandate an acute inhalation study.
4. Submit five (5) copies of the final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

**BEST AVAILABLE COPY**

Joanne L. Miller  
Product Manager (23)  
Fungicide-Herbicide Branch  
Registration Division (A-7000)

Enclosure

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

Joanne L. Miller

DATE

4/3/92

ADDENDUM TO NOTICE OF PESTICIDE REGISTRATION

Riverdale Triamine<sup>™</sup> Premium Granular Weed Killer  
EPA Registration Number 228-278

1. Revise the precautionary statements to read as follows:

"Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wear long pants, long-sleeved shirt, shoes and chemical resistant gloves when loading and applying this product. Wash thoroughly with soap and water after handling. Wash nondisposable gloves thoroughly with soap and water before removing. Do not re-enter or permit workers to re-enter areas until dusts have settled."

2. Revise the statements of practical treatment to read as follows (in the order given):

"IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

"IF IN EYES: Flush with plenty of water. Call a physician if irritation persists.

3. The Environmental Hazards statement on the label that reads "Do not apply directly to water or wet-lands (swamps, bays, marshes and porholes) must be revised to read: "Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark".

4. Correct the NIFE on page three that reads: "It is recommended that during hot, .....to avoid possible dehydration of browning of grass." The word "of" should be "and" in this statement.

---

**BEST AVAILABLE COPY**

396 H

(Non-Homeowner Label)

RIVERDALE

TRIAMINE™ PREMIUM

GRANULAR WEED KILLER

THIS PRODUCT IS A PREMIUM GRADE HERBICIDE WHICH CONTROLS  
A WIDE SPECTRUM OF BROADLEAF WEEDS.

Weeds controlled by this product gradually die and  
disappear from the lawn.

CONTAINS 2,4-D, MECOPROP AND DICHLORPROP.

Treats (or covers) 5,000 Sq. Ft. (50' x 100')

ACTIVE INGREDIENTS:

Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid*	0.843%
Dimethylamine Salt of 2-(2-Methyl-4-Chlorophenoxy)propionic Acid**	0.847%
Dimethylamine Salt of 2-(2,4-Dichlorophenoxy)propionic Acid***	0.834%

INERT INGREDIENTS:	97.476%
TOTAL	100.000%

ISOMER SPECIFIC AOAC METHOD, EQUIVALENT TO:

*Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid	0.70%
**Dimethylamine Salt of 2-(2-Methyl-4-Chlorophenoxy)propionic Acid	0.70%
***Dimethylamine Salt of 2-(2,4-Dichlorophenoxy)propionic Acid	0.70%

TRIAMINE™ - Trademark of Riverdale Chemical Company

Patent Pending

ACCEPTED  
with COMMENTS  
in EPA Letter Dated

KEEP OUT OF REACH OF CHILDREN

03 APR 1982

CAUTION

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS  
AND STATEMENT OF PRACTICAL TREATMENT

NET WEIGHT 10 LBS.

EPA REG. NO. 228-

EPA EST. NO. 228-IL-1

MANUFACTURED BY

RIVERDALE CHEMICAL COMPANY

GLENWOOD, ILLINOIS 60425-1584

BEST AVAILABLE COPY

(Back Panel)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Avoid inhalation of dust and contact with eyes, skin, or clothing. Wear long pants, long-sleeved shirt, shoes and chemical resistant gloves when loading and applying this product. Wash nondisposable gloves thoroughly with soap and water before removing. Wash thoroughly after handling. Do not re-enter or permit workers to re-enter areas until dusts have settled.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Get Medical Attention.  
IF IN EYES: Flush Eyes with Water for 15 Minutes. Get medical attention.  
IF ON SKIN: Wash Skin with Soap and Water.

ENVIRONMENTAL HAZARDS .

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not contaminate water when disposing of equipment washwaters, nor pour the washwater on the ground; spray or drain over a large area away from wells and other water sources. If spills occur, collect the material and dispose of by following disposal instructions on this label.


Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-D, Mecoprop and Dichlorprop have been associated with mixing/loading and disposal sites. Caution should be exercised when handling these phenoxy pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing or transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

TRIAMINE™ PREMIUM GRANULAR WEED KILLER is a stable mixture of three herbicides. It is for use on Lawns, Ornamental Turf (not pastures), Parks, Sod Farms, and Golf Fairways, Aprons, Tees and Koughs.

This product may be used on Bahia, common Bermuda, Blue Grass, Centipede, Fescue, Rye, St. Augustine, and Zoysia grass. DO NOT USE on Dichondra and Carpet grass. DO NOT USE this product where desirable clovers are present or allow the product to "wind drift" onto flowers, vegetables, ornamentals, shrubs, trees or other desirable plants.



This product is designed to control many broadleaf weeds in lawns; such as:

Alders, Artichoke, Aster, Austrian fieldcress, Beggarticks, Bide, Bindweed, Bitterweed, Bitter winter cress, Black medic, Blessed thistle, Blue lettuce, Box elder, Broomweed, Buckhorn, Bull thistle, Burdock, Bur ragweed, Buttercup, Canada thistle, Carpetweed, Catnip, Chickweed, Chicory, Clover, Cockle, Cocklebur, Coffeebean, Coffeeweed, Common sowthistle, Creeping jenny, Croton, Curly indigo, Dandelion, Dock, Dogbane, Dogfennel, Elderberry, English daisy, Flea bane (daisy), Flixweed, Florida pusley, Frenchweed, Galinsoga, Goatsbeard, Goldenrod, Ground ivy, Gumweed, Hawkweed, Healall, Heartloaf drymary, Hemp, Henbit, Hoary cress, Honeysuckle, Horsetail, Indiana mallow, Ironweed, Jewelweed, Jimsonweed, Kochia, Knotweed, Lambsquarters, Locoweed, Lupines, Mallow, Marshelder, Mexicanweed, Morningglory, Musk thistle, Mustard, Nettle, Nutgrass, Orange hawkweed, Oxalis, Parsnip, Pennycress, Pennywort, Peppergrass, Pepperweed, Pigweed, Plantain, Poison hemlock, Poison ivy, Poison oak, Pokeweed, Poorjoe, Povertyweed, Prickly lettuce, Primrose, Puncture vine, Purslane, Ragweed, Red clover, Red sorrel, Rush, Russian thistle, Sagebrush, St. Johnswort, Sheep sorrel, Shepherdspurse, Smartweed, Sneezeweed, Southern wild rose, Sowthistle, Spanishneedles, Spatterdock, Speedwell, Spurge, Spurweed, Stinkweed, Stitchwort, Sumac, Sunflower, Sweet clover, Tarweed, Thistle, Toadflax, Tumbleweed, Velvet leaf, Veronica, Vervain, Vetch, Virginia buttonweed, Virginia creeper, Wild aster, Wild carrot, Wild garlic, Wild geranium, Wild lettuce, Wild onion, Wild radish, Wild rape, Wild strawberry, Wild sweet potato, Willow, Witchweed, Woodsorrel, Wormseed, Yarrow, Yellow rocket, and other broadleaf weeds.

**WHEN TO APPLY:** Best results are obtained when weeds are growing actively in Spring or early Fall. Avoid contact with desirable shrubs, plants, vegetables, or flowers. Do not reseed for a least 3 to 4 weeks after application. Do not apply to newly seeded or sodded lawn until after 3 mowings. For optimum results (1) Avoid mowing 1 to 2 days before and after application; (2) Apply when grass is moist (after a rain, sprinkling or dew); (3) Avoid unnecessary disturbances, including watering, of treated areas for 48 hours after application. Watering will wash off weed killing material; and (4) Avoid applying if rainfall is expected within 48 hours following treatment. Possible retreatment in approximately 30 days may be necessary if lawn is heavily overrun with weeds or if adverse low moisture conditions prevail and weeds are in a state of poor growth. Do not exceed recommended rates because damage to turf may occur.

**NOTE:** When applying to Southern Grasses - under conditions of inadequate moisture, high temperature and high humidity, over-application may cause minor transitory discoloration on Centipede and St. Augustine grasses. It is recommended that during hot, dry conditions, application rates should be reduced 50% to avoid possible dehydration of browning of grass.

**HOW TO APPLY:** This 10 pound bag should be used on 5000 square feet. Apply evenly with a lawn spreader as a one pass application. A two pass application, criss-crossing the area at half the rate each time is also acceptable.

The following settings are approximate for applying contents of this package at a suggested rate of 2 pounds per 1000 square feet. Settings are based on an average walking speed. Reduce setting for slower speed; raise setting for higher speed. Check your spreader on 250 sq. ft. and adjust to apply at the rate of  $\frac{1}{2}$  lb. per 250 sq. ft. Clean spreader thoroughly after use.

**BEST AVAILABLE COPY**

6 7 6

SPREADER SETTINGS FOR  
ONE PASS APPLICATION:°

<u>MAKE</u>	<u>SETTING</u>
Ortho Drop (3000, 5000 models)	7
Ortho Rotary (4000, 4000T, 6000, 6000T models)	9-1/2
Scott's Speedy Green	4-1/4
Scott's Easy Green	27-3/4
Scott's Drop	7-3/4
Scotts R7X	I-J
Prize C8-85 & CBT-85	4.7
Lesco	I-J
Cyclone	4.7
Spyker	4.7
Lely	3.0

**STORAGE AND DISPOSAL**


**STORAGE:** Always use original container to store pesticides in a secured warehouse or storage building. Do not store near seeds, fertilizers, insecticides or fungicides. Do not stack more than two pallets high. Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE DISPOSAL:** Pesticide wastes are toxic. If container is damaged or if pesticide has leaked, clean up all spilled material. Improper disposal of excess pesticide, spray mixtures or rinsate is a violation of Federal law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay away from smoke.

**NOTICE:** Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

(RS 030191)



The following note will not be part of the actual label copy.

°NOTE: Spreader Settings will vary among various commercial granule manufacturers.