YM JE JO8 21/8

10/3

Please read instructions on reverse before completing form. Form Approved. OMB No. 2070-0060. Approval expires 11-30-93 United States Environmental Protection Agency OPP Identitier Number Registration Office of Pesticide Programs (H7505C) Washington, DC 20460 **Amendment** 196270 Application for Pesticide: Other Section I 3. Proposed Classification 1. Company/Product Number 2. EPA Product Manager 228-278 Joanne I. Miller None Restricted 3 4. Company/Product (Name) Riverdale Triamine Premium Granular Weed Killer 6. Expedited Review. In accordance with FIFRA Section 3(c)(3) 5. Name and Address of Applicant (Include ZIP Code) (b)(i), my product is similar or identical in composition and labeling RIVERDALE CHEMICAL COMPANY 425 West 194th Street Glenwood, IL 60425-1584 EPA Reg. No._ Check if this is a new address Product Name Section II Final printed labels in response to Amendment - Explain below Agency letter dated_ Resubmission in response to Agency letter dated "Me Too" Application. Notification - Explain below. Other - explain below. Explanation: Use additional page(s) if necessary. (For section I and Section II.) NOTIFICATION L NOT REVIEWED To comply with PR Notice 93-3 Section III 1. Material This Product Will Be Packaged In: Child-Resistant Packaging 2. Type of Container **Unit Packaging** Water Soluble Packaging Metal Yes Yes Yes Plastic No Glass No Paper If Yes. If "Yes," No. per No. per Other (Specify) Unit Package wgt. container Package wgt. * Certification must be container submitted. 5. Location of Label Directions 3. Location of Net Contents Information 4. Size(s) of Retail Container Container On Labeling accompanying product 6. Manner In Which Label Is Affixed To Product Lithograph Paper glued Stenailed Section IV 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application, Telephone No. (Include Area Code) Name Russell F. Sawyer Regulatory Affairs Manager : · ·7,08/754-3330 6. Date Application Certification 'Alebeited I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or (Stamped) both under applicable law. 2 Signature Regulatory Affairs Manager 4 Typed Name

June 28, 1993

RIVERDALE

TRIAMINETM PREMIUM

GRANULAR WEED KILLER

THIS PRODUCT IS A PREMIUM GRADE HERBICIDE WHICH CONTROLS A WIDE SPECTRUM OF BROADLEAF WEEDS.

Weeds controlled by this product gradually die and disappear from the lawn.

CONTAINS 2,4-D, MECOPROP AND DICHLORPROP.

Treats (or covers) 5,000 Sq. Ft. (50' x 100')

ACTIVE INGREDIENTS: + Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid* Dimethylamine Salt of 2-(2-Methyl-4-Chlorophenoxy)propionic Acid** Dimethylamine Salt of 2-(2,4-Dichlorophenoxy)propionic Acid** INERT INGREDIENTS:	* 0.847% 0.834%
ISOMER SPECIFIC AOAC METHOD, EQUIVALENT TO: *Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid **Dimethylamine Salt of 2-(2-Methyl-4-Chlorophenoxy)propionic Acid ***Dimethylamine Salt of 2-(2,4-Dichlorophenoxy)propionic Acid	0.70%
TRIAMINE TM - Trademark of Riverdale Chemical Company	Patent Pending

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND STATEMENT OF PRACTICAL TREATMENT

NET WEIGHT 10 LBS.

EPA REG. NO. 228-278

MANUFACTURED BY

RIVERDALE CHEMICAL COMPANY

GLENWOOD, ILLINOIS 60425-1584

Revised A/O 3/9/93

Wisetdare Hilaming a tightom grandiar weed writer (Commercial)

3/5

rage z

HOMADMITON OTHER STORES OF BUILDING BUILDING

(Back Panel)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Wear long pants, long-sleeved shirt, socks shoes and gloves when loading and applying this product. After using this product remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. The maximum number of broadcast applications per treatment site is 2 per year. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until dust has settled.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Get medical attention.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention. IF IN EYES: Flush with plenty of water. Call a physician if irritation

persists.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters, nor pour the washwater on the ground; spray or drain over a large area away from wells and other water sources.

Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-D, Mecoprop and Dichlorprop have been associated with mixing/loading and disposal sites. Caution should be exercised when handling these phenoxy pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing or transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

TRIAMINETM PREMIUM GRANULAR WEED KILLER is a stable mixture of three herbicides. It is for use on Lawns, Ornamental Turf (not pastures), Parks, and Golf Fairways, Aprons, Tees and Roughs.

This product may be used on Bahia, common Bermuda, Blue Grass, Centipede, Fescue, Rye, St. Augustine, and Zoysia grass. DO NOT USE on Dichondra and Carpet grass. DO NOT USE this product where desirable clovers are present or allow the product to "wind drift"

IVELUCATE A LABORATE CLUMPTON SERVICE SEEA CLUTCH ASSUME TO A STATE OF THE PROPERTY OF THE PRO

11:04:

onto flowers, vegetables, ornamentals, shrubs, trees or other desirable plants.

This product is designed to control many broadleaf weeds in lawns; such as:

Alders, Artichoke, Asier, Austrian fieldcress, Beggarticks, Biden, Bindweed, Bitterweed, Bitter winter cress, Black medic, Blessed thistle, Blue lettuce, Box elder, Broomweed Buckhorn, Bull thistle, Burdock, Bur ragweed, Buttercup, Canada thistle, Carpetweed, Catnip, Chickweed, Chicory, Clover, Cockle, Cocklebur, Coffeebean, Coffeeweed, Common sowthistle, Creeping jenny, Croton, Curly indigo, Dandelion, Dock, Dogbane, Dogfennel, Elderberry, English daisy, Flea bane (daisy), Flixweed, Florida pusley, Frenchweed, Galinsoga, Goatsbeard, Goldenrod, Ground ivy, Gumweed, Hawkweed, Healall, Heartloaf drymary, Hemp, Henbit, Hoary cress, Honeysuckle, Horsetail, Indiana mallow, Ironweed, Jewelweed, Jimsonweed, Kochia, Knotweed, Lambsquarters, Locoweed, Lupines, Mallow, Marshelder, Mexicanweed, Morningglory, Musk thistle, Mustard, Nettle, Nutgrass, Orange hawkweed, Oxalis, Parsnip, Pennycress, Pennywort, Peppergrass, Pepperweed, Pigweed, Plantain, Poison hemlock, Poison ivy, Poison oak, Pokeweed, Poorjoe, Povertyweed, Prickly lettuce, Primrose, Puncture vine, Purslane, Ragweed, Red clover, Red sorrel, Rush, Russian thistle, Sagebrush, St. Johnswort, Sheep sorrel, Shepherdspurse, Smartweed, Sneezeweed, Southern wild rose, Sowthistle, Spanishneedles, Spatterdock, Speedwell, Spurge, Spurweed, Stinkweed, Stitchwort, Sumac, Sunflower, Sweet clover, Tarweed, Thistle, Toadflax, Tumbleweed, Velvet leaf, Veronica, Vervain, Vetch, Virginia buttonweed, Virginia creeper, Wild aster, Wild carrot, Wild garlic, Wild geranium, Wild lettuce, Wild onion, Wild radish, Wild rape, Wild strawberry, Wild sweet potato, Willow, Witchweed, Woodsorrel, Wormseed, Yarrow, Yellow rocket, and other broadleaf weeds.

WHEN TO APPLY: Best results are obtained when weeds are growing actively in Spring or early Fall. Avoid contact with desirable shrubs, plants, vegetables, or flowers. Do not reseed for a least 3 to 4 weeks after application. Do not apply to newly seeded or sodded lawn until after 3 mowings. For optimum results (1) Avoid mowing 1 to 2 days before and after application; (2) Apply when grass is moist (after a rain, sprinkling or dew); (3) Avoid unnecessary disturbances, including watering, of treated areas for 48 hours after application. Watering will wash off weed killing material; and (4) Avoid applying if rainfall is expected within 48 hours following treatment. Possible retreatment in approximately 30 days may be necessary if lawn is heavil, overrun with weeds or if adverse low moisture conditions prevail and weeds are in a state of poor growth. Do not exceed recommended rates because damage to turf may occur.

NOTE: When applying to Southern Grasses - under conditions of inadequate moisture, high temperature and high humidity, over-application may cause minor transitory discoloration on Centipede and St. Augustine grasses. It is recommended that during hot, dry conditions, application rates should be reduced 50% to avoid possible dehydration or browning of grass.

HOW TO APPLY: This 10 pound bag should be used on 5000 square feet. Apply evenly with a lawn spreader as a one pass application. A two pass application, criss-crossing the area at half the rate each time is equal to on, application.

The following settings are approximate for applying contents of this package at a suggested rate of 2 pounds per 1000 square feet. Settings are based on an average walking speed. Reduce setting for slower speed; raise setting for higher speed. Check your spreader on 250 sq. ft. and adjust to apply at the rate of ½ 10. per 250 sq. ft. Clean spreader thoroughly after use.

: . :

rverdate ir ramine i remjum Granular weed Killer (Commercial)

Page 4

SPREADER SETTINGS FOR ONE PASS APPLICATION: " SETTING MAKE Ortho Drop (3000, 5000 models) Ortho Rotary (4000, 4000T, 6000, 6000T models) 9-1/2 4-1/4 Scott's Speedy Green 27-3/4 Scott's Easy Green Scott's Drop 7-3/4 I-J Scotts R7X Prize C8-85 & CBT-85 4.7 I-J Lesco 4.7 Cyclone 4.7 Spyker 3.0 Lely

STORAGE AND DISPOSAL

STORAGE: Always use original container to store pesticides in a secured warehouse or storage building. Do not store near seeds, fertilizers, insecticides or fungicides. Do not stack more than two pallets high. Do not concaminate wa er, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. If container is damaged or if pesticide has leaked, clean up all spilled material. Improper disposal of excess pesticide, spray mixtures or rinsate is a violation of Federal law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay away from smoke.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions. (ERP 061594)(PR933 042194)

The following note will not be part of the actual label copy.

*NOTE: Spreader Settings will vary among various commercial granule manufacturers.