

 United States Environmental Protection Agency Washington, DC 20460	<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:30%;"><input type="checkbox"/></td> <td style="width:70%;">Registration</td> </tr> <tr> <td><input type="checkbox"/></td> <td>Amendment</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td>Other</td> </tr> </table>	<input type="checkbox"/>	Registration	<input type="checkbox"/>	Amendment	<input checked="" type="checkbox"/>	Other	OPP Identifier Number
<input type="checkbox"/>	Registration							
<input type="checkbox"/>	Amendment							
<input checked="" type="checkbox"/>	Other							

Application for Pesticide - Section I

1. Company/Product Number 228-280	2. EPA Product Manager Joanne Miller	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Riverdale Sweet Sixteen Weed and Feed with Dissolve	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) Nufarm Americas, Inc. 150 Harvester Drive, Suite 200 Burr Ridge, IL 60527 <input checked="" type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below. <input type="checkbox"/> Resubmission in response to Agency letter dated _____ <input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____ <input type="checkbox"/> "Me Too" Application. <input type="checkbox"/> Other - Explain below.
--	---

NOTIFICATION
OCT - 5 2006


Explanation: Use additional page(s) if necessary. (For section I and Section II.)

RE: Added Optional Marketing Graphics
 Label Notification per PR Notice 98-10, Section II. Amended labeling with label claims as highlighted. This notification is consistent with the provisions of PR notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. sec 1001 to willfully make any false statement to the EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under section 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:			
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No If "Yes" Unit Packaging wgt. No. per container	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No If "Yes" Package wgt No. per container	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container	5. Location of Label Directions <input type="checkbox"/>
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled <input type="checkbox"/> Other _____			

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name George Meindl george.meindl@us.nufarm.com	Title Registration Manager	Telephone No. (Include Area Code) 630.455.2017
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Registration Manager	
4. Typed Name George Meindl	5. Date 09/19/06	

Clean

2/14

NOTIFICATION

OCT - 5 2006

Riverdale® SWEET SIXTEEN WEED AND FEED WITH DISSOLVE®

THIS PRODUCT IS A PREMIUM GRADE HERBICIDE AND TURF FOOD COMBINATION WHICH CONTROLS A WIDE SPECTRUM OF BROADLEAF WEEDS WHILE PROVIDING BOTH FAST AND LONG FEEDING ACTION.

Weeds contacted by this product gradually die and disappear from the lawn.
Treats (or Covers) 5,000 Square Feet (50' x 100')

GET THE OPTICAL ADVANTAGE®

ACTIVE INGREDIENTS:

Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid*	0.700%
Dimethylamine Salt of (+)-R-2-(2-Methyl-4-Chlorophenoxy) propionic Acid**†	0.182%
Dimethylamine Salt of (+)-R-2-(2,4-Dichlorophenoxy) propionic Acid***†	0.179%

OTHER INGREDIENTS:	<u>98.939%</u>
TOTAL:	100.000%

ISOMER SPECIFIC METHOD, EQUIVALENT TO:

*2,4-Dichlorophenoxyacetic Acid	0.58%
**(+)-R-2-(2-Methyl-4-Chlorophenoxy) Propionic Acid	0.15%
***(+)-R-2-(2,4-Dichlorophenoxy) Propionic Acid	0.15%

†CONTAINS THE SINGLE ISOMER FORMS OF MECOPROP-p AND DICHLORPROP-p.

GUARANTEED ANALYSIS:

Total Nitrogen (N)	X%
X% Ammoniacal Nitrogen	
X% Urea Nitrogen	
Available Phosphate (P ₂ O ₅)	X%
Soluble Potash (K ₂ O)	X%

Primary Plant Foods derived from Ammonium Phosphate, Sulfur Coated Urea, Urea, Triple Super Phosphate, and Muriate of Potash.

Chlorine (Cl) Maximum	X%
---------------------------------	----

The urea nitrogen in this product has been coated to provide X% coated slow release urea nitrogen.
Fertilizer guaranteed by (Name of fertilizer registrant)

**KEEP OUT OF REACH OF CHILDREN
CAUTION**
SEE INSIDE BOOKLET FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300
For Medical Emergencies Only, Call (877) 325-1840

EPA REG. NO. 228- 280
EPA EST. NO. 228-IL-1

MANUFACTURED BY
NUFARM AMERICAS INC.
BURR RIDGE, IL 60527



NET CONTENTS LBS.

000228-00280.20060914.

3/14

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Causes moderate eye injury. Harmful if absorbed through skin. Avoid inhalation of dust and contact with eyes, skin, or clothing. Wear long pants, long-sleeved shirt, socks and shoes when applying this product. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. The maximum number of broadcast applications per treatment site is 2 per year. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until dust has settled.

FIRST AID	
IF IN EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a poison control center or doctor for treatment advice.
IF INHALED	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment information.	

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

This product is a stable mixture of three herbicides. It is for use on all residential turf.

This product may be used on Bahia, common Bermuda, Bluegrass, Centipede, Fescue, Rye, St. Augustine, and Zoysia grass. DO NOT USE on Dichondra and Carpet grass. DO NOT USE this product where desirable clovers are present or allow the product to "wind drift" onto flowers, vegetables, ornamentals, shrubs, trees or other desirable plants.

This product is designed to promote lush green growth in lawns and control many broadleaf weeds such as:

Alder	Bloodflower, Milkweed	Catnip	Clover, Strawberry
Artichoke	Box Elder	Catsear	Clover, Sweet
Aster	Brassbuttons	Catsear, Spotted	Clover, White
Aster, Wild	Bristly Oxtongue	Chamomile, Corn	Cockle
Bedstraw	Broomweed	Chickweed	Cocklebur
Bedstraw, Pineywoods	Buckhorn	Chickweed, Common	Cocklebur, Spiny
Beggartick	Buckwheat, Wild	Chickweed, Mousear	Coffeebean
Betony, Florida	Bullthistle, Wavyleaf	Chicory	Coffeeweed
Biden	Bur Ragweed	Cinquefoil	Coreopsis, Plains
Bindweed	Burdock	Cinquefoil, Rough	Creeping Jenny
Bindweed, Field	Burweed	Clematis, Western	Croton
Bindweed, Hedge	Buttercup	Clover	Croton, Wooly
Bitter Wintercress	Buttercup, Bulbous	Clover, Annual Yellow Sweet	Cudweed
Bittercress, Hairy	Carpetweed	Clover, Crimson	Curly Indigo
Bitterweed	Carrot, Wild	Clover, Hop	Daisy, English
Black-Eyed Susan	Catchweed Bedstraw	Clover, Red	Daisy, Oxeye

Dandelion	Knapweed, Spotted	Parsnip, Wild	Spurge, Prostrate
Dandelion, Fall	Knawel	Pearlwort	Spurge, Spotted
Dandelion, False	Knotweed	Pennycress	Spurweed
Dock	Knotweed, Prostrate	Pennywort	St. Johnswort
Dock, Broadleaf	Kochia	Peppergrass	Stinkweed
Dock, Curly	Lambsquarter	Pepperweed	Stitchwort
Dock, Smooth	Lespedeza	Pepperweed, Virginia	Strawberry, Wild
Dogbane	Lettuce, Blue	Pigweed	Sumac
Dogfennel	Lettuce, Prickly	Pigweed, Prostrate	Sunflower,
Elderberry	Lettuce, Wild	Pigweed, Redroot	Sunflower, False
Fiddleneck	Locoweed	Pigweed, Russian	Sweet Potato, Wld
Fieldcress, Austrian	Lupine	Pigweed, Smooth	Tansy Ragwort
Filaree, Redstem	Mallow	Pigweed, Tumble	Tanweed
Flax, False	Mallow, Indiana	Pimpernel, Scarlet	Tarweed
Flea Bane (Daisy)	Mallow, Venice	Plantain	Thistle
Fleabane, Hairy	Marigold, Roundleaved	Plantain, Blackseed	Thistle, Blessed
Fleabane, Rough	Marigold, Wild	Plantain, Bracted	Thistle, Bull
Flixweed	Marshelder	Plantain, Broadleaf	Thistle, Canada
Florida Pusley	Matchweed	Plantain, Buckhorn	Thistle, Musk
Four-O'-Clock, Wild	Medic, Black	Plantain, Hoary	Thistle, Russian
Frenchweed	Mexicanweed	Plantain, Narrowleaf	Thistle, Scotch
Galinsoga	Morningglory	Plantain, Slender	Toadflax
Galinsoga, Smallflower	Moringglory, Wooly	Plantain, Wooly	Trailing Crownvetch
Garlic, Wild	Mugwort	Pokeweed	Trefoil, Tick
Geranium, Carolina	Mullein, Common	Poorjoe	Tumbleweed
Geranium, Wild	Mustard	Povertyweed	Velvet Leaf
Goathead	Mustard, Black	Prickly Sida	Veronica
Goatsbeard	Mustard, Garlic	Primrose	Vervain
Goldenrod	Mustard, Hedge	Puncturevine	Vervain, Blue
Ground Ivy	Mustard, Tansy	Purslane	Vervain, Hoary
Groundsel	Mustard, Tumble	Radish, Wild	Vervain, Prostrate
Gumweed	Mustard, White	Ragweed	Vervain, Tall
Hawkweed	Mustard, Wild	Rape, Wild	Vetch
Hawkweed, Orange	Nettle	Rose, Southern Wild	Vetch, Bird,
Healall	Nettle, Bull	Rush	Vetch, Milk
Heartleaf Drymary	Nettle, Burning	Salsify, Western	Vetch, Narrowleaf
Heathaster	Nettle, Dead	Shepherdspurse,	Vetch, Wild
Hemlock, Poison	Nettle, Stinging	Smartweed	Virginia Buttonweed
Hemp	Nettle, Tall	Sneezeweed,	Virginia Creeper
Henbit	Nutgrass	Sorrel, Red	Willow
Hoary Cress	Orange hawkweed	Sorrel, Sheep	Witchweed
Honeysuckle	Oak, Poison	Sowthistle,	Woodsorrel
Horsenettle	Onion, Wild	Sowthistle, Common	Wormseed
Horsetail	Oxalis	Spanishneedle	Yarrow
Ironweed	Pansy, Field	Spatdock	Yellow Rocket
Ivy, Poison	Pantain, Blackweed	Speedwell	Yellowflower Pepperweed
Jewelweed	Parsley-Piert	Spiny Amaranth	and other broadleaf weeds
Jimsonweed	Parsnip	Spurge	

WHEN TO APPLY: Best results are obtained when weeds are growing actively in spring or early fall. Avoid contact with desirable shrubs, plants, vegetables, or flowers; especially when applying with a rotary (spinner) type spreader. Do not reseed for at least 3 to 4 weeks after application. Do not apply to newly seeded or sodded lawn until after 3 mowings. For optimum results (1) Avoid mowing 1 to 2 days before and after application; (2) Apply when grass is moist (after a rain, sprinkling or dew); (3) Avoid unnecessary disturbances, including watering of treated areas for 48 hours after application. Watering will wash off weed killing material; and (4) Avoid applying if rainfall is expected within 48 hours following treatment. Possible retreatment in approximately 30 days may be necessary if lawn is heavily overrun with weeds or if adverse low moisture conditions prevail and weeds are in a state of poor growth. Do not exceed recommended rates because damage to turf may occur.

NOTE: When applying to Southern grasses - under conditions of inadequate moisture, high temperature and high humidity, over-

5/14

application may cause minor transitory discoloration on Centipede and St. Augustine grasses. It is recommended that during hot, dry conditions, application rates should be reduced 50% to avoid possible dehydration or browning of grass.

HOW TO APPLY: This 14 (or 16) pound bag should be used on 5,000 square feet. Apply evenly with a lawn spreader as a one pass application. A two pass application, criss-crossing the area at half the rate each time is equal to one application.

The following settings are approximate for applying contents of this package at a suggested rate of 2.8 pounds (3.2 pounds for 16 pound bag) per 1,000 square feet. Settings are based on an average walking speed. Reduce setting for slower speed; raise setting for higher speed. Check your spreader on 250 square feet and adjust to apply at the rate of .7 pound (.8 pound for 16 pound bag) per 250 square feet.

**SPREADER SETTINGS
ONE PASS APPLICATION*:**

MAKE	SETTING
Central Calibrated	5
Cyclone Broadcast	3-3/4
Jackson	5
Sears Broadcast	3
Sears	5
Scotts Calibrated	4

Sweep (do not wash) all fertilizer materials from surfaces immediately after application, because certain fertilizer ingredients can cause permanent stains. Wash out spreader after each use and allow it to dry thoroughly. Treat any exposed metal spreader areas with oil to reduce corrosion.

(The following paragraph is mandatory in Kentucky when the nitrogen analysis does not provide 1 pound nitrogen/1,000 square feet; otherwise, this information is optional.)

A lawn typically will utilize 1 to 4 pounds of nitrogen per 1,000 square feet per growing season. When used as directed, this product will supplement your regular fertilizer program by providing *(No. of lbs.)* pounds of nitrogen per 1,000 square feet (optional P₂O₅ and K₂O levels) and herbicide to control listed weeds. Please consult your local extension office for questions regarding a regular fertilizer program.

*Based on Inert Fertilizer claimed.

<p>Environmental Benefits (Grasscycling Logo)</p>	<p>Besides increasing property values, did you know a well-maintained lawn provides the following benefits to your home and environment:</p> <p><i>Grass clippings and yard waste are approximately 20% of the volume in our nation's landfills. To do your part to reduce this amount, leave grass clippings on your lawn. Increased mowing height and frequency will produce smaller grass clippings that will decompose more readily so nutrients go back into your lawn.</i></p>	<ul style="list-style-type: none"> √ A 50' x 50' lawn produces enough oxygen for a family of 4 every day √ Reduces Glare & Reduces Noise √ Traps Dust, Smoke Particles & Other Pollutants √ Purifies Water & Modifies Temperature √ Improves Soil Condition & Controls Erosion
--	--	---

STORAGE AND DISPOSAL

STORAGE: Store in original container and keep any bags containing unused product in locked storage area inaccessible to children and domestic animals. Do not store near feed or foodstuffs. To prevent cross-contamination, do not store near open containers of fertilizer, seed or other pesticides.

DISPOSAL: If empty - Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled** - If product cannot be used as directed, call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions. (RV071906N)

Riverdale, Dissolve and The Optical Advantage are registered trademarks of Nufarm Americas Inc.

6/14

OPTIONAL SPREADER INSTRUCTIONS:

- (Illustration) For Drop Spreaders: First apply two strips at ends. Then apply product along the length of the lawn, overlapping very slightly and shutting off spreader when turning.
- (Illustration) For Rotary Spreaders: Apply in a circular path, starting on the outside and working toward the center, overlapping very slightly.

Apply with a broadcast or drop spreader.

The following note will not be part of the actual label copy.

*NOTE: Guaranteed (fertilizer) Analysis and Spreader Settings will vary among various commercial fertilizer manufacturers. Chlorine declaration and fertilizer guarantee are optional except where mandated by State fertilizer regulation.

- Editor's notes:
1. Subregistrant Warranty Statements previously accepted by U.S. EPA for use on their own registered products are not included on this label.
 2. Subregistrant's trademark name acknowledgements are not included on this label.

Additional Fertilizer and Marketing Claims

For Thick, Green, Weed-Free Lawns

Extended Greening From Controlled Release Nitrogen

For best year round results, this product should be used in conjunction with (product name) Lawn Food.

Refer to the table and picture below to determine the size of your lawn. Refer to "Path A" when using a broadcast spreader and "Path B" when using a drop spreader.

Kills weeds* & promotes hardy, lush lawns
*when used as directed

	_____	Length (Feet)	
X	_____	Width (Feet)	
=	_____	Total Square Feet	
-	_____	Non-Lawn Areas	Illustration of Property
=	_____	Total Square Feet Coverage Needed	
		Illustration of Path A	Illustration of Path B

Contains Dissolve® A Premium Broadleaf Herbicide

Additional Marketing Statements

- Feeds desirable grasses
- Controls Dandelions and more than 250 other Broadleaf Weeds
- Controlled release Nitrogen feeds grass longer
- Kills dandelions and over 140 other weeds to give you a weed-free lawn in the Spring!

7/14

PLEDGE OF SATISFACTION

We have made every effort in the formulation of this product to insure that you will be satisfied with the results. If, for any reason, you are not satisfied, please write and describe the problem. Our lawn and turf specialists will make every effort to assure your success.

For best results when used on our lawn, this product should be used in conjunction with (product name) Lawn Food.

If, for any reason, you are not completely satisfied with this product, your money will be refunded. Send proof of purchase to the address listed with explanation of your problem.

Additional Marketing and Fertilizer Statements

CONTROLS OVER 60 TYPES OF UGLY WEEDS COMPLETELY - ROOTS AND ALL!

- Feeds your lawn with Superturf to produce a deep green, vigorous, competitive turf.
- Apply anytime during growing season spring - summer - fall.
- Another Quality Product from (Company Name)!
- Ideal For Fall Weeding

4 - APPLICATION ANNUAL LAWN CARE PROGRAM			
(ILLUSTRATIONS)			
Apply 1st in my Annual Lawn Care Program in the spring. Controls Crabgrass while feeding your lawn.	Apply 2nd in my Annual Lawn Care Program spring through fall. Controls Broadleaf Weeds when they appear while feeding your lawn.	Apply 3rd in my Annual Lawn Care Program in summer. Controls insects while feeding your lawn.	Apply 4th in my Annual Lawn Care Program in fall. Provides nutrients for a greener, thicker lawn.

ADDITIONAL FERTILIZER AND MARKETING HYPE

SUGGESTED SPREADING APPLICATIONS

It is important to follow the directions as indicated on this quality lawn care product as over-application may cause injury to your lawn. Spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied and roughness of area treated. This bag covers approximately 5,000 square feet (100 feet x 50 feet). Close spreader hopper and adjust the spreader setting using the Spreader Settings chart below. Fill spreader on driveway or sidewalk to eliminate the chance of spillage on the lawn. Close the spreader hopper whenever spreader stops or turns. For one pass application rate.

Measure the size of the area to be treated and do not over or under apply. Calibrate spreader prior to use according to the manufacturer's directions. Check frequently to be sure equipment is working properly and distributing uniformly. **DO NOT HAND SPREAD.**

ILLUSTRATION	<p>Broadcast Sreader Settings</p> <p>For best results, apply in a circular path starting on the outside and working toward the center (see Broadcast Spreader Path diagram). A little overlap of product will insure complete coverage.</p>	ILLUSTRATION
ILLUSTRATION	<p>Drop Spreader Settings</p> <p>First apply 2 border strips along the edge of each end of the lawn (see Drop Spreader Path diagram). Then apply product along the length of the lawn, overlapping slightly and shutting off the spreader before turning as you reach the edge of the border strips.</p>	ILLUSTRATION


8/14

Most fertilizers will stain sidewalks, patios, swimming pools and other concrete surfaces. Remove spillage promptly by sweeping or vacuuming.

Controls over 250 broadleaf weeds, including: Dandelion, Plantain, Chickweed, Knotweed, Henbit and Spurge.

Contains controlled-release nitrogen for extended feeding.

Nitrogen	Phosphorus	Potassium
<p>Essential for plant growth and a thick green lawn. (OR) Nitrogen is essential for giving your lawn lush green color and dense foliage. (OR) For a Dense Green Lawn</p>	<p>To promote root growth and grass multiplication. (OR) Phosphorus helps your grass develop and maintain vigorous root growth. (OR) Improves Root Growth</p>	<p>To help grass resist the elements and stay strong. (OR) (Also referred to as Potash). This nutrient is vital for vigorous growth while helping your lawn cope with drought and other extreme weather conditions. (OR) Vital for growth and drought resistance</p>



- _____ Length (Feet)
- x _____ Width (Feet)
- = _____ Total Square Feet
- _____ Non-Lawn Areas
- = _____ Total Square Feet coverage you need

FOR THE BEST LAWN IN TOWN

(SELLER'S) ANNUAL LAWN PROGRAM

For best results this product should be used in conjunction with (Seller's) Crabgrass Preventer Plus Lawn Food, (Seller's) Lawn Food or (Seller's) Fall Lawn Food.

HOW IT WORKS:

Start anytime! No guesswork, just follow these steps for a thick, green, weed-free lawn. It's easy...simply apply the FRANK'S™ product that corresponds to the season.

9/14

- PREVENTS Crabgrass & other unsightly weeds apply early spring
 - ENCOURAGES quick spring greenup
 - (A) • GREENS your lawn with extended feeding Nitrogen
 - THICKENS fall lawns & encourages quick spring greenup
 - NOURISHES your lawn with extended feeding Nitrogen
 - GREENS with Iron & Sulfur
- SELLERS
Crabgrass
Preventer Plus
Lawn Food
- SELLERS
WEED & FEED
- SELLERS
FALL LAWN
FOOD
- apply mid-late spring
 - Controls Dandelions & more than 140 other weeds
 - THICKENS & greens your lawn with extended feeding Nitrogen
 - apply summer
 - GREENS with Iron & (A) Sulfur
 - THICKENS & promotes a lush green lawn
 - NOURISHES your lawn with extended feeding Nitrogen
 - GREENS with Iron & Sulfur

(A) BAG ILLUSTRATIONS

Alternate copy

(A)	(A)	(A)	(A)	(B)
<p>Early Spring Crabgrass Preventer Plus Lawn Food</p> <ul style="list-style-type: none"> •Prevents crabgrass & other unsightly weeds. •Encourages quick greenup. •Greens your lawn with extended feeding nitrogen. 	<p>Late Spring Weed & Feed</p> <ul style="list-style-type: none"> •Controls dandelions & more than 140 other weeds. •Thickens & greens your lawn with extended feeding Nitrogen, Iron & Sulfur. 	<p>Summer Lawn Food</p> <ul style="list-style-type: none"> •Thickens & promotes a lush green lawn. •Nourishes your lawn with extended feeding Nitrogen, Iron & Sulfur. 	<p>Fall Fall Lawn Food</p> <ul style="list-style-type: none"> •Thickens lawns & encourages quick spring greenup. OR Fall Weed & Feed •Kills dandelions & more than 140 other weeds while feeding your lawn. 	

(A) Bag Illustrations

(B) Guarantee Illustration - We guarantee that you will be 100% satisfied with the results of this product. If for any reason you are not completely satisfied, bring back the unused portion of the product and your register receipt & we will cheerfully refund your money.

DO NOT HAND APPLY.

SPECIAL CARE NOTICE: This product contains the micronutrient Iron to help prevent Iron deficiency. Iron may stain concrete surfaces such as sidewalks, patios and swimming pools.

Product should not be applied on water dampened concrete and should be removed promptly after application by sweeping or vacuuming.

CONTROLS ALL COMMON WEED TYPES

Where beautiful gardens begin™

- Controls Dandelions & more than 250 other weeds
- Thickens & greens your lawn
- Greens with Iron & Sulfur

10/14

Contains Poly-S® controlled release nitrogen for extended greening (For best results, use with other lawn care products in the [Seller's Name] Fertilizer Program.)

Contains the 3-way power of Dissolve® for Broadleaf, Creeping and Woody weeds.

Controls over 140 common lawn weeds while feeding your lawn with a premium blend of fertilizer nutrients that provide quick and extended greening.

BROADCAST SPREADER SETTINGS

FOR ONE PASS APPLICATION: For best results, apply in a circular path starting on the outside and working toward the center. A little overlap of product will ensure complete coverage.

DROP SPREADER SETTINGS

FOR ONE PASS APPLICATION: First apply 2 border strips along the edge of each end of the lawn. Then apply product along the length of the lawn, overlapping slightly and shutting off the spreader before turning as you reach the edge of the border strips.

(ATTACH SAM WALTON INFO)

Sam Walton believed in the ability of American workers to produce the finest products in the world.

That's why we're searching the USA to create something special. Innovative products, made to our own higher standards, that we're proud to call Sam's American Choice™. We believe these products, available at Wal-Mart and Wal-Mart Supercenters, offer better value than the leading national brands at the always low Wal-Mart prices. We think you'll agree, or we'll refund your money, no questions asked!

"Better products at the always low Wal-Mart prices..."

Always
We guarantee it.

Sam Walton
Sam Walton

COMPETITIVE EDGE SCHOLARSHIP FUND


In the next 10 years, the United States will have the jobs Americans need, but Americans may not have the skills these jobs demand. To have a competitive edge in the future, America must have a well-educated, trained work force. To help achieve this goal, Wal-Mart and our vendor partner will each donate 1% of the cost of this product to our Competitive Edge Scholarship Program.

11/14

Do It Best Lawn Care Program

The following represents the suggested application timing of the products listed in the Do It Best Program. Abnormal climatic conditions can affect appropriate timing.

U.S. Climate Zones



Do It Best 20-3-4 Crabgrass Preventer + Lawn Fertilizer

Do It Best 20-3-4 Weed & Feed

Do It Best 10-0-0 Fertilizer + Insect Deterrent

Do It Best 20-4-14 Winterizer

Other Do It Best Products

Do It Best Lawn Care Program is a registered trademark of Dow AgroSciences LLC. Do It Best is a registered trademark of Nalco America Inc. Patent No. 5,286,853.

GreenThumb Lawn Care Program

The following represents the suggested application timing of the products listed in the GreenThumb Program. Abnormal climatic conditions can affect appropriate timing.

U.S. Climate Zones:



- Bluegrass, Ryegrass, Fine & Tall Fescues
- Bluegrass, Ryegrass, Fine & Tall Fescues, Bermudagrass, Zoysiagrass
- Bermudagrass, Zoysiagrass, Centipedegrass, Bahiagrass, St. Augustinegrass

GreenThumb Premium Crabgrass Preventer + Lawn Fertilizer

- Apply mid March - April
- Apply early March - mid April
- Apply mid February - late March

- Promotes a lush, green lawn while controlling crabgrass and most other annual weed grasses.
- Contains the pre-emergent herbicide, Team™

GreenThumb Premium Weed & Feed Lawn Fertilizer

- Apply mid April - late June
- Apply late March - May
- Apply mid March - mid May

- Controls over 200 broadleaf weeds, including Dandelion, Plantain, Chickweed, Knotweed, Herbit and Spurge.
- Contains the premium broadleaf herbicide Disolve™.

GreenThumb Premium Lawn Fertilizer

- Apply June - August
- Apply mid May - early September
- Apply mid April - September

- Specially formulated to promote even, lush growth of your grass.
- Contains slow release nitrogen to extend feeding of the lawn.

GreenThumb Premium New Lawn Starter

- Apply anytime before seeding and tamping soil
- Apply anytime before seeding and tamping soil
- Apply anytime before seeding and tamping soil

- Formulated with high phosphate to encourage new grass to develop a strong root system.
- Contains controlled-release nitrogen for extended feeding.

GreenThumb Premium Winterizer Lawn Fertilizer

- Apply September - mid October
- Apply September - late October
- Apply September - mid November

- Formulated for fall application to prepare your turf for winter.
- Contains slow release nitrogen to extend feeding of the lawn.

Team is a registered trademark of Dow AgroSciences LLC. Disolve is a registered trademark of Nalco America Inc. Patent No. 5,286,853.

Late Spring Application

Kills weeds* & promotes hardy, lush lawns.
*when used as directed

Apply with a broadcast spreader (diagram of spreader) or drop spreader (diagram of spreader).

12/14

Optional Language:

1) NOTICE: This product contains the micronutrient iron for extra greening and to help prevent iron deficiency. Iron may stain concrete and other surfaces. Misapplied product to these surfaces should be removed promptly by sweeping or blowing. Do not wash off with water.

2) Formulated for Midwestern Lawns

3) Available from:

Hy-Vee Inc.
5820 Westtown Parkway
West Des Moines, IA 50266

Ideal for lakeside communities and those areas with phosphorus fertilizer restrictions.
Phosphorus Free Application.

13/14

Do it Best Fertilizer Program

The following represents the suggested application timing of the products listed in the Do it Best Program. Abnormal climatic conditions can affect appropriate timing.

U.S. Climate Zones:



- Bluegrass, Ryegrass, Fine & Tall Fescues
- Bluegrass, Ryegrass, Fine & Tall Fescues, Bermudagrass, Zoysiagrass
- Bermudagrass, Zoysiagrass, Centipede grass, Bahiagrass, St. Augustinegrass

Do it Best® Crabgrass Preventer Plus Lawn Fertilizer

- Promotes a lush, green lawn while controlling crabgrass and most other annual weed grasses.
 - Contains the preemergent herbicide, Team®
- Apply mid March - April
 - Apply early March - mid April
 - Apply mid February - late March

Do it Best® Weed & Feed

- Controls over 140 broadleaf weeds, including Dandelion, Plantain, Chickweed, Knotweed, Henbit and Spurge.
 - Contains the premium broadleaf herbicide Dissolve®
- Apply mid April - late June
 - Apply late March - May
 - Apply mid March - mid May

Do it Best® Lawn Fertilizer

- Specially formulated to promote even, lush growth of your grass.
 - Contains slow release nitrogen to extend feeding of the lawn.
- Apply June - August
 - Apply mid May - early September
 - Apply mid April - September

Do it Best® Summerizer Lawn Fertilizer

- Special non-burning formula, when used as directed, for light summer application.
 - Contains slow release nitrogen to extend feeding of the lawn.
- Apply June - August
 - Apply mid May - early September
 - Apply mid April - September

Do it Best® Winterizer

- Formulated for fall application to prepare your turf for winter.
 - Contains slow release nitrogen to extend feeding of the lawn.
- Apply September - mid October
 - Apply September - late October
 - Apply September - mid November

Team is a reg. TM of Dow AgroSciences LLC; Dissolve - Riverdale Chemical Co., Patent No. 5,268,553



14/14
Nufarm Americas Inc.
Matthew Granahan
Regulatory Specialist
150 Harvester Drive, Suite 200
Burr Ridge, IL 60527
Phone: 630 455-2048
matthew.granahan@us.nufarm.com

September 19, 2006

Via Overnight Courier

U. S. Environmental Protection Agency (7504P)
Document Processing Desk (NOTIF)
Room S4900, One Potomac Yard
2777 S. Crystal Drive
Arlington, VA 22202

Subject: Riverdale® Sweet Sixteen Weed and Feed with Dissolve®
EPA REG. No. 228-280
Label Notification per PR 98-10

Dear Ms. Hobgood:

Nufarm Americas, Inc would like to add optional language to subject product's label. The proposed language is consistent with PR Notice 98-10, Section II (labeling notifications). We have added two Graphic representation of Climate Zones, found on page 10 and page 12, to our Residential Label (Please note this change is only to our Residential Label the Commercial has not been affected).

To process this request please find enclosed the following:

- Application for Pesticide Registration EPA form 8570-1
- Revised labeling with areas of change clearly identified (1 copy)
- Revised labeling – clean (1 copy)

If you should have any questions regarding this matter, please feel free to contact me at (630) 455-2048 or matthew.granahan@us.nufarm.com.

Sincerely,

A handwritten signature in black ink, appearing to read 'Matt Granahan'.

Matt Granahan
Nufarm Americas, Inc.