

6/18/2003

1/15



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES
AND
TOXIC SUBSTANCES

JUN 18 2003

Mr. Russell F. Sawyer
Nufarm Americas, Inc.
Riverdale - A Nufarm Company
1333 Burr Ridge Parkway, Suite 125A
Burr Ridge, IL 60527-0866

Dear Mr. Sawyer:

Subject: Label Revision Amendment - Revised First Aid Statement,
Storage And Disposal Statement, And Proposed Other
Non-Notification Revisions
Riverdale Triamine Granular Weed Killer
EPA Registration No.228-223
Riverdale Triamine Weed And Feed
EPA Registration No.228-179
Riverdale Tri-Power Dry Weed And Feed
EPA Registration No.228-301
Riverdale Tri-Power L.A. Weed And Feed
EPA Registration No.228-286
Riverdale Dissolve Weed And Feed
EPA Registration No.228-281
Your Amendment Application Submission
Dated February 14, 2003

The labelings, referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable provided that you:


1. Make the labeling changes listed below to your "Non-Commercial Labels" before you release the product for shipment bearing the amended labeling:
 - a. Your non-commercial labeling is primarily intended for residential uses. Thus, for residential products, the Agency has deemed the following sites acceptable: Lawns, Lawns, Ornamental Lawns, Ornamental Turf Lawns, Residential Turf, Established Residential Turf or Residential Turf Lawn. Therefore, please delete all references to Parks, Cemeteries, Golf Courses, and other similar non-crop areas.

2/15

2. Make the labeling changes listed below to your "Commercial Labels" before you release the product for shipment bearing the amended labeling:
 - a. Please delete the term "similar non-crop areas" under the Directions For Use section. The term should be superceded by "similar turf areas". In addition, since you used the term "such as" you must add the Worker Protection Exclusionary Statement if it is not already on the label. The term "such as" is so broad it implies that the product could be applied to any ornamental turf site including sod farms.
3. Please submit one (1) final printed copy of the referenced labels, incorporating the above change, before releasing the product for shipment.

A stamped copy is enclosed for your records. The amended labeling supercedes all previously accepted ones. If you have any concerns or questions regarding this letter, please call Marcel Howard at (703)305-6784.

Sincerely yours,



Joanne I. Miller
Product Manger (23)
Herbicide Branch
Registration Division (7505C)

Enclosures

(Non-Commercial Label)

3/15

RIVERDALE®

DISSOLVE® WEED AND FEED

THIS PRODUCT IS A PREMIUM GRADE HERBICIDE AND TURF FOOD COMBINATION WHICH CONTROLS A WIDE SPECTRUM OF BROADLEAF WEEDS WHILE PROVIDING BOTH FAST AND LONG FEEDING ACTION.

Weeds contacted by this product gradually die and disappear from the lawn.
Treats (or covers) 5,000 Sq. Ft. (50' x 100')

GET THE OPTICAL ADVANTAGE®

ACTIVE INGREDIENTS:

Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid*	0.560%
Dimethylamine Salt of (+)-R-2-(2-Methyl-4-Chlorophenoxy)propionic Acid**‡	0.145%
Dimethylamine Salt of (+)-R-2-(2,4-Dichlorophenoxy)propionic Acid***‡	0.143%
INERT INGREDIENTS:	99.152%
TOTAL	100.000%

ISOMER SPECIFIC METHOD, EQUIVALENT TO:

*2,4-Dichlorophenoxyacetic Acid	ACCEPTED	0.46%
** (+)-R-2-(2-Methyl-4-Chlorophenoxy)propionic Acid	with COMMENTS In EPA Letter Dated	0.12%
*** (+)-R-2-(2,4-Dichlorophenoxy)propionic Acid		0.12%

‡CONTAINS THE SINGLE ISOMER FORMS OF MECOPROP-p AND DICHLORPROP-p.

GUARANTEED ANALYSIS:°

Total Nitrogen (N)	Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended for this pesticide registered under EPA Reg. No. <u>228-281</u>	X%
X% Ammoniacal Nitrogen		
X% Urea Nitrogen		
Available Phosphate (P ₂ O ₅)		X%
Soluble Potash(K ₂ O)		X%
Primary Plant Foods derived from Ammonium Phosphate, Sulfur Coated Urea, Urea, Triple Super Phosphate, and Muriate of Potash.		
Chlorine (Cl) Maximum		X%

The urea nitrogen in this product has been coated to provide X% coated slow release urea nitrogen.

Fertilizer guaranteed by (Name of fertilizer registrant)

Riverdale, Dissolve and The Optical Advantage are Registered Trademarks of Riverdale - A Nufarm Company

Patent No. 5,266,553

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

NET WEIGHT LBS.

EPA REG. NO. 228-281

EPA EST. NO. 228-IL-1

MANUFACTURED BY NUFARM AMERICAS, INC., BURR RIDGE, ILLINOIS 60527-0866

(Back Panel)

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Causes moderate eye injury. Harmful if absorbed through skin. Avoid inhalation of dust and contact with eyes, skin, or clothing. Wear long pants, long-sleeved shirt, socks and shoes when applying this product. After using this product remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. The maximum number of broadcast applications per treatment site is 2 per year. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until dust has settled.

FIRST AID STATEMENT

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

DISSOLVE® WEED AND FEED is a stable mixture of three herbicides. It is for use on Ornamental Turf such as Lawns, Parks, Cemeteries, Golf Courses (Fairways, Aprons, Tees, and Roughs) and similar non-crop areas.

This product may be used on Bahia, common Bermuda, Bluegrass, Centipede, Fescue, Rye, St. Augustine, and Zoysia grass. DO NOT USE on Dichondra and Carpet grass. DO NOT USE this product where desirable clovers are present or allow the product to "wind drift" onto flowers, vegetables, ornamentals, shrubs, trees or other desirable plants.

This product is designed to promote lush green growth in lawns and control many broadleaf weeds such as: Alder, Annual yellow sweet clover, Artichoke, Aster, Austrian fieldcress, Bedstraw, Beggartick, Bident, Bindweed, Bird vetch, Bitterweed, Bitter wintercress, Black-eyed Susan, Black medic, Black mustard, Blackseed plantain, Blackseed plantain, Blessed thistle, Blue lettuce, Blue vervain, Box elder, Bracted plantain, Brassbuttons, Bristly oxtongue, Broadleaf dock, Broadleaf plantain, Broomweed, Buckhorn, Buckhorn plantain, Bulbous buttercup, Bull nettle, Bull thistle, Burdock, Burning nettle, Bur ragweed, Burweed, Buttercup, Canada thistle, Carolina geranium, Carpetweed, Catchweed bedstraw, Catsear, Catnip, Chickweed, Chicory, Cinquefoil, Clover, Cockle, Cocklebur, Coffeebean, Coffeeweed, Common chickweed, Common mullein, Common sowthistle, Corn Chamomile, Creeping jenny, Crimson clover, Croton, Cudweed, Curly dock, Curly indigo, Dandelion, Dead nettle,

Dock, Dogbane, Dogfennel, Elderberry, English daisy, Fall dandelion, False dandelion, False flax, False sunflower, Fiddleneck, Field bindweed, Field pansy, Flea bane (daisy), Flixweed, Florida betony, Florida pusley, Frenchweed, Galinsoga, Garlic mustard, Goathead, Goatsbeard, Goldenrod, Ground ivy, Gumweed, Hairy bittercress, Hairy fleabane, Hawkweed, Healall, Heartleaf drymary, Hedge bindweed, Hedge mustard, Hemp, Henbit, Hoary cress, Hoary plantain, Hoary vervain, Honeysuckle, Hop clover, Horsenettle, Horsetail, Indiana mallow, Ironweed, Jewelweed, Jimsonweed, Kochia, Knawel, Knotweed, Lambsquarter, Lespedeza, Locoweed, Lupine, Mallow, Marshelder, Matchweed, Mexicanweed, Milk vetch, Milkweed bloodflower, Mugwort, Morningglory, Mousear chickweed, Musk thistle, Mustard, Narrowleaf plantain, Narrowleaf vetch, Nettle, Nutgrass, Orange hawkweed, Oxalis, Oxeye daisy, Parsley-piert, Parsnip, Pearlwort, Pennycress, Pennywort, Peppergrass, Pepperweed, Pigweed, Pineywoods bedstraw, Plains coreopsis, Plantain, Poison hemlock, Poison ivy, Poison oak, Pokeweed, Poorjoe, Povertyweed, Prairie, Prickly lettuce, Prickly sida, Primrose, Prostrate knotweed, Prostrate pigweed, Prostrate spurge, Prostrate vervain, Puncture vine, Purslane, Ragweed, Red clover, Redroot pigweed, Red sorrel, Redstem filaree, Rough cinquefoil, Rough fleabane, Roundleafed marigold, Rush, Russian pigweed, Russian thistle, St. Johnswort, Scarlet pimpernel, Scotch thistle, Sheep sorrel, Shepherdspurse, Slender plantain, Smallflower galinsoga, Smartweed, Smooth dock, Smooth pigweed, Sneezeweed, Southern wild rose, Sowthistle, Spanishneedle, Spatterdock, Speedwell, Spiny, Spiny Amaranth, Spiny cocklebur, Spotted catsear, Spotted knapweed, Spotted spurge, Spurge, Spurweed, Stinging nettle, Stinkweed, Stitchwort, Strawberry clover, Sumac, Sunflower, Sweet clover, Tall nettle, Tall vervain, Tansy mustard, Tansy ragwort, Tanweed, Tarweed, Thistle, Tick trefoil, Toadflax, Trailing Crownvetch, Tumble mustard, Tumble pigweed, Tumbleweed, Velvet leaf, Venice mallow, Veronica, Vervain, Vetch, Virginia buttonweed, Virginia creeper, Virginia pepperweed, Wavyleaf bullthistle, Western clematis, Western salsify, White clover, White mustard, Wild mustard, Wild aster, Wild buckwheat, Wild carrot, Wild four-o'clock, Wild garlic, Wild geranium, Wild lettuce, Wild marigold, Wild onion, Wild parsnip, Wild radish, Wild rape, Wild strawberry, Wild sweet potato, Wild vetch, Willow, Witchweed, Woolly morningglory, Woodsorrel, Woolly croton, Woolly plantain, Wormseed, Yarrow, Yellow rocket, Yellowflower pepperweed, and other broadleaf weeds.

WHEN TO APPLY: Best results are obtained when weeds are growing actively in Spring or early Fall. Avoid contact with desirable shrubs, plants, vegetables, or flowers; especially when applying with a rotary (spinner) type spreader. Do not reseed for at least 3 to 4 weeks after application. Do not apply to newly seeded or sodded lawn until after 3 mowings. For optimum results (1) Avoid mowing 1 to 2 days before and after application; (2) Apply when grass is moist (after a rain sprinkling or dew); (3) Avoid unnecessary disturbances, including watering of treated areas for 48 hours after application. Watering will wash off weed killing material; and (4) Avoid applying if rainfall is expected within 48 hours following treatment. Possible retreatment in approximately 30 days may be necessary if lawn is heavily overrun with weeds or if adverse low moisture conditions prevail and weeds are in a state of poor growth. Do not exceed recommended rates because damage to turf may occur.

NOTE: When applying to Southern Grasses - under conditions of inadequate moisture, high temperature and high humidity, over-application may cause minor transitory discoloration on Centipede and St. Augustine grasses. It is recommended that during hot, dry conditions, application rates should be reduced 50% to avoid possible dehydration or browning of grass.

HOW TO APPLY: This 20 (18 or 16) pound bag should be used on 5,000 square feet. Apply evenly with a lawn spreader as a one pass application. A two pass application, criss-crossing the area at half the rate each time is equal to one application.

The following settings are approximate for applying contents of this package at a suggested rate of 4 pounds (3.6 pounds for 18# bag, 3.2 pounds for 16# bag) per 1,000 square feet. Settings are based on an average walking speed. Reduce setting for slower speed; raise setting for higher speed. Check your spreader on 250 square feet and adjust to apply at the rate of 1 pound (.9 pound for 18# bag, .8 pound for 16# bag) per 250 square feet.

SPREADER SETTINGS

ONE PASS APPLICATION:

MAKE

SETTING

Central Calibrated

Cyclone Broadcast	3-3/4
Jackson	5
Sears Broadcast	3
Sears	5
Scotts Calibrated	4

Sweep (do not wash) all fertilizer materials from surfaces immediately after application, because certain fertilizer ingredients can cause permanent stains. Wash out spreader after each use and allow it to dry thoroughly. Treat any exposed metal spreader areas with oil to reduce corrosion.

(The following paragraph is mandatory in Kentucky when the nitrogen analysis does not provide 1 pound of nitrogen/1,000 square feet; otherwise, this information is optional.)

A lawn typically will utilize 1 to 4 pounds of nitrogen per 1,000 square feet per growing season. When used as directed, this product will supplement your regular fertilizer program by providing *(No. of lbs.) pounds of nitrogen per 1,000 square feet (optional P₂O₅ and K₂O levels) and herbicide to control listed weeds. Please consult your local extension office for questions regarding a regular fertilizer program.

*Based in Inert Fertilizer claimed.

Environmental Benefits

(Grasscycling
Logo)

Besides increasing property values, did you know a well-maintained lawn provides the following benefits to your home and environment:

Grass clippings and yard waste are approximately 20% of the volume in our nation's landfills. To do your part to reduce this amount, leave grass clippings on your lawn. Increased mowing height and frequency will produce smaller grass clippings that will decompose more readily so nutrients go back into your lawn.

- ✓ A 50' x 50' lawn produces enough oxygen for a family of 4 every day
- ✓ Reduces Glare & Reduces Noise
- ✓ Traps Dust, Smoke Particles & other Pollutants
- ✓ Purifies Water & Modifies Temperature
- ✓ Improves Soil Condition & Controls Erosion

STORAGE AND DISPOSAL

STORAGE: Store in original container and keep any bags containing unused product in locked storage area inaccessible to children and domestic animals. Do not store near feed or foodstuffs. To prevent cross-contamination, do not store near open containers of fertilizers, seed, or other pesticides.

DISPOSAL: If empty - Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled** - If product cannot be used as directed, or offered to others for their use, call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

(PRN 2001-1&6) (RV 021403)

OPTIONAL SPREADER INSTRUCTIONS:

(Illustration) For Drop Spreaders: First apply two strips at ends. Then apply product along the length of the lawn, overlapping very slightly and shutting off spreader when turning.

(Illustration) For Rotary Spreaders: Apply in a circular path, starting on the outside and working toward the center, overlapping very slightly.

OPTIONAL MARKETING STATEMENTS:

The following note will not be part of the actual label copy.

NOTE: Guaranteed (fertilizer) Analysis and Spreader Settings will vary among various commercial fertilizer manufacturers. Chlorine declaration and fertilizer guarantee are optional except where mandated by State fertilizer regulation.

- Editor's notes:
1. Subregistrant Warranty Statements previously accepted by U.S. EPA for use on their own registered products are not included on this label.
 2. Subregistrant's trademark name acknowledgments are not included on this label.

Alternate (Optional) Marketing and Fertilizer Statements

Contains Dissolve® A Premium Broadleaf Herbicide

Provides Fast Green-Up & Slow Release for Long Feeding.

Easy to Use

Satisfaction Guaranteed

If you are not satisfied with the product results, simply send proof of purchase to (Name of Distributor) for replacement product voucher.

If you apply (product name) as directed, and are not completely satisfied, send proof of purchase from this bag and the cash register receipt to the address provided. We will promptly send your money back.

CONTAINS ELEVEN ESSENTIAL ELEMENTS, INCLUDING EXTENDED TIME-RELEASE NITROGEN, TO PRODUCE EXCELLENT RESULTS REGARDLESS OF GRASS TYPE OR SOIL QUALITY.

DUAL ACTION FEEDS YOUR LAWN WITH TIMED-RELEASE NITROGEN FOR EXTENDED GREENING

SPECIAL FALL GRASS TIME-RELEASE FERTILIZER

GREENS IN AUTUMN HASTENS SPRING RECOVERY ENCOURAGES EARLY SPRING GREEN-UP

KILLS WEEDS AND FORTIFIES YOUR LAWN.

FOR A LONG-LASTING QUICK GREEN LAWN

WITH SLOW-RELEASE NITROGEN FOR EXTENDED FEEDING

HELPS BUILD A STRONGER, DEEPER ROOT SYSTEM

NEVER SPREAD BY HAND (OR) NEVER APPLY BY HAND

DO NOT APPLY WHEN TEMPERATURE EXCEEDS 90°F

SATISFACTION GUARANTEED (OR) MONEY BACK GUARANTEE

KILLS OVER 250 TYPES OF WEEDS (OR) Kills over 250 varieties of weeds

SOLD EXCLUSIVELY THROUGH (NAME OF STORES)

Contains Polyon® Timed-Release Fertilizer

USED BY PROFESSIONAL TURF MANAGERS

It's the GREEN inside

IMPORTANT - It is important to follow the directions as indicated on this quality lawn care product.

LOOK for other quality (brand name) lawn and garden products. For more information about

8/15

POLYON® and (brand name) products visit us on the INTERNET at www.XXXXXX.com or call us at 1-800-XXX-XXXX.

The POLYON® Advantage (ILLUSTRATION)
 (Brand name) products with POLYON® timed-release fertilizers work differently from other slow-release products. POLYON timed-release fertilizers release in response to soil temperature rather than moisture level. Other slow-release products release according to the amount of moisture present in the soil...the more moisture, the quicker the nutrient release...putting your grass at a risk from burning. Because (Brand name) products contains POLYON timed-release fertilizers, your grass is fed for up to 3 months!

If It's Not GREEN...It's Not POLYON®!

The (Brand name) PROMISE Your satisfaction guaranteed or your money back. If you apply (Product name) with POLYON® timed-release nitrogen as directed, and are not completely satisfied, send proof of purchase from this package and a cash register receipt to the address below. We will promptly send your money back.

Alternate (Optional) Marketing and Fertilizer Statements

EFFECTIVELY KILLS(OR CONTROLS) DANDELIONS AND BROADLEAF WEEDS

NITROGEN: Slow release for growing a thick green lawn

PHOSPHATE: Improves root growth and plant food storage capabilities.

POTASH: Vital for growth. Improves plant hardiness and drought resistance.

*Provides phosphate and potash plus time-released Nitrogen which encourages grass to fill in bare spots weeds leave behind.

*Contains Sulfur which helps maintain dark green color and encourages plants and root growth.

Controls a wide range of broadleaf weeds and feeds your lawn to help it grow thick and green!

_____ Length X _____ Width = _____ Total Sq. Ft. - _____ Non-Lawn Areas = _____ Total Sq. Ft. Coverage Needed	ILLUSTRATION	To determine how much you need, multiply the length of your lawn by its width. This equals your total square footage. Deduct any non-lawn areas (house, garden, etc). One bag covers 5,000 square feet.
--	--------------	---

Spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied and roughness of area treated. Be sure to check spreader at the beginning of the application; adjust spreader if necessary. Consult owner's manual. DO NOT HAND SPREAD. Close spreader openings when loading, turning or when stopped.

ILLUSTRATION	<p>Broadcast Spreader Settings One Pass Application</p> <p>Apply in a circular path, starting on the outside and working toward the center, overlapping very slightly.</p>	ILLUSTRATION
--------------	--	--------------

ILLUSTRATION	<p>Drop Spread Settings One Pass Application</p> <p>First apply two strips at ends. Then apply product along the length of the lawn, overlapping very slightly and shutting off spreader when turning.</p>	ILLUSTRATION
--------------	--	--------------

Rids your lawn of undesirable weeds and feeds it to help it grow thick and green! For best results, water lawn first. Apply (product name) while lawn is wet. Wait 48 hours, then water lawn as needed. DO NOT APPLY DURING TIME PERIODS WHEN THE MAXIMUM DAILY TEMPERATURE IS IN EXCESS OF 90° F.

ILLUSTRATION	<p>Broadcast Spreader Settings One Pass Application</p> <p>For best results, apply in a circular path starting on the outside and working toward the center, A little overlap of product will insure complete coverage.</p>	ILLUSTRATION
--------------	---	--------------

ILLUSTRATION	<p>Drop Spread Settings One Pass Application</p> <p>First, apply 2 border strips along the edge of each end of the lawn. Then apply product along the length of the lawn, overlapping slightly and shutting off the spreader before turning as you reach the edge of the border strips.</p>	ILLUSTRATION
--------------	---	--------------

Most fertilizers will stain sidewalks, patios, swimming pools and other concrete surfaces. Remove spillage promptly by sweeping or vacuuming.

(Additional Optional Fertilizer and Advertising Information)

For use on Fescue, Rye, Blue and other listed grasses

Controls over 250 common lawn weeds while feeding your lawn with a premium blend of fertilizer nutrients that provide quick and extended greening.

Contains the 3 way power of Dissolve® for broadleaf, creeping and woody weeds.

For thick, green, weed-free turf.

Contains Poly-S® controlled released nitrogen for extended greening.

(For best results, use with other lawn care products in the [Seller-name] Fertilizer Program)

(Attach Sam Walton info)

Sam Walton believed in the ability of American workers to produce the finest products in the world.

That's why we're searching the USA to create something special. Innovative products, made to our own higher standards, that we're proud to call Sam's American Choice™. We believe these products, available at Wal-Mart and Wal-Mart Supercenters, offer better value than the leading national brands at the always low Wal-Mart prices. We think you'll agree, or we'll refund your money, no questions asked!

"Better products at the always low Wal-Mart prices..."

Always

Sam m. Walton

We guarantee it.

Sam Walton

COMPETITIVE EDGE SCHOLARSHIP FUND

In the next 10 years, the United States will have the jobs Americans need, but Americans may not have the skills these jobs demand. To have a competitive edge in the future, American must have a well-educated, trained work force. To help achieve this goal, Wal-Mart and our vendor partner will each donate 1% of the cost of this product to our Competitive Edge Scholarship Program.

OUR ENVIRONMENT:

(ILLUSTRATION)

- * Exclusive DeepGreen® Feeding System Helps Improve A Lawn's Winter Hardiness While Eliminating Weeds.
- * Exclusive DeepGreen® Feeding System Keeps Lawns Green Whatever the Growing Conditions - Hot or Cold, Wet or Dry, While Controlling Weeds.
- * Builds Strong Root Systems And Promotes Spring Green-Up.
- * Greens up to Three Times Longer than Ordinary Soluble Lawn Fertilizer.
- * 100% Satisfaction Guaranteed.
- * Toll-Free Help line: 1-888-XXXXX-1

(Logo) DeepGreen - Whatever the Weather - Hot, Cold, Wet, Dry

EXPERIENCE THE (SELLER'S NAME) ADVANTAGE™

(Seller's Name) has the extraordinary DeepGreen® nutrient delivery system containing an exclusive (or both IBDU® and polymer-coated time-release nitrogen source(s), assuring you the predictable, continuous feeding ordinary soluble lawn fertilizers can't deliver. So you'll enjoy the advantage of a consistently beautiful lawn week after week.

(Illustration)

Greening Effect

(Seller's) DeepGreen® System Feeds Your Lawn Continuously When Ordinary Soluble Fertilizers Can't.

Effectively Controls/kills Dandelions and Other Broadleaf Weeds.

The above suggested spreader settings are approximate. In general, spreaders should be calibrated to apply 1 lb. of this fertilizer product per 275 square feet of lawn.

Be sure to close spreader openings when loading, turning or when stopped.

(SELLER'S NAME) 100% GUARANTEE OF SATISFACTION

If not totally satisfied with the results of this product, simply send proof of purchase and a brief description of your problem to (Seller name & address) for a prompt refund.

(SELLER'S NAME) HELP LINE

Questions concerning lawn care or fertilizer application? Just call toll free 1-888-XXXXXX-1

Made in the U.S. (with flag illustration)

For Professional Use Only

OPTIONAL LIABILITY STATEMENTS:

Do not apply this product to "Floratam" St. Augustine grass in Florida.

Do not allow animals to graze on areas treated with this product.

Sam's Choice™ Fertilizer Program

The following represents the suggested application timing of the products listed in the Sam's Choice™ Program. Abnormal climatic conditions can affect appropriate timing.

U.S. Climate Zones:



- Bluegrass, Ryegrass, Fine & Tall Fescues
- Bluegrass, Ryegrass, Fine & Tall Fescues, Bermudagrass, Zoysiagrass
- Common Bermudagrass, Zoysiagrass, Centipedegrass, Bahiagrass, St. Augustine

Four steps to a more beautiful lawn! Begin the program by simply applying the product that corresponds to the current season - it's that easy!

Step 1. Sam's Choice™ CRABGRASS PREVENTER plus LAWN FOOD

- Nourishes your lawn while aiding in the prevention of crabgrass and grassy weeds.
 - Apply March - April
- Contains Barricade® non-staining, pre-emergent herbicide.
 - Apply early March - mid April
 - Apply mid February - late March



Step 2. Sam's Choice™ WEED & FEED

- Premium blended fertilizer provides weed control and nutrients to encourage quick and extended greening.
 - Apply mid April - late June
- Contains a herbicide that controls most common lawn weeds.
 - Apply late March - May
 - Apply mid March - mid May



Step 3. Sam's Choice™ LAWN FOOD

- A premium blend of fertilizer nutrients for quick and extended greening, with added iron for more luxuriant color.
 - Apply June - August
 - Apply mid May - early September
 - Apply mid April - September



Step 4. Sam's Choice™ WEED & FEED or LAWN FOOD

- Weed & Feed fertilizes while controlling existing weeds; if weeds are not evident use Lawn Food to nourish your lawn.
 - Apply mid August - mid October
- Both contain a premium blend of fertilizer nutrients that provide quick and extended greening.
 - Apply September - late October
 - Apply mid September - mid November



GreenThumb Fertilizer Program

The following represents the suggested application timing of the products listed in the GreenThumb Program. Abnormal climatic conditions can affect appropriate timing.

U.S. Climate Zones:

- Bluegrass, Ryegrass, Fine & Tall Fescues



- Bluegrass, Ryegrass, Fine & Tall Fescues, Bermudagrass, Zoysiagrass
- Bermudagrass, Zoysiagrass, Centipedegrass, Bahiagrass, St. Augustine

GreenThumb Premium Crabgrass Preventer + Lawn Fertilizer

- Promotes a lush, green lawn while controlling crabgrass and most other annual weed grasses.
 - Apply mid March - April
 - Apply early March - mid April
 - Apply mid February - late March
- Contains the pre-emergent herbicide, Team®

GreenThumb Premium Weed & Feed Lawn Fertilizer

- Controls over 140 broadleaf weeds, including Dandelion, Plantain, Chickweed, Knotweed, Henbit and Spurge.
 - Apply mid April - late June
 - Apply late March - May
 - Apply mid March - mid May
- Contains the premium broadleaf herbicide Dissolve®

GreenThumb Premium Lawn Fertilizer

- Specially formulated to promote even, lush growth of your grass.
 - Apply June - August
- Contains slow release nitrogen to extend feeding of the lawn.
 - Apply mid May - early September
 - Apply mid April - September

GreenThumb Premium Summerizer Lawn Fertilizer

- Special non-burning formula, when used as directed, for light summer application.
 - Apply June - August
 - Apply mid May - early September
- Contains slow release nitrogen to extend feeding of the lawn.
 - Apply mid April - September

GreenThumb Premium Winterizer Lawn Fertilizer

- Formulated for fall application to prepare your turf for winter.
 - Apply September - mid October
 - Apply September - late October
 - Apply September - mid November
- Contains slow release nitrogen to extend feeding of the lawn.

Team is a reg. TM of Dorrance, Dissolve® - Hovavish Chemical Co., Patent No. 5,254,553

Special nutrient formulation greens and thickens fall lawns and encourages root development for quicker greenup in the spring. Controls over 250 weeds.

Contains the 3-Way Power of Dissolve® for fall control of Broadleaf, Creeping and Woody Weeds.

For thick, green lawns this fall and next spring.

Controls dandelions and over 250 other weeds.

X% Nitrogen: Gives lawns their green color. Fertilizers with controlled release nitrogen formulas will feed and green your lawn over a longer period of time.

X% Phosphate: This nutrient is important for normal root development. Good roots are vital for grass to take up water and nutrients.

X% Potassium: Also called potash, helps lawns better tolerate extreme weather conditions. Contributes to the overall vigor of grass.

Additional Step 4 to Sam's Choice Fertilizer Program:

Step 4. Sam's Choice™ WINTERIZER LAWN FOOD OR WEED & FEED

- * Winterizer Weed & Feed fertilizes while controlling existing weeds; if weeds are not evident, use Winterizer Lawn Food to nourish your lawn and prepare it for winter.
- * Both contain a premium blend of fertilizer nutrients that help your lawn through the winter and speed greening in the spring.

Apply mid August-mid October

Apply September - late October

(Diagram of bags)

Apply mid September - mid November

To determine square footage of application area, follow calculation to the right.

THE COUNTRY COTTAGE STORY

Country Cottage products are designed with the home gardener in mind. They are produced with only high quality ingredients and are designed to help you have a better garden and be a better gardener.

When you shop at an authorized Country Cottage Dealer you are getting more than just the best quality products. What you are also getting is years of experience and strong horticultural know-how to answer all your gardening questions and solve all of your gardening problems.

When you think about projects in your lawn and garden, think about your Country Cottage Dealer, the hometown neighbor, a premier garden center. The products you want and the advice you need, all at one convenient location.

- Special Analysis formulated for Southern grasses
Special for Southern Turf
- PCT Slow Release Nitrogen for extended feeding
Poly-Coated technology slow-release nitrogen

Information regarding the contents and levels of metals in the product is available on the Internet at <http://www.wa.gov/agr/>

THE CHECK MEANS IT'S PROVEN®

- ✓ Four-step program may be started at any stage
- ✓ Contains slow-release nitrogen for extended greening
- ✓ Contains the 3-way power of Dissolve® for broadleaf, creeping and woody weeds

NITROGEN	PHOSPHORUS	POTASSIUM
For a lush, green lawn	Improves root growth	Vital for growth & drought resistance

ILLUSTRATIONS OF FOUR BAGS

CRABGRASS PREVENTER	WEED & FEED	LAWN FERTILIZER	FALL FERTILIZER/NEW LAWN STARTER
Apply to established turf to control crabgrass, foxtail, goosegrass, barnyardgrass and annual bluegrass.	Promotes lush, green lawn growth and controls dandelions and over 140 broadleaf weeds.	Apply throughout the growing season for a show-place lawn.	Promotes vigorous growth of new grass in spring and encourages root development, winter hardiness and disease resistance in fall.

ALTERNATE ARRANGEMENT OF LISTED WEEDS

Alder	Milkweed	Catnip
Artichoke	Boxelder	Catsear
Aster	Brassbuttons	Catsear, Spotted
Aster, Wild	Bristly Oxtongue	Chamomile, Corn
Bedstraw	Broomweed	Chickweed
Bedstraw, Pineywoods	Buckhorn	Chickweed, Common
Beggartick	Buckwheat, Wild	Chickweed, Mouseear
Betony, Florida	Bullthistle,	Chicory
Biden	Wavyleaf	Cinquefoil
Bindweed	Bur ragweed	Cinquefoil, Rough
Bindweed, Field	Burdock	Clematis, Western
Bindweed, Hedge	Burweed	Clover
Bitter wintercress	Buttercup	Clover, Annual Yellow
Bittercress, Hairy	Buttercup, Bulbous	Sweet
Bitterweed	Carpetweed	Clover, Crimson
Black-eyed Susan	Carrot, Wild	Clover, Hop
Bloodflower,	Catchweed Bedstraw	
Clover, Red	Clover, White	Cocklebur, Spiny
Clover, Strawberry	Cockle	Coffeebean
Clover, Sweet	Cocklebur	Coffeeweed
Coreopsis, Plains	Cudweed	Dandelion
Creeping jenny	Curly indigo	Dandelion, Fall
Croton	Daisy, English	Dandelion, False
Croton, Woolly	Daisy, Oxeye	Dock
Dock, Broadleaf	Florida pusley	Gumweed
Dock, Curly	Four-O'-Clock, Wild	Hawkweed
Dock, Smooth	Frenchweed	Hawkweed, Orange
Dogbane	Galinsoga	Healall
Dogfennel	Galinsoga,	Heartleaf drymary
Elderberry	Smallflower	Heathaster
Fiddleneck	Garlic, Wild	Hemlock, Poison
Fieldcress, Austrian	Geranium, Carolina	Hemp
Filaree, Redstem	Geranium, Wild	Henbit
Flax, False	Goathead	Hoary cress
Flea bane (daisy)	Goatsbeard	Honeysuckle
Fleabane, Hairy	Goldenrod	Horsenettle
Fleabane, Rough	Ground-Ivy	Horsetail
Flixweed	Groundsel	Ironweed

Ivy, Poison	Parsnip, Wild	Spurge, Prostrate
Jewelweed	Pearlwort	Spurge, Spotted
Jimsonweed	Pennycress	Spurweed
Knapweed, Spotted	Pennywort	St. Johnswort
Knawel	Peppergrass	Stinkweed
Knotweed	Pepperweed	Stitchwort
Knotweed, Prostrate	Pepperweed, Virginia	Strawberry, Wild
Kochia	Pigweed	Sumac
Lambsquarter	Pigweed, Prostrate	Sunflower
Lespedeza	Pigweed, Redroot	Sunflower, False
Lettuce, Blue	Pigweed, Russian	Sweet Potato, Wild
Lettuce, Prickly	Pigweed, Smooth	Tansy Ragwort
Lettuce, Wild	Pigweed, Tumble	Tanweed
Locoweed	Scarlet Pimpernel	Tarweed
Lupine	Plantain	Thistle
Mallow	Plantain, Blackseed	Thistle, Blessed
Mallow, Indiana	Plantain, Bracted	Thistle, Bull
Mallow, Venice	Plantain, Broadleaf	Thistle, Canada
Marigold, Roundleafed	Plantain, Buckhorn	Thistle, Musk
Marigold, Wild	Plantain, Hoary	Thistle, Russian
Marshelder	Plantain, Narrowleaf	Thistle, Scotch
Matchweed	Plantain, Slender	Toadflax
Medic, Black	Plantain, Woolly	Trailing Crownvetch
Mexicanweed	Pokeweed	Trefoil, Tick
Morningglory	Poorjoe	Tumbleweed
Morningglory, Woolly	Povertyweed	Velvet leaf
Mugwort	Prairie	Veronica
Mullein, Common	Prickly Sida	Vervain
Mustard	Primrose	Vervain, Blue
Mustard, Black	Puncture vine	Vervain, Hoary
Mustard, Garlic	Purslane	Vervain, Prostrate
Mustard, Hedge	Radish, Wild	Vervain, Tall
Mustard, Tansy	Ragweed	Vetch
Mustard, Tumble	Rape, Wild	Vetch, Bird
Mustard, White	Rose, Southern Wild	Vetch, Milk
Mustard, Wild	Rush	Vetch, Narrowleaf
Nettle	Salsify, Western	Vetch, Wild
Nettle, Bull	Shepherdspurse	Virginia Buttonweed
Nettle, Burning	Smartweed	Virginia Creeper
Nettle, Dead	Sneezeweed	Willow
Nettle, Stinging	Sorrel, Red	Witchweed
Nettle, Tall	Sorrel, Sheep	Woodsorrel
Nutgrass	Sowthistle	Wormseed
Oak, Poison	Sowthistle, Common	Yarrow
Onion, Wild	Spanishneedle	Yellow rocket
Oxalis	Spatterdock	Yellowflower
Pansy, Field	Speedwell	Pepperweed
Pantain, Blackseed	Spiny	And other broadleaf
Parsley-piert	Spiny Amaranth	weeds
Parsnip	Spurge	