228-281

10-5-2006

ļμ Form Approved. OMB No. 2070-0060

1]

Please read instructions on re		ng form.	10-0 0			Form Appr	roved. OMB No. 2070-0060
\$epa	Environmenta	Jnited States I Protecti ington, DC 20		x	Registr Amend Other		OPP Identifier Number
<u>den santa dan di singka santa dan santa santa</u>		Applicati	on for Pestici	de - Section	ר <u>ו</u> ר		<u> </u>
1. Company/Product Numbe 228-281	7		ł	Product Manager e Miller		3. Pr	oposed Classification
4. Company/Product (Nama) Riverdale ® Dissolve ® V		_ • · , ·	РМ# 23				None Restricted
5. Name and Address of Applicent (Include ZIP Code) Nufarm Americas, Inc. 150 Harvester Drive, Suite 200 Burr Ridge, IL 60527			6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No Product Name				
			Section -]		•••••••	
Amendment - Explain Resubmission in resp Notification - Explain Explanation: Use addition RE: Added Optional Marketing Label Notification per PR Notic and EPA regulations at 40 CFR a violation of 18 U.S.C. sec 100 98-10 and 40 CFR 152.46, this 1. Material This Product Will Child-Resistant Packaging Yes No Cortification must be submitted	onse to Agency letter below. at page(s) if necessar Graphics e 98-10, Section II. Ame t 152.46, and no other c 11 to willfully make any f product may be in viola	y. (For section nded labeling whanges have be alse statement tion of FIFRA an No. per	vit <u>h label claims</u> as hig een made to the labeli to the EPA. I further u	ng or confidential s nderstand that if th enforcement action	ated cation. below. cation is consist tatement of for is notification is in and penalties	stent with the mula of this p	product. I understand that it is ent with the terms of PR Notice on 12 and 14 of FIFRA.
3. Location of Nat Contents I	ontainer	4. Size(s) Re	tail Containar	<u> </u>	ocation of La	bel Directio	na
6. Manner in Which Label is	Affixed to Product	Lithog Paper Stenc	glued iled	Other			
	·····		Section - I				
1. Contact Point (Complete)	items directly below f	or identificatio	F	e contected, if ne	cessary, to p	1	
					No. (Include Area Code) 55.2017		
I certify that the staten I acknowledge that any both under epplicable I	knowlinglly false or a		all attachments the				6. Date Application Received (Stamped)
2. Signeture			3. Title Registration Manager				
4. Typed Name () George Meindl			^{5. Dete} 09/19/0	6			
PA Form 8570-1 (Rev. 3-94)	Previous editions are	obsolete.		White • F	PA File Copy	(original)	Yellow - Applicant Cop



 $\Omega(T = 5 2006)$

(Residential Label)

RIVERDALE[®]

DISSOLVE® WEED AND FEED

THIS PRODUCT IS A PREMIUM GRADE HERBICIDE AND TURF FOOD COMBINATION WHICH CONTROLS A WIDE SPECTRUM OF BROADLEAF WEEDS WHILE PROVIDING BOTH FAST AND LONG FEEDING ACTION.

Weeds contacted by this product gradually die and disappear from the lawn. Treats (or covers) 5,000 Square Feet (50' x 100')

GET THE OPTICAL ADVANTAGE®

ACTIVE INGREDIENTS:
Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid*
Dimethylamine Salt of (+)-R-2-(2-Methyl-4-Chlorophenoxy)propionic Acid**‡
Dimethylamine Salt of (+)-R-2-(2,4-Dichlorophenoxy)propionic Acid***‡
OTHER INGREDIENTS:
TOTAL: 100.000%
ISOMER SPECIFIC METHOD, EQUIVALENT TO:
*2,4-Dichlorophenoxyacetic Acid
**(+)-R-2-(2-Methyl-4-Chlorophenoxy)propionic Acid 0.12%
***(+)-R-2-(2,4-Dichlorophenoxy)propionic Acid
‡CONTAINS THE SINGLE ISOMER FORMS OF MECOPROP-p AND DICHLORPROP-p.
GUARANTEED ANALYSIS:
Total Nitrogen (N)
X% Ammoniacal Nitrogen
X% Urea Nitrogen
Available Phosphate (P ₂ O ₅).
Soluble Potash(K ₂ O)X%
Primary Plant Foods derived from Ammonium Phosphate, Sulfur Coated Urea, Urea, Triple Super Phosphate, and
Muriate of Potash.
Chlorine (CI) Maximum
The urea nitrogen in this product has been coated to provide X% coated slow release urea nitrogen.
Fertilizer guaranteed by (Name of fertilizer registrant)

KEEP OUT OF REACH OF CHILDREN CAUTION

SEE INSIDE BOOKLET FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300 For Medical Emergencies Only, Call (877) 325-1840

EPA REG. NO. 228-281 EPA EST. NO. 228-IL-1

NET CONTENTS

MANUFACTURED BY NUFARM AMERICAS INC. BURR RIDGE, IL 60527



LBS.

000228-00281.20060914.res

Causes moderate eye injury. Harmful if absorbed through skin. Avoid inhalation of dust and contact with eyes, skin, or clothing. Wear long pants, long-sleeved shirt, socks and shoes when applying this product. After using this product remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. The maximum number of broadcast applications per treatment site is 2 per year. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until dust has settled.

FIRST AID		
IF IN EYES	 Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 	
IF SWALLOWED	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. 	
IF ON SKIN OR CLOTHING	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. 	
Have the product co	Call a poison control center or doctor for treatment advice. HOT LINE NUMBER ntainer or label with you when calling a poison control center or doctor, or going for treatment.	

You may also contact 1-877-325-1840 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

This product is a stable mixture of three herbicides. It is for use on all Residential Turf.

This product may be used on Bahia, common Bermuda, Bluegrass, Centipede, Fescue, Rye, St. Augustine, and Zoysia grass. DO NOT USE on Dichondra and Carpet grass. DO NOT USE this product where desirable Clovers are present or allow the product to "wind drift" onto flowers, vegetables, ornamentals, shrubs, trees or other desirable plants.

This product is designed to promote lush green growth in lawns and control many broadleaf weeds such as:

Alder	Blessed thistle	Burning nettle	Coffeebean
Annual yellow sweet clover	Blue lettuce	Bur ragweed	Coffeeweed
Artichoke	Blue vervain	Burweed	Common chickweed
Aster	Box elder	Buttercup	Common mullein
Austrian fieldcress	Bracted plantain	Canada thistle	Common sowthistle
Bedstraw	Brassbuttons	Carolina geranium	Corn Chamomile
Beggartick	Bristly oxtongue	Carpetweed	Creeping jenny
Biden	Broadleaf dock	Catchweed bedstraw	Crimson clover
Bindweed	Broadleaf plantain	Catsear	Croton
Bird vetch	Broomweed	Catnip	Cudweed
Bitterweed	Buckhorn	Chickweed	Curly dock
Bitter wintercress	Buckhorn plantain	Chicory	Curly indigo
Black-eyed Susan	Bulbous buttercup	Cinquefoil	Dandelion
Black medic	Bull nettle	Clover	Dead nertle
Black mustard	Bull thistle	Cockle	Dock
Blackseed plantain	Burdock	Cocklebur	Dogbane

Doafennel Elderberry English daisy Fall dandelion False dandelion False flax False sunflower Fiddleneck Field bindweed Field pansy Flea bane (daisy) Flixweed Florida betony Florida pusley Frenchweed Galinsoga Garlic mustard Goathead Goatsbeard Goldenrod Ground ivy Gumweed Hairy bittercress Hairy fleabane Hawkweed, Healall Heartleaf drymary Hedge bindweed Hedge mustard Hemp Henbit Hoary cress Hoary plantain Hoary vervain Honeysuckle Hop clover Horsenettle Horsetail Indiana mallow Ironweed Jewelweed .limsonweed Kochia Knawel Knotweed Lambsquarter Lespedeza Locoweed

Lupine Mallow Marshelder Matchweed Mexicanweed Milk vetch Milkweed bloodflower Morningglory Mousear chickweed Mugwort Musk thistle Mustard Narrowleaf plantain Narrowleaf vetch Nettle Orange hawkweed Oxalis Oxeye daisy Parsley-piert Parsnip Pearlwort Pennycress Pennywort Peppergrass Pepperweed Pigweed Pineywoods bedstraw Plains coreopsis Plantain Poison hemlock Poison ivy Poison oak Pokeweed Poorjoe Povertyweed Prickly lettuce Prickly sida Primrose Prostrate knotweed Prostrate pigweed Prostrate spurge Prostrate vervain Puncture vine Purslane Ragweed Red clover Redroot pigweed

Red sorrel Redstem filaree Rough cinquefoil Rough fleabane Roundleafed marigold Rush Russian pigweed Russian thistle St. Johnswort Scarlet pimpernel Scotch thistle Sheep sorrel Shepherdspurse Slender plantain Smallflower galinsoga Smartweed Smooth dock Smooth pigweed Sneezeweed Southern wild rose Sowthistle Spanishneedle Spatterdock Speedwell Spiny Amaranth Spiny cocklebur Spotted catsear Spotted knapweed Spotted spurge Spurge Spurweed Stinging nettle Stinkweed Stitchwort Strawberry clover Sumac Sunflower Sweet clover Tall nettle Tall vervain Tansy mustard Tansy ragwort Tanweed Tarweed Thistle Tick trefoil Toadflax

Trailing crownvetch Tumble mustard Tumble pigweed Tumbleweed Velvet leaf Venice mallow Veronica Vervain Vetch Virginia buttonweed Virginia creeper Virginia pepperweed Wavyleaf bullthistle Western clematis Western salsify White clover White mustard Wild aster Wild buckwheat Wild carrot Wild four-o'-clock Wild garlic Wild geranium Wild lettuce Wild marigold Wild mustard Wild onion Wild parsnip Wild radish Wild rape Wild strawberry Wild sweet potato Wild vetch Willow Witchweed Woodsorrel Woolly croton Woolly morningalory Woolly plantain Wormseed Yarrow Yellow rocket Yellowflower pepperweed and other broadleaf weeds.

WHEN TO APPLY: Best results are obtained when weeds are growing actively in spring or early fall. Avoid contact with desirable shrubs, plants, vegetables, or flowers; especially when applying with a rotary (spinner) type spreader. Do not reseed for at least 3 to 4 weeks after application. Do not apply to newly seeded or sodded lawn until after 3 mowings. For optimum results (1) Avoid mowing 1 to 2 days before and after application; (2) Apply when grass is moist (after a rain, sprinkling or dew); (3) Avoid unnecessary disturbances, including watering of treated areas for 48 hours after application. Watering will wash off weed killing material; and (4) Avoid applying if rainfall is expected within 48 hours following treatment. Possible retreatment in approximately 30 days may be necessary if lawn is heavily overrun with weeds or if adverse low moisture conditions prevail and weeds are in a state of poor growth. Do not exceed recommended rates because damage to turf may occur.

NOTE: When applying to Southern Grasses - under conditions of inadequate moisture, high temperature and high humidity, over-application may cause minor transitory discoloration on Centipede and St. Augustine grasses. It is recommended that during hot, dry conditions, application rates should be reduced 50% to avoid possible dehydration or browning of grass.

HOW TO APPLY: This 20 (18 or 16) pound bag should be used on 5,000 square feet. Apply evenly with a lawn spreader as a one pass application. A two pass application, criss-crossing the area at half the rate each time is equal to one application.

The following settings are approximate for applying contents of this package at a suggested rate of 4 pounds (3.6 pounds for 18lb. bag, 3.2 pounds for 16lb. bag) per 1,000 square feet. Settings are based on an average walking speed. Reduce setting for slower speed; raise setting for higher speed. Check your spreader on 250 square feet and adjust to apply at the rate of 1 pound (.9 lb. for 18lb. bag, .8 pound for 16lb. bag) per 250 square feet.

SPREADER SETTINGS ONE PASS APPLICATION*:				
MAKE	SETTING			
Central Calibrated	5			
Cyclone Broadcast	3-3/4			
Jackson	5			
Sears Broadcast	3			
Sears	5			
Scotts Calibrated	4			

Sweep (do not wash) all fertilizer materials from surfaces immediately after application, because certain fertilizer ingredients can cause permanent stains. Wash out spreader after each use and allow it to dry thoroughly. Treat any exposed metal spreader areas with oil to reduce corrosion.

(The following paragraph is mandatory in Kentucky when the nitrogen analysis does not provide 1 pound of nitrogen/1,000 square feet; otherwise, this information is optional.)

A lawn typically will utilize 1 to 4 pounds of nitrogen per 1,000 square feet per growing season. When used as directed, this product will supplement your regular fertilizer program by providing <u>*(No. of lbs.)</u> pounds of nitrogen per 1,000 square feet (optional P_2O_5 and K_2O levels) and herbicide to control listed weeds. Please consult your local extension office for guestions regarding a regular fertilizer program.

*Based on Inert Fertilizer claimed.

Environmental Benefits	Besides increasing property values, did following benefits to your home and enviro		know a well-maintained lawn provides the ent:
(Grasscycling Logo)	Grass clippings and yard waste are approximately 20% of the volume in our nation's landfills. To do your part to reduce this amount, leave grass clippings on your lawn. Increased mowing height and frequency will produce smaller grass clippings that will decompose more readily so nutrients go back into your lawn.	* *	A 50' x 50' lawn produces enough oygen for a family of 4 every day Reduces Glare & Reduces Noise Traps Dust, Smoke Particles & Other Pollutants Purifies Water & Modifies Temperature Improves Soil Condition & Controls Erosion

6/14

STORAGE AND DISPOSAL

STORAGE: Store in original container and keep any bags containing unused product in locked storage area inaccessible to children and domestic animals. Do not store near feed or foodstuffs. To prevent cross-contamination, do not store near open containers of fertilizer, seed, or other pesticides. **DISPOSAL: If empty -** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled**

- If product cannot be used as directed, call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions. (RV091406N)

Riverdale, Dissolve and The Optical Advantage are Registered Trademarks of Nufarm Americas Inc.

OPTIONAL SPREADER INSTRUCTIONS:

(Illustration) For Drop Spreaders: First apply two strips at ends. Then apply product along the length of the lawn, overlapping very slightly and shutting off spreader when turning.

(Illustration) For Rotary Spreaders: Apply in a circular path, starting on the outside and working toward the center, overlapping very slightly.

OPTIONAL FERTILIZER TEXT:

Contains LESCO* Poly Plus* Sulfur Coated Urea to provide uniform growth with extended nitrogen feeding.

Slowly Available Urea Nitrogen from Polymer Coated sulfur Coated Urea.

Poly Plus® is comprised of Polymer Coated sulfur Coated Urea.

OPTIONAL MARKETING STATEMENTS:

The following note will not be part of the actual label copy.

- NOTE: Guaranteed (fertilizer) Analysis and Spreader Settings will vary among various commercial fertilizer manufacturers. Chlorine declaration and fertilizer guarantee are optional except where mandated by State fertilizer regulation.
- Editor's notes: 1. Subregistrant Warranty Statements previously accepted by U.S. EPA for use on their own registered products are not included on this label.
 - 2. Subregistrant's trademark name acknowledgements are not included on this label.

Alternate (Optional) Marketing and Fertilizer Statements

Contains Dissolve* A Premium Broadleaf Herbicide Provides Fast Green-Up & Slow Release for Long Feeding. Easy to Use Satisfaction Guaranteed

If you are not satisfied with the product results, simply send proof of purchase to (Name of Distributor) for replacement product voucher.

If you apply (product name) as directed, and are not completely satisfied, send proof of purchase from this bag and the cash register receipt to the address provided. We will promptly send your money back. CONTAINS ELEVEN ESSENTIAL ELEMENTS, INCLUDING EXTENDED TIME-RELEASE NOTROGEN, TO PRODUCE EXCELLENT RESULTS REGARDLESS OF GRASS TYPE OR SOLL QUALITY.

DUAL ACTION FEEDS YOUR LAWN WITH TIMED-RELEASE NITROGEN FOR EXTENDED GREENING SPECIAL FALL GRASS TIME-RELEASE FERTILIZER

GREENS IN AUTUMN HASTENS SPRING RECOVERY ENCOURAGES EARLY SPRING GREEN-UP KILLS WEEDS AND FORTIFIES YOUR LAWN. FOR A LONG-LASTING QUICK GREEN LAWN WITH SLOW-RELEASE NITROGEN FOR EXTENDED FEEDING HELPS BUILD A STRONGER, DEEPER ROOT SYSTEM

NEVER SPREAD BY HAND (OR) NEVER APPLY BY HAND DO NOT APPLY WHEN TEMPERATURE EXCEEDS 90°F

DUNUT APPLT WHEN TEMPERATURE EXCEEDS 90 F

SATISFACTION GUARANTEED (OR) MONEY BACK GUARANTEE

KILLS OVER 250 TYPES OF WEEDS (OR) Kills over 250 varieties of weeds

SOLD EXCLUSIVELY THROUGH (NAME OF STORES)

Contains Polyon[®] Timed-Release Fertilizer

USED BY PROFESSIONAL TURF MANAGERS

It's the GREEN inside

IMPORTANT - It is important to follow the directions as indicated on this quality lawn care product.

LOOK for other quality (brand name) lawn and garden products. For more information about POLYON[®] and (brand name) products visit us on the INTERNET at www.XXXXXX.com or call us at 1-800-XXX-XXXX.

The POLYON® Advantage (ILLUSTRATION)

(Brand name) products with POLYON* timed-release fertilizers work differently from other slow-release products. POLYON timed-release fertilizers release in response to soil temperature rather than moisture level. Other slowrelease products release according to the amount of moisture present in the soil...the more moisture, the quicker the nutrient release...putting your grass at a risk from burning. Because (Brand name) products contain POLYON timedrelease fertilizers, your grass is fed for up to 3 months!

If It's Not GREEN...It's Not POLYON*!

The (Brand name) PROMISE Your satisfaction guaranteed or your money back. If you apply (Product name) with POLYON[®] timed-release nitrogen as directed, and are not completely satisfied, send proof of purchase from this package and a cash register receipt to the address below. We will promptly send your money back.

Alternate (Optional) Marketing and Fertilizer Statements

EFFECTIVELY KILLS (OR CONTROLS) DANDELIONS AND BROADLEAF WEEDS

NITROGEN: Slow release for growing a thick green lawn

PHOSPHATE: Improves root growth and plant food storage capabilities.

POTASH: Vital for growth. Improves plant hardiness and drought resistance.

*Provides phosphate and potash plus time-released Nitrogen which encourages grass to fill in bare spots weeds leave behind.

*Contains Sulfur which helps maintain dark green color and encourages plants and root growth.

Controls a wide range of broadleaf weeds and feeds your lawn to help it grow thick and green!

Length X Width = Total Sq. Ft. - Non-Lawn Areas = Total Sq. Ft. Coverage Needed	ILLUSTRATION	To determine how much you need, multiply the length of your lawn by its width. This equals your total ccuare footage. Deduct any non-lawn areas (house, garden, etc). One bag covers 5,099 square feet.
---	--------------	---

Spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied and roughness of area treated. Be sure to check spreader at the beginning of the application; adjust spreader if necessary. Consult owner's manual. DO NOT HAND SPREAD. Close spreader openings when loading, turning or when stopped.

ILLUSTRATION	Broadcast Spreader Settings One Pass Application Apply in a circular path, starting on the outside and working toward the center, overlapping very slightly.	ILLUSTRATION
ILLUSTRATION	Drop Spreader Settings One Pass Application First apply two strips at ends. Then apply product along the length of the lawn, overlapping very slightly and shutting off spreader when turning.	ILLUSTRATION

Rids your lawn of undesirable weeds and feeds it to help it grow thick and green! For best results, water lawn first. Apply (product name) while lawn is wet. Wait 48 hours, then water lawn as needed. DO NOT APPLY DURING TIME PERIODS WHEN THE MAXIMUM DAILY TEMPERATURE IS IN EXCESS OF 90° F.

ILLUSTRATION	Broadcast Spreader Settings One Pass Application For best results, apply in a circular path starting on the outside and working toward the center. A little	ILLUSTRATION
	overlap of product will insure complete coverage. Drop Spreader Settings One Pass Application	

One Pass Application	
First, apply 2 border strips along the edge of each end of the lawn. Then apply product along the length of the lawn, overlapping slightly and shutting off the spreader before turning as you reach the edge of the border strips.	

Most fertilizers will stain sidewalks, patios, swimming pools and other concrete surfaces. Remove spillage promptly by sweeping or vacuuming.

(Additional Optional Fertilizer and Advertising Information)

For use on Fescue, Rye, Blue and other listed grasses

Controls over 250 common lawn weeds while feeding your lawn with a premium blend of fertilizer nutrients that provide quick and extended greening.

Contains the 3 way power of Dissolve^x for broadleaf, creeping and woody weeds.

For thick, green, weed-free turf.

Contains Poly-S controlled released nitrogen for extended greening.

(For best results, use with other lawn care products in the [Seller-name] Fertilizer Program)

(ATTACH SAM WALTON INFO)

Sam Walton believed in the ability of American workers to produce the finest products in the world.

That's why we're searching the USA to create something special. Innovative products, made to our own higher standards, that we're proud to call Sam's American Choice™. We believe these products, available at Wal-Mart and Wal-Mart Supercenters, offer better value than the leading national brands at the always low Wal-Mart prices. We think you'll agree, or we'll refund your money, no questions asked!

"Better products at the always low Wal-Mart prices..."

Always	Sam Walton
We guarantee it.	Sam Walton

COMPETITIVE EDGE SCHOLARSHIP FUND

In the next 10 years, the United States will have the jobs Americans need, but Americans may not have the skills these jobs demand. To have a competitive edge in the future, America must have a well-educated, trained work force. To help achieve this goal, Wal-Mart and our vendor partner will each donate 1% of the cost of this product to our Competitive Edge Scholarship Program.

OUR ENVIRONMENT:

(ILLUSTRATION)

* Exclusive DeepGreen® Feeding System Helps Improve A Lawn's Winter Hardiness While Eliminating Weeds.

- * Exclusive DeepGreen[®] Feeding System Keeps Lawns Green Whatever the Growing Conditions Hot or Cold, Wet or Dry, While Controlling Weeds.
- * Builds Strong Root Systems And Promotes Spring Green-Up.
- * Greens up to Three Times Longer than Ordinary Soluble Lawn Fertilizer.
- * 100% Satisfaction Guaranteed. * Toll-Free Help line: 1-888-XXXXX-1

(Logo) DeepGreen - Whatever the Weather - Hot, Cold, Wet, Dry

EXPERIENCE THE (SELLER'S NAME) ADVANTAGE™

(Seller's Name) has the extraordinary DeepGreen^{*} nutrient delivery system containing an exclusive (or both IBDU^{*} and) polymer-coated time-release nitrogen source(s), assuring you the predictable, continuous feeding ordinary soluble lawn fertilizers can't deliver. So you'll enjoy the advantage of a consistently beautiful lawn week after week. (Illustration)

Greening Effect

(Seller's) DeepGreen* System Feeds Your Lawn Continuously When Ordinary Soluble Fertilizers Can't.

Effectively Controls/Kills Dandelions and Other Broadleaf Weeds.

The above suggested spreader settings are approximate. In general, spreaders should be calibrated to apply 1 lb. of this fertilizer product per 275 square feet of lawn.

Be sure to close spreader openings when loading, turning or when stopped.

(SELLER'S NAME) 100% GUARANTEE OF SATISFACTION

If not totally satisfied with the results of this product, simply send proof of purchase and a brief description of your problem to (Seller name & address) for a prompt refund.

10/14

(SELLER'S NAME) HELP LINE

Questions concerning lawn care or fertilizer application? Just call toll free 1-888-XXXXX-1

Made in the U.S. (with flag illustration)

For Professional use Only

Weeds controlled by this product are gradually eliminated

Beautiful lawns made easy

Premium formulated herbicide and fertilizer

Controls over 200 broadleaf weeds

Apply to control dandelions, clover and other broadleaf weeds

The best defense against weeds is vigorous turf. Many times a grass plant requires more of a nutrient that than the soil can supply. If deprived of these nutrients, the turf becomes thin, weak and off color. Turf left in this state is vulnerable to infestations of weeds. A properly fertilized lawn is less susceptible to weed infestation and will better tolerate cold, heat, drought and traffic. There is NO substitute for proper fertilization.


Rotary Spreader Settings (various spreaders and settings listed) Drop Spreader Settings (various spreaders and settings listed)

OPTIONAL LIABILITY STATEMENTS:

Do not apply this product to "Floratam" St. Augustine grass in Florida.

Do not allow animals to graze on areas treated with this product.

11/14



The full owing represents the way exact applications of the second secon	ne familie of the products matic constitions can alloct
U.S. Climate Zones:	E Piersen Propass.
	Discontant, Brooktas, Fulle & Tall Feldback, Bermudary raks, Zeykingraks
	Bernadorystan, Zeptingras, Contratorytan, Brivagras, St. Angestingrass
Erenoffrande Frens im One grass Prese	let + La er Postazer
 Promision a final, que e leure utili e controlling erabyrita and utili adur alumni utili geoeste. Contrine the gre-superposition-hierbic, Yean' 	Japan Japan Marka - Junit Japan Japan Kathara - Japan Japan Japan
	- John Jahl Fridanty- Iden Martin
GBADYSTATIES OF BELEASE BELEA	
 Castral caracteristic functional second statistical distantiation, Plantain, Children ed. Engranded, Manufit and Spuryo. 	Jupper and Aarii - Inte Jupper Late Reech - Mar
 Contrainer der groupinge bevalltent berbistige Bisigere 	The second secon
Bree Torola Press, or Lawa Force and	
 Speciality formation is searning and and provide of plant gradu. 	Japairy Johns - Japanesi
- Bentalina allem vellenne teinegen in suntent tanding af the larger.	September Inde States - und f
and the second statement of the second se	
foresolithation for single is incomentate to wr	
 Special new Section Terrania, which most as directory, for Style Supremy application. 	Antista and Sector Sector
 Contains, them this many allowing in anisotic invalues of the large. 	Antistanten -
GreenTand Francis & Structures	and the first sector to the
 Formulated for tail application to propose poor tail for unities; 	and herinter
· Confiden show reliance microgen in entent feeding at the leven.	anter
realizing in the second	A har and

GreenThumb Fertilizer Program

'hanne internang 1996 al Swaal Salama Manaphan - Manaphalan Chanaman Gau, Punguy Shu 4 2016.350

Additional and/or Alternate map text Northern Zone: April-June & mid August-mid October Tranaitional Zone: April-May & September-late October Southern zone: March-April & mid September-mid November Special nutrient formulation greens and thickens fall lawns and encourages root development for quicker greenup in the spring. Controls over 250 weeds.

Contains the 3-Way Power of Dissolve® for fall control of Broadleaf, Creeping and Woody Weeds.

For thick, green lawns this fall and next spring.

Controls dandelions and over 250 other weeds.

X% Nitrogen: Gives lawns their green color. Fertilizers with controlled release nitrogen formulas will feed and green your lawn over a longer period of time.

X% Phosphate: This nutrient is important for normal root development. Good roots are vital for grass to take up water and nutrients.

X% Potassium: Also called potash, helps lawns better tolerate extreme weather conditions. Contributes to the overall vigor of grass.

Additional Step 4 to Sam's Choice Fertilizer Program:

Step 4. Sam's Choice™ WINTERIZER LAWN FOOD OR WEED & FEED

- * Winterizer Weed & Feed fertilizes while controlling existing weeds; if weeds are not evident, use Winterizer Lawn Food to nourish your lawn and prepare it for winter.
- * Both contain a premium blend of fertilizer nutrients that help your lawn through the winter and speed greening in the spring.

Apply mid August-mid October Apply September - late October

(Diagram of bags)

Apply mid September - mid November

To determine square footage of application area, follow calculation to the right.

THE COUNTRY COTTAGE STORY

Country Cottage products are designed with the home gardener in mind. They are produced with only high quality ingredients and are designed to help you have a better garden and be a better gardener.

When you shop at an authorized Country Cottage Dealer you are getting more than just the best quality products. What you are also getting is years of experience and strong horticultural know-how to answer all your gardening questions and solve all of your gardening problems.

When you think about projects in your lawn and garden, think about your Country Cottage Dealer, the hometown neighbor, a premier garden center. The products you want and the advice you need, all at one convenient location.

- Special Analysis formulated for Southern grasses
 Special for Southern Turf
- PCT Slow Release Nitrogen for extended feeding Poly-Coated technology slow-release nitrogen

Information regarding the contents and levels of metals in the product is available on the Internet at http://www.wa.gov/agr/

THE CHECK MEANS IT'S PROVEN*

- V Four-step program may be started at any stage
- v Contains slow-release nitrogen for extended greening
- v Contains the 3-way power of Dissolve* for broadleaf, creeping and woody weeds

NITROGEN PHOSPHORUS POTASSIUM

For a lush, green lawn Improves

Vital for growth & drought resistance

root growth

ILLUSTRATIONS OF FOUR BAGS

CRABGRASS PREVENTER

Apply to established turf to control crabgrass, foxtail, goosegrass,

barnyardgrass and

annual bluegrass.

WEED & FEED

growth and controls

broadleaf weeds.

Promotes lush, green lawn

dandelions and over 140

LAWN FERTILIZER

Apply throughout the growing season for a showplace lawn.

FALL FERTILIZER/NEW

Promotes vigorous growth of new grass in spring and encourages root development, winter hardiness and disease resistance in fall.

Controls Dandelions and over 100 other weeds

Nitrogen - For vigorous blade, leaf and stem growth and dark green color (or) Contains no Nitrogen

Phosphate - For root development and growth (or) Contains no Phosphorous

Potash - Promotes strong roots and improves turf hardiness (or) Contains no Potassium

[WEED ILLUSTRATIONS]

Use this product in the TurfKing turf program for a great lawn.



150 Harvester Drive, Suite 200 Burr Ridge, IL 60527 Phone: 630 455-2048 matthew.granahan@us.nufarm.com

September 19, 2006

Via Overnight Courier

U. S. Environmental Protection Agency (7504P) Document Processing Desk (NOTIF) Room S4900, One Potomac Yard 2777 S. Crystal Drive Arlington, VA 22202

Subject: Riverdale® Dissolve® Weed and Feed EPA REG. No. 228-281 Label Notification per PR 98-10

Dear Ms. Hobgood:

Nufarm Americas, Inc would like to add optional language to subject product's label. The proposed language is consistent with PR Notice 98-10, Section II (labeling notifications). We have added one Graphic representation of Climate Zones, found on page 10, to our Residential Label (Please note this change is only to our Residential Label the Commercial has not been affected).

To process this request please find enclosed the following:

- Application for Pesticide Registration EPA form 8570-1
- Revised labeling with areas of change clearly identified (1 copy)
- Revised labeling clean (1 copy)

If you should have any questions regarding this matter, please feel free to contact me at (630) 455-2048 or <u>matthew.granahan@us.nufarm.com</u>.

Sincerely,

Mon L' Corte

Matt Granahan Nufarm Americas, Inc.