

RIVERDALE

TRI-POWER® JET-SPRAY  
SPOT WEED KILLER

READY-TO-USE

CONTROLS DANDELIONS, CLOVER, CHICKWEED AND MANY OTHER  
LISTED WEEDS ON LAWNS AND ORNAMENTAL TURF

ACTIVE INGREDIENTS:†

Dimethylamine Salt of 2-Methyl-4-Chlorophenoxyacetic Acid*	0.67%
Dimethylamine Salt of 2-(2-Methyl-4-Chlorophenoxy)propionic Acid**	0.27%
Dimethylamine Salt of Dicamba (3,6-Dichloro-o-Anisic Acid)***	0.06%
INERT INGREDIENTS:	99.00%
TOTAL	100.00%

By Isomer Specific AOAC Method, Equivalent to:

*2-Methyl-4-Chlorophenoxyacetic Acid	0.55%, 0.046 lbs./gal.
**2-(2-Methyl-4-Chlorophenoxy)propionic Acid	0.22%, 0.018 lbs./gal.
***3,6-Dichloro-o-Anisic Acid	0.05%, 0.004 lbs./gal.

†TRI-POWER IS A REGISTERED TRADEMARK OF RIVERDALE CHEMICAL COMPANY

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS  
AND STATEMENT OF PRACTICAL TREATMENT

EPA REG. NO. 228-284

NET CONTENTS: 1 LB. 7 OZ.

EPA EST. NO. 36994-IL-2

MANUFACTURED BY


RIVERDALE CHEMICAL COMPANY

GLENWOOD, ILLINOIS 60425-1584

**ACCEPTED**

OCT 13 1995

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg No. 228-284



(Side Panels)

**PRECAUTIONARY STATEMENTS****HAZARDS TO HUMANS AND DOMESTIC ANIMALS****CAUTION**

Harmful if swallowed, inhaled or absorbed through skin. Causes eye irritation. Avoid contact with eyes, skin or clothing. Avoid inhalation of spray mists. Wash thoroughly after handling. Remove contaminated clothing and wash before reuse.

**STATEMENT OF PRACTICAL TREATMENT**

- IF IN EYES:** Immediately flush with plenty of water. If irritation persists, get medical attention.
- IF ON SKIN:** Wash skin with plenty of soap and water. Get medical attention.
- IF SWALLOWED:** Call a physician or poison control center. Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.
- IF INHALED:** Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. Get medical attention.

**ENVIRONMENTAL HAZARDS**

Drift or runoff may adversely affect non-target plants. Do not apply directly to water. Do not contaminate water used for irrigation or domestic purposes.

**PHYSICAL OR CHEMICAL HAZARDS**

Contents under pressure. Exposure to temperatures above 103°F may cause bursting.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

**USE PRECAUTIONS**

Do not use this product for controlling weeds in flower or vegetable beds or around shrubs or ornamental plantings. Do not spray roots of desirable trees and plants. Do not spray on Dichondra, Lippia, nor on grasses where desirable Clovers are present. Do not apply to newly seeded grasses until they have been mowed 3 times. Do not cut grass 1 to 2 days before and after application. Do not reseed for 3 to 4 weeks after use. If lawn needs watering, water thoroughly before application. Do not water for 48 hours after application. Watering will wash off weed killing material. Do not apply if rainfall is expected within 48 hours. Avoid fine mists. Spray when air is calm to avoid spray drift that might injure desirable ornamental plants. Do not apply when temperature exceeds 90°F. Shake well before using.

**WEEDS CONTROLLED BY TRI-POWER® JET-SPRAY SPOT WEED KILLER**

Bindweed, Black medic, Bockhorn, Burdock, Buttercup, Canada thistle, Carpetweed, Chick weed, Chicory, Clover, Cocklebur, Dandelion, Dock, Dogfennel, English daisy, Florida pusley, Frenchweed, Goldenrod, Ground ivy, Hawkweed, Healall, Heartloaf drymary, Henbit, Jimsonweed, Knotweed, Kochia, Lambsquarters, Mallow, Morningglory, Mustards, Oxalis, Pennywort, Pepperweed, Pigweed, Plantain, Poison oak, Purslane, Ragweed, Red clover, Red sorrel, Sheep sorrel, Shepherdspurse, Smartweed, Speedwell, Spurge, Spurweed, Stinging nettle, Stitchwort, Thistles, Toadflax, Veronica, Wild aster, Wild carrot, Wild garlic, Wild geranium, Wild lettuce, Wild onion, Wild radish, Wood sorrel, Yarrow and many other broad leaf weeds.

After applying this product, many broadleaf weeds will begin to show visible signs of leaf

curl within a few days. Some hard-to-control broadleaf weeds may require a second (or an additional) treatment.

This product contains a foam which marks the spot where the weed killer has been applied.

**DIRECTIONS**

1. Shake can just before using and occasionally during use.
2. Invert can, hold at arm's length, and point can at weed as you press button. Do not press button when can is in upright position.
3. Stand close to weed (1 to 2 feet) with can aimed at weed and away from face.
4. Push down briefly on button. Spray to cover center of weed, do not over-spray. The spray's foaming action will make it easy for you to see coverage.
5. One application will kill most weeds listed. If certain tough weeds are not dead within 3 weeks, repeat application.

**STORAGE AND DISPOSAL**

**STORAGE:** Keep from freezing. To be stored in original container and placed in an area inaccessible to children. Do not store near heat or open flame.

**PESTICIDE DISPOSAL:** Product remaining in original container should be disposed of by securely wrapping original container in several layers of newspaper and discarding in trash.

**CONTAINER DISPOSAL:** Do not incinerate or puncture. Replace cap and discard container in trash.

NOTICE: Buyer assumes all risks of use, storage and handling of this product not in strict accordance with directions given herewith. (PR938 042194/RV 092895)

(Optional copy for NFDA aerosol codes)

1. Water Based
2. Level 1 Aerosol

