

228-285

6/10/2003

1/5

RIVERDALE®

TRI-POWER® DRY

FOR SELECTIVE BROADLEAF WEED CONTROL
IN ORNAMENTAL LAWNS AND TURF GRASSES

CONTAINS MCPA, MECOPROP AND DICAMBA

KILLS: Dandelion, Chickweed, Black medic, Knotweed, Plantains, Oxalis,
Clover, Cocklebur, Thistles and many other species of
broadleaf weeds; some of which are listed on this label.

ACTIVE INGREDIENTS:*

2-Methyl-4-Chlorophenoxyacetic Acid	50.0%
2-(2-Methyl-4-Chlorophenoxy)propionic Acid	20.0%
Dicamba (3,6-Dichloro-o-Anisic Acid)	5.0%
INERT INGREDIENTS:	25.0%
TOTAL	100.0%

*Isomer Specific AOAC Method

Riverdale and Tri-Power Are Registered Trademarks of Riverdale - A Nufarm Company

FOR SALE TO AND USE BY PROFESSIONAL TURF MAINTENANCE
PERSONNEL, LANDSCAPING OR COMMERCIAL APPLICATORS ONLY

Individual Soluble Bags Are Not To Be Offered For Sale

KEEP OUT OF REACH OF CHILDREN

DANGER - PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que
se la explique a usted en detalle.

**SEE SIDE PANELS FOR FIRST AID
AND ADDITIONAL PRECAUTIONARY STATEMENTS**

NET CONTENTS: 32 LBS. (24 X 1.33 LB. PACKETS)

EPA REG. NO. 228-285

EPA EST. NO. 228-IL-1

MANUFACTURED BY NUFARM AMERICAS, INC., BURR RIDGE, ILLINOIS 60527-0866

ACCEPTED

JUN 10 2003

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 228-285

NOTE: Spanish language is optional.

(Side Panels)

PRECAUTIONARY STATEMENTS**HAZARDS TO HUMANS AND DOMESTIC ANIMALS****DANGER - PELIGRO**

Corrosive. Causes irreversible eye damage and skin burns. May be fatal if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Wear protective clothing and goggles, face shield, or safety glasses when mixing or loading this product. It is recommended that safety glasses include front, brow, and temple protection. Protective clothing includes long pants, long-sleeved shirt, shoes, and waterproof gloves. After product has been diluted in accordance with Directions for Use, eye protection and protective clothing are not required. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

FIRST AID STATEMENT

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

- IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
- IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
- IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. If contact is made after this product has been diluted, wash with plenty of soap and water. Rinse thoroughly.
- IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
- NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate use of gastric lavage.

ENVIRONMENTAL HAZARDS

Drift or runoff may adversely affect nontarget plants. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. When cleaning equipment, do not pour washwater on the ground; spray or drain over a large area away from wells and other water sources. Do not contaminate water when disposing of equipment washwaters. Do not apply this product through any type of irrigation system. Do not contaminate water used for irrigation or domestic purposes.

Most cases of groundwater contamination involving phenoxy herbicides such as MCPA and MCPP have been associated with mixing/loading and disposal sites. Caution should be exercised when handling these phenoxy pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing and transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

GENERAL INFORMATION

Riverdale Tri-Power® Dry herbicide is a stable water soluble mixture of three herbicides. It is for use on Ornamental Turf, such as Parks, Highways, Cemeteries, Golf Courses (fairways, aprons, tees, and roughs), and similar non-crop areas. Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

Just add the recommended water to your spray tank, then remove the water soluble packet from outer bag, add the appropriate amount of Tri-Power® Dry into the spray tank, agitate for three to five minutes. It is non-flammable.

Note: Exposure to moisture prior to mixing may cause water soluble bags to rupture. The acre coverage is equivalent to 2.66 lbs. a.i./acre.

USE PRECAUTIONS

CARE MUST BE TAKEN TO AVOID DRIFT OF SPRAY MISTS TO NON-TARGET susceptible plants such as vegetables, flowers, ornamental plants, shrubs, trees, and other desirable plants. Do not allow spray mist to contact these plants. Do not spray on dichondra nor on lawns or turf where desirable clovers are present. Avoid fine mists. Use a lawn type sprayer with coarse spray as wind drift is less likely. Avoid contact with exposed feeder roots of ornamentals and trees. Maximum kill of weeds will be obtained from Spring or early Fall application when weeds are actively growing. Use the higher rate for hard-to-kill weeds. Do not exceed specified application dosages for any area. Apply to newly seeded lawns or turf only after grasses are well established. Spray when air temperature is less than 90°F. Avoid applying during excessively dry or hot periods unless irrigation is used. Do not irrigate 24 hours prior to application. For optimum results: (1) Turf should not be mowed for 1 to 2 days before and after application; (2) do not apply if rainfall is expected within 48 hours, nor should lawns be irrigated (watered) for 48 hours following application. Reseed no sooner than three to four weeks after application of this product. Adding oil, wetting agent, or other surfactant to the spray may be used to increase effectiveness on weeds but doing so may reduce selectivity to turf resulting in turf damage. Failure to observe all precautions may result in injury to turf and/or susceptible plants. Tri-Power Dry can be mixed with some liquid fertilizers or liquid iron materials. Because liquid fertilizers and liquid iron differ in pH, free ammonia content, density, salt concentration, and percentage of water, a compatibility test is recommended prior to mixing in the application equipment. All regulations, either State or Federal, relating to the application of liquid fertilizers or liquid iron and this product must be strictly followed.

WEEDS CONTROLLED BY TRI-POWER® DRY

Alder, Beggartick, Bindweed, Black medic, Blue lettuce, Buckhorn, Burcucumber, Burdock, Buttercup, Canada thistle, Carpetweed, Catsear, Chervil, Chickweed, Chicory, Clover, Cocklebur, Croton, Dandelion, Dock, Dogfennel, Dragonhead mint, Dwarf nettle, English daisy, Fanweed, Fat hen, Field bindweed, Florida pusley, Frenchweed, Galinsoga, Goatsbeard, Goldenrod, Ground ivy, Halbertleaved saltbush, Hawkweed, Heaiall, Heartleaf drymary, Hemlock, Hempnettle, Henbit, Hoary cress, Honeysuckle, Jimsorweed, Knotweed, Kochia, Lambsquarter, Mallow, Marshelder, Morningglory, Mexican poppy, Miners lettuce, Moneywort, Poison ivy, Poison oak, Prickly lettuce, Puncture vine, Parslane, Ragweed, Red clover, Red root, Red sorrel, Red stem, Sheep sorrel, Shepherdspurse, Smartweed, Sneezeweed, Sowthistle, Spanishneedle, Speedwell, Spurge, Spurweed, Stinkweed, Stitchwort, Sunflower, Sweet clover, Stinging nettle, Thornapple, Toadflax, Tree-of-heaven, velvet leaf, Veronica, Vetch, Violet, Virginia buttonweed, Wild aster, Wild carrot, Wild garlic, Wild geranium, Wild gooseberry, Wild jute, Wild lettuce, Wild marigold, Wild onion, Wild petunia, Wild radish, Wild sage, Wild strawberry, Willow, Witchweed, Woodsorrel, Yarrow, Yellow charlock-mustard, Yellow daisy, Yellow rocket, and other broadleaf weeds.

ORNAMENTAL LAWNS AND TURF

Cool Season Grasses - Apply Tri-Power Dry at the rate of two 1-1/3 pound water soluble packets in 20 to 250 gallons of water. This spray solution will treat 43,500 square feet (1 acre) to 58,000 square feet (1-1/3 acre) to control weeds growing in ornamental lawn turf planted to Kentucky bluegrass, perennial ryegrass, tall fescue or fine fescue. Avoid application to bentgrass maintained as a desired turfgrass as temporary injury may result. Where bentgrass or other sensitive grasses are predominant in a lawn, use the lower rate.

Warm Season Grasses - Apply Tri-Power Dry at the rate of one 1-1/3 pound water soluble packet in 20 to 240 gallons of water. This spray solution will treat 25,000 square feet (approximately 0.6 acre) to 35,000 square feet (0.8 acre) to control weeds growing in bermudagrass or zoysia grass. Applications to other grass species including bahiagrass, kikuyugrass, buffalograss, centipedegrass, carpetgrass or St. Augustinegrass should be avoided unless injury can be tolerated. Avoid applications to warm season grasses emerging from Winter dormancy unless a slight delay in Spring green-up can be tolerated.

STORAGE AND DISPOSAL

STORAGE: Always store pesticides in a secured warehouse or storage building. This product should be stored in a cool, dry location. Container should be opened in well ventilated area. All containers should be kept tightly sealed when not in use. Do not store near open containers of fertilizer, seed or other pesticides. Do not contaminate water, feed or foodstuff by storage or pesticide disposal.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixtures or rinsate is a violation of Federal law. If container is damaged or if pesticide has spilled, contain all spillage. Clean up all spilled material with broom. Place in a closed, labeled container for proper disposal. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Outer plastic bags and shipping cases may be offered for recycling or dispose in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

WARRANTY

Nufarm Americas, Inc. warrants that this herbicide conforms to the chemical description on its label. When used in accordance with label directions under normal conditions, this herbicide is reasonably fit for its intended purposes. Since timing, method of application, weather, plant and soil conditions, mixtures with other chemicals and factors affecting the use of this product are beyond our control, no warranty is given concerning the use of this product contrary to label directions or under conditions which are abnormal or not reasonably foreseeable. The user assumes all risks of any such use.

(RV 050703)

TRI-POWER® DRY

FOR SELECTIVE BROADLEAF WEED CONTROL
IN ORNAMENTAL LAWNS AND TURF GRASSES

KEEP OUT OF REACH OF CHILDREN

DANGER

See Product Label on Carton for
First Aid and Additional Precautionary Statements

EPA REG. NO. 228-285

EPA EST. NO. 228-IL-1

RIVERDALE (LOGO)

W.S. Packet Copy

ACTIVE INGREDIENTS:*

2-Methyl-4-Chlorophenoxyacetic Acid	50.0%
2-(2-Methyl-4-Chlorophenoxy)propionic Acid	20.0%
Dicamba (3,6-Dichloro-o-Anisic Acid)	5.0%
INERT INGREDIENTS:	<u>25.0%</u>
TOTAL	100.0%

*Isomer Specific AOAC Method

Riverdale and Tri-Power Are Registered Trademarks of Riverdale - A Nuterm Company

Exposure to moisture prior to mixing may
cause water soluble bags to rupture.

Individual soluble bags are not to be
offered for sale.