

228-286

5/3/2010

10/12



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505P)
Ariel Rios Building
1200 Pennsylvania Ave., NW
Washington, D.C. 20460

EPA Reg. Number:

228-286

Date of Issuance:

MAY - 3 2010

NOTICE OF PESTICIDE:

Registration
[x] Reregistration
(under FIFRA, as amended)

Term of Issuance:

Name of Pesticide Product:

Riverdale Tri-Power L.A. Weed and Feed

Name and Address of Registrant (include ZIP Code):

Nufarm Americas, Inc.
150 Harvester Drive, Suite 200
Burr Ridge, IL 60527

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is reregistered in accordance with FIFRA section 4(g)(2)(C) provided you:

- 1. Submit and/or cite all data required for registration review/reregistration of your product when the Agency requires all registrants of similar products to submit data.
2. Omit the Residential Use sublabel as this product has been classified as a Restricted Use product due to acute inhalation toxicity concerns.
3. Make the following revisions to the final printed labeling of the commercial/occupational use sublabel:
a. It is unclear whether the occupational use product is intended for sod farm use. The Agency recommends that the label either be revised to include exclusionary text such as "Not for use on turf grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes" or include an Agricultural Use Requirements box that lists an REI of 48 hrs and early entry PPE (coveralls worn over short-sleeve shirt and short pants, chemical-resistant footwear plus socks, chemical-resistant gloves made of any waterproof material, chemical-resistant headgear for overhead exposure, protective eyewear)

Continued on Page 2

Signature of Approving Official:

Kathryn V. Montague
Project Manager 23
Herbicide Branch
Registration Division (7505P)

Date:

MAY - 3 2010

2012

- b. This product has been classified as a Restricted Use Pesticide due to acute inhalation. Add the following text to the top of the front panel of the label, preferably enclosed in a box:

<p>Restricted Use Pesticide</p> <p>Due to acute inhalation.</p> <p>For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.</p>

The above text must be set in type of the same minimum size as required for human hazard signal words and appear with sufficient prominence relative to the other text and graphic material on the front panel to make it unlikely to be overlooked under customary conditions of purchase and use.

- c. Add "Restricted Use Pesticide" immediately below the heading "Directions For Use".
- d. Per the acute toxicity review, the signal word currently on the label "CAUTION" must be revised to read "WARNING."
- e. Per the acute toxicity review, the following "IF INHALED" statements must be added to the First Aid section and the statements should be placed on the label in the following order:

"IF INHALED:

Move person to fresh air.

If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferable mouth-to-mouth if possible.

Call a poison control center or doctor for further treatment advice.

IF ON SKIN OR CLOTHING:...

IF IN EYES:...

IF SWALLOWED:..."

- f. Per the acute toxicity review, the Hazards to Humans and Domestic Animals must be revised to read:

"WARNING

May be fatal if inhaled. Harmful if absorbed through skin. Cause moderate eye irritation.

Do not breathe dust. Avoid contact with eyes, skin, or clothing."

30f/2

- g. Per the acute toxicity review and the REDs, the PPE section must be revised to read:

“Some materials that are chemical-resistant to this product are made of any waterproof material. If you want more options, follow the instructions for category A on the EPA chemical-resistance category selection chart.

All mixers, loaders, applicators, and other handlers must wear:

- A dust/mist filter respirator (MSHA/NIOSH approval number prefix TC-21C), or a NIOSH approved respirator with any N, R, P or HE filter
- Long-sleeved shirt and long pants,
- Shoes and socks,
- Chemical-resistant gloves (except for applicators using groundboom equipment), and

See engineering controls for additional requirements.”

- h. Per the MCPP-p, Dicamba and MCPA REDs, the Environmental Hazard text must be revised to read:

“This pesticide may adversely affect non-target plants. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters or rinsate. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.”

- i. Per the MCPP-p RED, the minimum retreatment interval must be revised to 30 days.
- j. Remove all references of “premium” and “special” herbicide/formula. Implied claims (e.g., any statement, design, graphic representation or brand name) of heightened efficacy of a pesticide product by itself or as compared with another product or device are considered false and misleading.
- k. Replace “Environmental Benefits” with “Healthy Lawn Benefits” as this is a misleading claim for a pesticide. In addition, remove “to your home and environment.” Add “Helps” in front of the bulleted benefit claims. (e.g.: “Helps reduce, Helps trap, Helps improve”) Remove “Purifies Water.”

Continued on page 4

The Agency notes that the label for this product does not include resistance management labeling as described in PR Notice 2001-5. The Agency encourages registrants to add the resistance management grouping symbols and statements to product labels in view of the importance of resistance management to a long-term pest management strategy.

4. A stamped copy of your labeling is enclosed for your records. You must submit one (1) copy of the final printed label before you release the product for shipment or the next printing of the label whichever occurs first. Products shipped after 12 months from the date of this Notice must bear the new revised label. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Enclosure

Stamped 22-07
50912

(Commercial Label)

TRI-POWER[®] LA WEED AND FEED

ACCEPTED
with COMMENTS
In EPA Letter Dated:
MAY - 3 2010

THIS PRODUCT IS A PREMIUM GRADE HERBICIDE AND TURF-FOOD
COMBINATION WHICH CONTROLS A WIDE SPECTRUM OF BROADLEAF
WEEDS WHILE PROVIDING BOTH FAST AND LONG FEEDING ACTION.

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

Weeds contacted by this product gradually die and disappear from the lawn.

Treats (or covers) 5,000 Sq. Ft. (50' x 100')

GET THE OPTICAL ADVANTAGE[®]

228-286

ACTIVE INGREDIENTS:

Dimethylamine Salt of 2-Methyl-4-Chlorophenoxyacetic Acid*	0.750%
Dimethylamine Salt of (+)-R-2-(2-Methyl-4-Chlorophenoxy)propionic Acid**‡	0.145%
Dimethylamine Salt of Dicamba (3,6-Dichloro-o-Anisic Acid)***	0.072%

OTHER INGREDIENTS:	99.033%
TOTAL:	100.000%

ISOMER SPECIFIC AOAC METHOD, EQUIVALENT TO:

*2-Methyl-4-Chlorophenoxyacetic Acid	0.61%
**(+)-R-2-(2-Methyl-4-Chlorophenoxy)propionic Acid	0.12%
***3,6-Dichloro-o-Anisic Acid	0.06%

‡CONTAINS THE SINGLE ISOMER FORM OF MECOPROP-p.

GUARANTEED ANALYSIS:°

Total Nitrogen (N)	X%
X% Ammoniacal Nitrogen	
X% Urea Nitrogen	
Available Phosphate (P ₂ O ₅)	X%
Soluble Potash (K ₂ O)	X%
Primary Plant Foods derived from Ammonium Phosphate, Sulfur Coated Urea, Urea, Triple Super Phosphate, and Muriate of Potash.	
Chlorine (Cl) Maximum	X%
The urea nitrogen in this product has been coated to provide X% coated slow release urea nitrogen.	
Fertilizer guaranteed by (Name of fertilizer registrant)	

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

EPA REG. NO. 228- 286
EPA EST. NO. 228-IL-1
NET WEIGHT LBS.

MANUFACTURED FOR
NUFARM AMERICAS INC.
BURR RIDGE, IL 60527



000228-000228-00286.052109 MCPP-p & Dicamba
RED 8 Month

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

Avoid contact with skin, eyes, or clothing. Harmful if absorbed through skin. Causes moderate eye injury. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Loaders, applicators, and other handlers must wear:

- Long-sleeved shirt and long pants, and
- Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users Should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

FIRST AID

IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

This pesticide may be toxic to fish, aquatic invertebrates and aquatic plants. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

This product is a stable mixture of three herbicides. It is for use on Ornamental Turf Lawns (Residential, Industrial and Institutional), Parks, Cemeteries, Athletic Fields and Golf Courses (Fairways, Aprons, Tees and Roughs) and similar turf areas.

Do not apply this product in a way that will contact any person, or pet, either directly or through drift. Keep people and pets out of the area during application.

Do not allow people or pets to enter the treated area until dusts have settled.

70612

RESTRICTIONS AND LIMITATIONS FOR USE ON RESIDENTIAL TURF

Do not apply more than 250 pounds product / acre per year.

Do not apply more than 2 applications per year with a minimum retreatment interval of 21 days.

This product may be used on Bahia, common Bermuda, Blue Grass, Centipede, Fescue, Rye, St. Augustine, and Zoysia grass. DO NOT USE on Dichondra and Carpet grass. DO NOT USE this product where desirable clovers are present or allow the product to "wind drift" onto flowers, vegetables, ornamentals, shrubs, trees or other desirable plants.

WEEDS CONTROLLED

This product is designed to promote lush green growth in lawns and control many broadleaf weeds such as:

Beggartick	Galinsoga	Plantain	Thistle
Bindweed	Goatsbeard	Poison hemlock	Thornapple
Black medic	Goldenrod	Poison ivy	Toadflax
Buckhorn	Ground ivy	Poison oak	Veronica
Burcucumber	Halbert-leaved saltbush	Prickly lettuce	Vetch
Burdock	Hawkweed	Puncturevine	Whitebrush
Buttercup	Healall	Purslane	White top
Canadian thistle	Heartleaf drymary	Ragweed	Wild aster
Carpetweed	Hempnettle	Red clover	Wild carrot
Catsear, Chervil	Henbit	Red root	Wild geranium
Chicory	Hoary cress	Red sorrel	Wild gooseberry
Chickweed	Honeysuckle	Redstem	Wild jute
Cinquefoil	Jimsonweed	Sheep sorrel	Wild lettuce
Clover	Knotweed	Shepherdspurse	Wild marigold
Cocklebur	Kochia, Lambsquarter	Sicklepod	Wild onion
Croton	Mallow	Smartweed	Wild petunia
Daisy	Marshelder	Sneezeweed	Wild radish
Dandelion	Mexican poppy	Sow thistle,	Wild sage
Dock	Morningglory, Mustard	Spanishneedle	Wild garlic
Dogfennel	Nettle	Speedwell	Wintercress
Dragonhead mint	Oxalis	Spurge	Witchweed
English daisy	Pennycress	Spurweed	Wood sorrel
Fat hen	Pennywort	Stinging nettle	Yarrow
Fennel	Peppergrass	Stinkweed	Yellow charlock
Florida pusley	Pepperweed	Stitchwort	Yellow daisy
Frenchweed	Pigweed	Sunflower	Yellow rocket

WHEN TO APPLY: Best results are obtained when weeds are growing actively in Spring or early Fall. Avoid contact with desirable shrubs, plants, vegetables, or flowers; especially when applying with a rotary (spinner) type spreader. Do not reseed for at least 3 to 4 weeks after application. Do not apply to newly seeded or sodded lawn until after 3 mowings. For optimum results (1) Avoid mowing 1 to 2 days before and after application; (2) Apply when grass is moist (after a rain, sprinkling or dew); (3) Avoid unnecessary disturbances, including watering of treated areas for 48 hours after application. Watering will wash off weed killing material; and (4) Avoid applying if rainfall is expected within 48 hours following treatment. Possible retreatment in approximately 30 days may be necessary if lawn is heavily overrun with weeds or if adverse low moisture conditions prevail and weeds are in a state of poor growth. Do not exceed recommended rates because damage to turf may occur.

NOTE: When applying to Southern Grasses - under conditions of inadequate moisture, high temperature and high humidity, over-application may cause minor transitory discoloration on Centipede and St. Augustine grasses. It is recommended that during hot, dry conditions, application rates should be reduced 50% to avoid possible dehydration or browning of grass.

HOW TO APPLY: This 20 (18 or 23) pound bag should be used on 5,000 square feet. Apply evenly with a lawn spreader as a one pass application. A two pass application, criss-crossing the area at half the rate each time is also acceptable. The following settings are approximate for applying contents of this package at a suggested rate of 4 pounds (3.6 lbs. for 18 pound bag or 4.6 lbs. for 23 pound bag) per 1,000 square feet. Settings are based on an average walking speed. Reduce setting for slower speed; raise setting for higher speed. Check your spreader on 250 square feet and adjust to apply at the rate of 1 pound (.9 lb. for 18# bag or 1.15 lb. for 23# bag) per 250 square feet.

**SPREADER SETTINGS
ONE PASS APPLICATION***

MAKE	SETTING
Central Calibrated	5
Cyclone Broadcast	3-3/4
Jackson	5
Sears Broadcast	3
Sears	5
Scotts Calibrated	4

Sweep (do not wash) all fertilizer materials from surfaces immediately after application, because certain fertilizer ingredients can cause permanent stains. Wash out spreader after each use and allow it to dry thoroughly. Treat any exposed metal spreader areas with oil to reduce corrosion.

(The following paragraph is mandatory in Kentucky when the nitrogen analysis does not provide 1 pound nitrogen/1,000 square feet; otherwise, this information is optional.)

A lawn typically will utilize 1 to 4 pounds of nitrogen per 1,000 square feet per growing season. When used as directed, this product will supplement your regular fertilizer program by providing *(No. of lbs.) pounds of nitrogen per 1,000 square feet (optional P₂₀₅ and K₂₀ levels) and herbicide to control listed weeds. Please consult your local extension office for questions regarding a regular fertilizer program.

*Based on Inert Fertilizer claimed.

Environmental Benefits

(Grasscycling Logo)

Besides increasing property values, did you know a well-maintained lawn provides the following benefits to your home and environment:

Grass clippings and yard waste are approximately 20% of the volume in our nation's landfills. To do your part to reduce this amount, leave grass clippings on your lawn. Increased mowing height and frequency will produce smaller grass clippings that will decompose more readily so nutrients go back into your lawn.

- oxygen for a family of 4 every day
- Reduces Glare & Reduces Noise
- Traps Dust, Smoke Particles & Other Pollutants
- Purifies Water & Modifies Temperature
- Improves Soil Condition & Controls Erosion

.A 50' x 50' lawn produces enough

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Always use original container to store pesticides in a secured warehouse or storage building. Do not store near feed or foodstuffs. Do not stack more than two pallets high. To prevent cross-contamination, do not store near open containers of fertilizer, seed or other pesticides. Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: If container is damaged or if pesticide has leaked, clean up all spilled material. Improper disposal of excess pesticide, spray mixtures or rinsate is a violation of Federal law. If these waters cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay away from smoke.

Nonrefillable Containers 5 Gallons or Less: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers are also disposable by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

Nonrefillable containers larger than 5 gallons: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. **Triple rinse as follows:** Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. **Pressure rinse as follows:** Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 psi for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

Refillable containers larger than 5 gallons: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10% full with water and, if possible, spray all sides while adding water. If practical, agitate vigorously or recirculate water with the pump for two minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

Or

Refillable Container: Refill this container with pesticide only. Do not reuse this container for any other purpose. Close all openings and replace all caps. Contact Nufarm's Customer Service Department at 1-800-345-3330 to arrange for return of the empty refillable container.

WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER, AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, CROP OR PLANT DAMAGE, OR LOSS OF YIELD, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE WEATHER, WIND, AND TEMPERATURE, OR THE MANNER OF USE OR APPLICATION, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER, AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER OR MANUFACTURER, AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY OTHER REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS. NO WARRANTIES SHALL BE CREATED BY COURSE OF DEALING, USAGE OF TRADE, OR COURSE OF PERFORMANCE. THERE ARE NO WARRANTIES THAT EXTEND BEYOND THE FACE HEREOF. THE SELLER OR

MANUFACTURER ASSUMES NO RESPONSIBILITY THAT THE GOODS WILL BE FIT FOR ANY PARTICULAR PURPOSE FOR WHICH YOU MAY BE BUYING OR USING THE GOODS, EXCEPT AS OTHERWISE PROVIDED IN THE CONTRACT.

LIMITATION OF LIABILITY WARNING

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, NEITHER MANUFACTURER NOR SELLER SHALL BE LIABLE TO BUYER OR USER OR TO CUSTOMERS OF BUYER, IF ANY, FOR INDEMNIFICATION OR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR ARISING OUT OF THE USE, MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR CUSTOMERS. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY, SHALL BE FOR DAMAGES NOT EXCEEDING THE PURCHASE PRICE OF THE GOODS AND, IF BUYER OR USER WISHES, THE RETURN OF THE GOODS BY BUYER TO SELLER.

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the goods, and return it unopened to the Seller, and the purchase price will be refunded. *By using the goods, you expressly agree to all of the terms and conditions of this contract.*

(RV052109R)

Tri-Power and The Optical Advantage are registered trademarks of Nufarm Americas Inc.

OPTIONAL SPREADER INSTRUCTIONS:

(Illustration) For Drop Spreaders: First apply two strips at ends. Then apply product along the length of the lawn, overlapping very slightly and shutting off spreader when turning.

(Illustration) For Rotary Spreaders: Apply in a circular path, starting on the outside and working toward the center, overlapping very slightly.

The following note will not be part of the actual label copy.

^oNOTE: Guaranteed (fertilizer) Analysis and Spreader Settings will vary amount various commercial fertilizer manufacturers. Chlorine declaration and fertilizer guarantee are optional except where mandated by State fertilizer regulation.

(Optional Fertilizer and Advertising Information)

Contains Tri-Power[®] A Premium Broadleaf Herbicide

<u>NITROGEN</u>	<u>PHOSPHATE</u>	<u>POTASH</u>
Produces lush dark green plant growth	Promotes root growth and development	Improves lawn's hardiness and disease resistance
●	●	●
Essential for plants' protein development	Helps seedlings develop more rapidly	Strengthens lawn against winter damage

Contains
ESSENTIAL MICRO-NUTRIENTS
For Increased
Plant Nutrition

THE (Company Name) LAWN CARE PROGRAM

For optimum lawn care we recommend the following program:

1. (Company Name) (Product Name #1)
2. (Company Name) (Product Name #2)
3. (Company Name) (Product Name #3)
4. (Company Name) (Product Name #4)

**Use This Formula To Calculate
The Amount of Product You Need**

Length of Property		_____			
	x				
Width of Property		_____			
	=				
Total Square Feet of Property		_____			
	-				
Total Square Feet of Non-Lawn Areas		_____			
	=				
Total Square Feet Coverage Needed		_____			

(Additional Optional Fertilizer and Advertising Information)

The Different Between Average And Exceptional!

The thick, hardy lawn is the best defense against weeds, but sometimes additional help is needed.

This product provides nutrients to build a thick, weed-resistant lawn while at the same time controlling existing weeds. A thick, vigorous lawn is your best defense against weeds, but sometimes weed control products are necessary. This is especially true during the first few seasons of establishing a lawn or even in established lawns when weed pressure is high. This product was designed especially for those times.

It's More Than Just Lawn Food

Our special formula gives you the extra value of three products in one.

This product is not only a premium herbicide and a premium lawn fertilizer, but also a premium soil food. Working in tune with nature, this product promotes a thick, green lawn with long-lasting beauty.

Nufarm knows the most beautiful lawns are a reflection of high quality soil. That's why our Weed and Feed contains rich organic matter to feed soil organisms which are essential to good soil.

The rich source of organic matter and humus found naturally in this product gives soil organisms energy to carry out their natural soil-building functions that make the difference between average and exceptional lawns. This product contains extra iron to help your lawn keep its rich green color.

With slow-release, water-insoluble nitrogen, this product is efficiently used by your lawn, minimizing the potential for leaching and run-off.

For greatest success with your entire lawn, landscape and garden, use the full line of Nufarm's products.

TO OPEN - PULL NARROW TAPE WHILE HOLDING WIDE TAPE

Controls undesirable weeds and feeds your lawn to help it grow thick and green.

NOW WITH MICRO-NUTRIENTS for greenest lawn you can buy!

Provides all the primary nutrients needed to insure a thick, dark green carpet of turf.

STRAIGHT TALK GUARANTEE: If for any reason you are not completely satisfied with the results after using this product, bring back the empty bag and proof of purchase for a full prompt refund.

(Additional Optional Fertilizer and Advertising Information)

Pike Family Signature Collection
4 Month Formula
Featuring Pennington's coated Slow-Release Nitrogen. Feeds up to 4 Months! Individually Selected by the Pike Family
Over forty-five years of knowing what is best for Southern lawns

A Perfect Pike Lawn

A good fertilization program can keep your lawn green and vigorous. Pike Family Nurseries has a wide selection of fertilizers to help you throughout the year.

Pike® Lawn Starter

Recommended for use when seeding, sodding, or reseeding lawns to enhance root development. Not recommended for Centipede lawns.

Pike® Crabgrass Preventer, with Fertilizer

Use this pre-emergent product to control crabgrass and many other weeds in your lawn before they germinate.

Pike® Weed & Feed

This post-emergent product controls a wide variety of existing broadleaf weeds while feeding your desirable grass.

Pike Lawn Fertilizer

A high nitrogen fertilizer with micro-nutrients that feeds established lawns up to 4 months.