Please read instructions on	reverse before completing form.		Form App	roved. OMB No	. 2070-0060	Approval expires 05-31-98
⊗EPA	United Stat Environmental Protec Washington, DC	ction Age	ncy		tration dment	OPP Identifier Number 243153
1 1 1 1 1	Applica	ation for F	Pesticide - Sec	tion l	·	
1. Company/Product Numb 228-296 4. Company/Product (Name Riverdale Vete	p) (p)		2. EPA Product Mar Joanne I. 1 PM#	-		oposed Classification
5. Name and Address of A Riverdale Chem 425 West 194th Glenwood, Illi	oplicant (Include ZIP Code) ical Company		6. Expedited Re(b)(i), my product to: EPA Reg. No	is similar or id	entical in co	
X Notification - Explai	ponse to Agency letter dated	ection I and Se	ction II.)	ed labels in respo iter dated Application. plain below.	CAN'S	TATION (Co.)
Material This Product W Child-Resistent Packaging	iil Be Packaged in: Unit Packaging	······································	ion - III Soluble Packeging	2. Type	of Container	
Yes* No * Certification must be submitted	Yes No If "Yes" No. per Unit Packaging wgt.	r If "Yes	Yes No No. per	,	Metal Plastic Glass Paper	Specify)
3. Location of Net Content Label 6. Manner in Which Label i	Container) Retail Contain thograph aper glued tenciled	Othe	<u> </u>	sbel	ons npanying product
<u></u>	S		ion - IV		<u> </u>	
1 Cantact Baint (Cam-lat	e items directly below for identifi		 	if nancecent *	nraces eti-	e annilication i
Name Russell F. Saw	. :	Title	ılatory Affaiı		Telephon	e No. (Include Area Code)
I certify that the state of acknowledge that a both under applicable.	ements I have made on this form my knowingly false or misleading	ification and all attach statement ma	ments thereto are tru y be punishable by fi	ne or imprisonm	complete. ent or	6. Date Application Received (Stamped)
R1	Jany	Regi	ılatory Affaii	rs Manager	!	
4. Typed Name Russell F. Saw	yer		ember 27, 1996		Salahar Shewe	

Riverdale

Veteran® 2010 Herbicide

For Commercial Use Only

Contains: 1.25 Pounds Per Gallon Dicamba

2.50 Pounds Per Gallon MCPA

SHAKE WELL BEFORE USING READ THE LABEL FOLLOW DIRECTIONS MOTIFICATION

JAN 3 10

TOTAL 100.0%

KEEP OUT OF THE REACH OF CHILDREN

DANGER - PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.

(If you do not understand the label, find someone to explain it to you in detail.)

STATEMENT OF PRACTICAL TREATMENT
If in eyes, flush with water for 15 minutes.

See Back Panel for additional precautionary statements.

NET CONTENTS: GALS.

EPA Reg. No. 228-296

EPA Est. No. 228-IL-1

MANUFACTURED BY

RIVERDALE CHEMICAL COMPANY

425 WEST 194TH STREET

GLENWOOD, IL 60425-1584

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER - PELIGRO

Corrosive, causes eye damage. Do not get in eyes, or on clothing. Harmful if swallowed. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Applicators and other handlers must wear eye protection.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES:

Flush with water for 15 minutes Get medical attention.

IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by sticking finger down

back of throat. Never induce vomiting or give anything by mouth to an

unconscious person.

IF ON SKIN:

Wash with plenty of soap and water. Get medical attention.

USER SAFETY RECOMMENDATION

A. 180 USERS SHOULD: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Keep out of lakes, streams or ponds. Drift or run-off may adversely affect nontarget plants. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. When cleaning equipment, do not pour washwater on the ground; spray or drain over a large area away from wells and other water sources.

Most cases of groundwater contamination involving phenoxy herbicides such as MCPA have been associated with mixing/loading and disposal sites. Caution should be exercised when handling MCPA pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing and transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

IMPORTANT: Do not apply Veteran® 2010 herbicide directly to or allow spray drift to come in contact with vegetables, flowers, grapes, tomatoes, potatoes, sugar beets, beans, or other desirable plants. (Coarse sprays are less likely to drift.) Do not contaminate domestic or irrigation water. Do not store in direct contact with fertilizer, seed, insecticides or fungicides. Thoroughly clean spray equipment with a suitable chemical cleaner before using for other purposes. When container is empty, immediately wash thoroughly and destroy. Do not graze treated areas or harvest for dairy feed prior to crop maturity. Do not apply (except as recommended) or clean equipment on or near desirable trees or other plants, or on areas where roots may extend, or in locations where the chemical may be washed or moved into contact with their roots.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Apply this product only as directed on the label.

Do not apply chis product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Not for use on (1) turf being grown for sale or other commercial use as sod; (2) trees being grown for sale or other commercial use, or for the production of timber or wood

Page 3

products; (3) turf, trees, crops, timber or other plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes.

NONCROPLAND USE: (Roadsides, fence rows and similar areas.) For top growth control of field bindweed, Canada thistle, perennial sowthistle, Russian knapweed and leafy spurge, apply 3.2 to 6.4 pints of Veteran® 2010 herbicide (1/2 to 1 pound of dicamba and 1 to 2 pounds of MCPA) per acre. For spot treatment, apply 1 teaspoonful of Veteran® 2010 herbicide per 1 to 2 square rods. Apply as a foliar spray to actively growing plants.

BRUSH AND BROADLEAF WEED CONTROL

SPECIES CONTROLLED

When used as directed, Veteran 2010 Herbicide will control or suppress many herbaceous broadleaf weeds (annual, biennial, and perennial) as well as many unwanted woody plant and vine species. Species controlled include:

ANNUALS

Buckwheat Carpetweed Chickweed Clover Cocklebur Daisy, English	Henbit Knawel Kochia Wild Lambsquarters Morningglory Mustard	Puncturevine Purslane Ragweed Russian Thistle Smartweed Velvetleaf
Daisy, English	Mustard Pigweed	Velvetleaf

BIENNIALS

Ragwort,	Tansy	Thistle,	Musk
10094020,	102203	1111201107	· ·····

PERKNNIALS

Bindweed, Field	•	-	Dogfennel	Sorrel, Sheep
Carrot, Wild		_	Knapweed Russian	Spurge, Leafy
(Queen Anne's Lace)			Milkweed	Thistle, Canada
Dock, Curly			Ragweed, Perennial	Toadflax, Dalmatian

WOODY BRUSH AND VINES

Alder	Hemlock	Sagebrush
Ash	Honeysuckle	Sassafras
Aspen	Ivy, Poison	Schinus
Basswood	Kudzu	(Florida Holly,
Beech	Locust	Brazil Peppertree,
Birch	_ Maple	Christmas-berry)
Blackberry	Oak	Serviceberry
Cherry	Olive, Russian	Snowberry
Creeper, Virginia	Persimmon	Spruce
*Creosotebush	Pine	Sumac
Cucumbertree	. Plum, Wild	Sycamore
Dogwood	Poplar	Trumpetcreeper ,
Elderberry	Puncturevine	- Waxmyrtste''''
Elm	Raspberry	Willow
Gum	Redcedar, Eastern	Witchhazel
Hawthorn	Redvine	Yaupon
	Rose, Multiflora	-

^{*}Suppression

APPLICATION DIRECTIONS

Regardless of the species to be controlled, spray volumes should be high enough to allow for good spray coverage. Make applications when weeds and brush are actively growing. The addition of surfactants(t) can increase control. A drift control agent(t) may also be used. Biennials are best controlled when treated in the rosette stage. Regrowth may occur on resistant species. Retreatments may be made as needed; however, do not exceed a total of 4.8 gallons (6 pounds a.i. dicamba + 12 pounds a.i. MCPA) of Veteran 2010

Herbicide per treated acre during a growing season. For control of hard-to-kill woody species, a tank mix may be necessary. Tank mix recommendations are for use only in states where the tank mix product and application site are registered. Read and follow all label directions.

HERBACKOUS BROADLEAF WEED CONTROL

Apply 3/4 to 3-1/4 quarts Veteran 2010 Herbicide in 20 to 100 gallons of water per treated acre. 3/4 to 2 quarts of Veteran 2010 Herbicide is recommended for annuals, 2 to 3-1/4 quarts for biennials and easy-to-kill perennials, and 3-1/4 quarts for established perennials. Do not apply more than 2-1/3 gallons of product per treated acre.

WOODY BRUSH AND VINE CONTROL

High Volume Foliar Spot Applications: Mix 1 to 2-1/3 gallons of Veteran 2010 Herbicide in enough water to make 100 gallons of spray mix. Spray volume applied will depend on the size and density of the brush to be treated, but do not apply more than 2-1/3 gallons of product per treated acre. Direct the spray to treat all foliage, stems, and root collars to wet.

Broadcast Applications with Ground Equipment: Apply 1 to 2-1/3 gallons Veteran 2010 Herbicide in 20 to 100 gallons of water per treated acre. Spray volume applied will depend on the size and density of the brush to be treated, but do not apply more than 2-1/3 gallons of product per treated acre. Spray all foliage, stems, and root collars to wet.

AERIAL APPLICATIONS

Aerial applications may be made to control either herbaceous or woody plants. Apply 1 to 3-1/4 quarts Veteran 2010 Herbicide (for herbaceous weeds) or 1 to 2-1/3 gallons Veteran 2010 Herbicide (for woody brush and vines) in 5 to 40 gallons of water per treated acre. Coverage is important, so increase spray volume when treating dense stands of brush or weeds. Do not apply more than 2-1/3 gallons of product per treated acre.

TANK MIX TREATMENTS

TANK MIX RECOMMENDATIONS ARE FOR USE ONLY IN STATES WHERE THE TANK MIX PRODUCT AND APPLICATION SITE ARE REGISTERED. READ AND FOLLOW THE LABEL OF EACH TANK MIX PRODUCT USED FOR PRECAUTIONARY STATEMENTS, DIRECTIONS FOR USE, AND OTHER RESTRICTIONS. For broader spectrum control, Veteran 2010 Herbicide may be tank mixed with one or more of the following Herbicides for noncropland uses (e.g. railroad, highway, pipeline, etc.) including forest management applications, if permitted by product labeling (e.g. MCPA). Add water to the spray tank prior to the addition of the tank mix products. Do not premix concentrates.

Herbicide Asulam (Asulox®) Bromacil (Hyvar®) Chlorsulfuron (Telar®) Dicamba (Banvel®) Diuron (Karmex®)
Fosawine ammonium (Krenite®)
Glyphosate (Roundup®)
Hexazinone (Velpar®)
tImazapyr (Arsenal®)
MSMA
Pichoram* (Tordon®)
Simuzine* (Princep®)
Sulfometuron methyl (Oust®)
Tebuthiuron (Spike®)
Trickhoyr (Garlon®)
2,4-D
2.4-hP

Rate
(lbs. a.i./treated acre)
2.92 to 6.68
1.6 to 24.0
0.1875 to 2.25 oz.**
0.25 to 8.0***
4.0 to 48.0
6.0 to 12.0
0.75 to 3.75
0.675 to 10.8
0.5 to 1.5
1.0 to 2.475
2.0 to 3.0
4.8 to 40.0
0.75 to 9.0 oz.**
1.0 to 16.0
0.75 to 12.0
0.475 to 16.92****
0.5 to 11.1

Due to variations that may occur in formulated products and specific use ingredients (e.g. water supplies) a COMPATIBILITY TEST as described on this label is recommended prior to actual tank mixing.

- * Restricted use pesticides limited to certified applicators

 ** Telar = 0.1875 to 2.25 ounces a.i./A (0.25 to 3.0 ounces product/A)

 Oust = 0.75 to 9.0 ounces a.i./A (1.0 to 12.0 ounces product/A)
- *** Do not exceed a total of 8 pounds a.i. dicamba per treated acre per growing season. (Veteran 2010 Herbicide contains 1.25 pounds a.i. dicamba per gallon).
- **** Use of extremely hard water (500 ppm) may cause this product to form a precipitate when used in a tank mix with Veteran 2010 Herbicide. Do not exceed 16 pounds total MCPA acid equivalent per treated acre per growing season. (Veteran 2010 Herbicide contains the equivalent of 2.5 pounds/gallon MCPA acid).
 - t Not registered for use in California

COMPATIBILITY TEST

Before mixing in the spray tank, it is advisable to test compatibility by mixing all components in a small container in proportionate quantities (see following table).

Amount of Herbicide to Add to One Pint of Spray Carrier (Assuming Volume is 25 Gallons per Acre)

HERBICIDE	RATE	LEVEL	
FORMULATIONS	<u>PER ACRE</u>	TRASPOONS	
Dry	1 pound	1-1/2	
Liquid	1 pint	2	

If herbicides do not ball-up or form flakes, sludge, gels, oily films or layers, or other precipitates, then the tested components are compatible. Usually incompatibility in any of the above described forms will occur within 5 minutes after mixing.

If components are incompatible, the use of a compatibility agent is recommended. Rerun the above COMPATIBILITY TEST with a suitable compatibility agent (1/4 teaspoon is equivalent to 2 pints per 100 gallons of spray solution).

PROCEDURE FOR CLEANING SPRAY EQUIPMENT

The steps listed below are suggested for thorough cleaning of spray equipment following applications of Veteran 2010 Herbicide or tank mixes of Veteran 2010 Herbicide plus MCPA

- Hose down thoroughly the inside as well as outside surfaces of equipment while filling the spray tank half full of water. Flush by operating sprayer until the system is purged of the rinse water.
- Fill tank with water while adding 1 quart of household ammonia for every 25 gallons <u>«</u>2) of water. Operate the pump to circulate the ammonia solution through the sprayer system for 15 to 20 minutes and discharge a small amount of the ammonia solution through the boom and nozzles. Let the solution stand for several hours, preferable overnight.
 - Flush the solution out of the spray tank through the boom.
 - Remove the nozzles and screens and flush the system with two full tanks of water. The steps listed below are suggested for thorough cleaning of spray equipment used to apply Veteran 2010 Herbicide as a tank mix with wettable powders (WP), emulsifiable concentrates (EC), or other types of water-dispersible formulations. Veteran 2013 Herbicide tank mixes with water-dispersible formulations require the use of a water/ detergent rinse.
 - 5) Complete step 1.
 - Fill tank with water while adding 2 pounds of detergent for every 40 gallons of water. Operate the pump to circulate the detergent solution through the boom and nozzles. Let the solution stand for several hours. Preferably overnight.
 - Flush the detergent solution out of the spray tank through the boom.
 - Repeat step 1, and follow with steps 2, 3 and 4.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal.

STORAGE: Always use original container to store pesticides in a secured warehouse or storage building. Do not store near seeds, fertilizers, insecticides or fungicides. Store at temperature above 32°F. If allowed to freeze, warm to at least 40° and remix before using. Freezing does not alter this product. Containers should be opened in well-ventilated areas. Keep container tightly sealed when not in use. Do not stack cardboard cases more that two pallets high.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If container is damaged or if pesticide has leaked, contain all spillage. Absorb and clean up all spilled material with granules or sand. Place in a closed labeled container for proper disposal. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent), then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers are also disposable by incineration, or if allowed by State and Local authorities, by burning. If burned, stay out of smoke.

Arsenal® is a registered trademark of American Cyanamid Company.

Princep® is a registered trademark of Ciba-Geigy Corporation.

Garlon® and Tordon® are registered trademarks of DowElanco Company.

Hyvar®, Karmex®, Krenite®, Oust®, Telar®, and Velpar® are registered trademarks of E.I. dupont de Nemours & Co., Inc.

Spike® is a registered trademark of DowElanco.

Roundup® is a registered trademark of Monsanto Agricultural Products Co.

Asulox® is a registered trademark of Rhone-Poulenc Chemical Company

Banvel® is a registered trademark of Sandoz Ltd.

LIMITED WARRANTY AND LIABILITY

NOTICE: Read this Limited Warranty and Liability before buying or using this product. If the terms are not acceptable, return it at once unopened. It is critical that this product be used and mixed only as specified on the label. The laws of a State may make some or all of this paragraph inapplicable or may give you rights in addition to your rights hereunder. Except, to the extent prohibited by applicable law, the exclusive remedy of the user or buyer and the limit of liability of this Company or any other Seller for any and all losses, personal injuries or damages resulting from the use of this product, shall be the purchase price paid by the user or buyer for the quantity of product involved. Except to the extent prohibited by State law, there is no warranty, and this Company and other Sellers disclaim all liability for losses, personal injury or damages: (i) arising from any use of this product in a manner or for a purpose not recommended in its label directions, or from mixing this product before use with any substance except as recommended by the product's label, (ii) arising from handling or storage in violation of label instructions, (iii) for all indirect, special or consequential damages, (iv) when not reported to this Company within one year of discovery, and (v) arising from product not used within the label-designated shelf life of four years from date of purchase, whichever first occurs. THERE ARE NO IMPLIED WARRANTIES AND NO WARRANTIES OF MERCHANTABILITY OR FITNESS. (RV 122796)

Optional Brand Names and Cleaning Instructions

- (†) Such as R-11®, Syl-tac™, Hasten®, or Mor-Act®
- (‡) Such as Bivert®, or Redi-Vert

The addition of a tank cleaner, such as Neutral-Clean spray tank cleaner and neutralizer. In a 100 to 300 gallon spray tank, add approximately 50 gallons of water and 1/2 pound of

· Neutral-Clean. Agitate and circulate for approximately 15 minutes. Read and follow complete Neutral-Clean label instructions.

Note: If brand names are used, trademark references will be added to label.