ATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

JUL 12 2007

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Theodore D. Head Nufarm Americas, Inc. 150 Harvester Drive, Suite 200 Burr Ridge, IL 60527

Dear Mr. Head:

SUBJECT: Revised Basic Confidential Statement of Formula (CSF)

And Label Amendment (Revocation of Generic Data

Exemption for 2,4-DP and MCPP) Tri-Power Granular Weed Killer EPA Registration No. 228-303

Your Application Dated January 9, 2007

The Agency has completed its review of the revised basic Confidential Statement of Formula, dated January 9, 2007 and has determined that it is acceptable. The amended basic CSF will supersede the current basic CSF, dated June 15, 1998.

The label amendment referred to above (residential and commercial), submitted in accordance with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable with the following provisions:

- Add the following statement under the name of the product: "For Use on Lawn/Turf Only".
- 2. On page 3 of the labelings, in the section on "How to Apply":
- Revise the first sentence to read: "Apply this 14 (or 16) pound bag to 5,000 square feet of lawn.
- In the second paragraph delete the statement "a suggested" and replace with the word "the". In addition, add the statement "of lawn" so that the sentence reads "for 1,000 square feet of lawn."

A stamped copy is enclosed for your records. Please submit one (1) copy of your final printed labeling before you release the product for shipment. This amended labeling supersedes all previously accepted ones.

Sincerely yours,

Joanne I. Miller

Product Manager (23)

Herbicide Branch

Registration Division (7505P)

Enclosure

(COMMERCIAL LABEL)

TRI-POWER® GRANULAR WEED KILLER

THIS PRODUCT IS A PREMIUM GRADE HERBICIDE WHICH CONTROLS A WIDE SPECTRUM OF BROADLEAF WEEDS

Weeds contacted by this product gradually die and disappear from the lawn.

Treats (or covers) 5,000 Sq. Ft. (50' x 100')

| ACTIVE INGREDIENTS: Dimethylamine Salt of 2-Methyl-4-Chlorophenoxyacetic Acid* Dimethylamine Salt of 2-(2-Methyl-4-Chlorophenoxy)propionic Acid Dimethylamine Salt of Dicamba (3,6-Dichloro-o-Anisic Acid)*** OTHER INGREDIENTS: | j** | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|---------|
| | TOTAL: | 100.00% |
| ISOMER SPECIFIC AOAC METHOD, EQUIVALENT TO: *2-Methyl-4-Chlorophenoxyacetic Acid **2-(2-Methyl-4-Chlorophenoxy)propionic Acid ***3,6-Dichloro-o-Anisic Acid | | 0.16% |
| ‡CONTAINS THE SINGLE ISOMER FORM OF MECOPROP-p. | | |

KEEP OUT OF REACH OF CHILDREN CAUTION

SEE INSIDE BOOKLET FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300 For Medical Emergencies Only, Call (877) 325-1840

EPA REG. NO. 228-303 EPA EST. NO. 228-IL-1 MANUFACTURED BY
ACCEPTED BARM AMERICAS INC.
BURR RIDGE, IL 60527
WITH COMMENTS
In EPA Letter Dated:



NET CONTENTS

GALS.

Under the Federal insocicide, Purgicide, and Rodonticide Act as amended, for the posticide registered under EPA Reg. No.

000228-00303.20061106.pending RED

228-303

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Avoid contact with skin, eyes; or clothing. Harmful if absorbed through skin. Causes moderate eye injury. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Loaders, applicators and other handlers must wear:

- · Long-sleeved shirt and long pants, and
- · Shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- · Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- · Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

| FIRST AID | | |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| IF IN EYES | Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. | |
| IF SWALLOWED | Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. | |
| IF ON SKIN OR CLOTHING | Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. | |
| HOT LINE NUMBER | | |

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

This pesticide may be toxic to fish, aquatic invertebrates and aquatic plants. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

Do not apply this product in a way that will contact any person, or pet, either directly or through drift. Keep people and pets out of the area during application.

Do not allow people or pets to enter the treated area until dusts have settled.

This product is a stable mixture of three herbicides. It is for use on Ornamental Turf Lawns (Residential, Industrial and Institutional), Parks, Cemeteries, Athletic Fields and Golf Courses (Fairways, Aprons, Tees and Roughs) and similar turf areas.

This product may be used on Bahia, common Bermuda, Blue Grass, Centipede, Fescue, Rye, St. Augustine, and Zoysia grass. DO NOT USE on Dichondra and Carpet grass. DO NOT USE this product where desirable clovers are present or allow the product to "wind drift" onto flowers, vegetables, ornamentals, shrubs, trees or other desirable plants.

WEEDS CONTROLLED

This product is designed to control many broadleaf weeds such as:

| Time product to designe | to control many broadloar | | | |
|-------------------------|---------------------------|-----------------|-----------------|-----------------|
| Beggartick | English daisy | Marshelder | Redstem | Wild aster |
| Bindweed | · Fat hen | Mexican poppy | Sheep sorrel | Wild carrot |
| Black medic | Fennel | Morningglory | Shepherdspurse | Wild geranium |
| Buckhorn | Florida pusley | Mustard | Sicklepod | Wild gooseberry |
| Burcucumber | Frenchweed | Nettle | Smartweed | Wild jute |
| Burdock | Galinsoga | Oxalis | Sneezeweed | Wild lettuce |
| Buttercup | Goatsbeard | Pennycress | Sow thistle | Wild marigold |
| Canadian thistle | Goldenrod | Pennywort | Spanishneedle | Wild onion |
| Carpetweed | Ground ivy | Peppergrass | Speedwell | Wild petunia |
| Catsear | Halbert-leaved saltbush | Pepperweed | Spurge | Wild radish |
| Chervil | Hawkweed | Pigweed | Spurweed | Wild sage |
| Chicory | Healall | Plantain | Stinging nettle | Wild garlic |
| Chickweed | Heartleaf drymary | Poison hemlock | Stinkweed | Wintercress |
| Cinquefoil | Hempnettle | Poison ivy | Stitchwort | Witchweed |
| Clover | Henbit | Poison oak | Sunflower | Wood sorrel |
| Cocklebur | Hoary cress | Prickly lettuce | Thistle | Yarrow |
| Croton | Honeysuckle | Puncturevine | Thornapple | Yellow charlock |
| Daisy | Jimsonweed | Purslane | Toadflax | Yellow daisy |
| Dandelion | Knotweed | Ragweed | Veronica | Yellow rocket |
| Dock | Kochia | Red clover | Vetch | |
| Dog fennel | Lambsquarter | Red root | Whitebrush | |
| Dragonhead mint | Mallow | Red sorrel | White top | |
| | | | | |

WHEN TO APPLY: Best results are obtained when weeds are growing actively in spring or early fall. Avoid contact with desirable shrubs, plants, vegetables, or flowers; especially when applying with a rotary (spinner) type spreader. Do not reseed for at least 3 to 4 weeks after application. Do not apply to newly seeded or sodded lawn until after 3 mowings. For optimum results (1) Avoid mowing 1 to 2 days before and after application; (2) Apply when grass is moist (after a rain, sprinkling or dew); (3) Avoid unnecessary disturbances, including water of treated areas for 48 hours after application. Watering will wash off weed killing material; and (4) Avoid applying if rainfall is expected within 48 hours following treatment. Possible retreatment in approximately 30 days may be necessary if lawn is heavily overrun with weeds or if adverse low moisture conditions prevail and weeds are in a state of poor growth. Do not exceed recommended rates because damage to turn may occur.

NOTE: When applying to Southern Grasses – under conditions of inadequate moisture, high temperature and high humidity, overapplication may cause minor transitory discoloration on Centipede and St. Augustine grasses. It is recommended that during hot, dry conditions, application rates should be reduced 50% to avoid possible dehydration or browning of grass.

HOW TO APPLY: This 20 pound bag should be used on 5000 square feet. Apply evenly with a lawn spreader as a one-pass application, A two-pass application, criss-crossing the area at half the rate each time is also acceptable.

The following settings are <u>approximate</u> for applying contents of this package at a suggested rate of 4 pounds per 1000 square feet. Settings are based on an average walking speed. Reduce setting for slower speed, raise setting for higher speed. Check your spreader on 250 square feet and adjust to apply at the rate of 1 lb. per 250 square feet. Clean spreader thoroughly after use.

SPREADER SETTINGS ONE-PASS APPLICATION:

| MAKE | SETTING |
|--------------------|---------|
| Central Calibrated | 5 |
| Cyclone Broadcast | 3-3/4 |
| Jackson | 5 |
| Sears Broadcast | 3 |
| Sears | 5 |
| Scotts Calibrated | 4 |

Environmental Benefits

Besides increasing property values, did you know a well-maintained lawn provides the following benefits to your home and environment:

(Grasscycling Logo)

Grass clippings and yard waste are approximately 20% of the volume in our nation's landfills. To do your part to reduce this amount, leave grass clippings on your lawn. Increased mowing height and frequency will produce smaller grass clippings that will decompose more readily so nutrients go back into your lawn.

- A 50' x 50' lawn produces enough oygen for a family of 4 every day
- √ Reduces Glare & Reduces Noise
- Traps Dust, Smoke Particles & Other Pollutants
- √ Purifies Water & Modifies Temperature
- √ Improves Soil Condition & Controls Erosion

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container and keep any bags containing unused product in locked storage area inaccessible to children and domestic animals. Do not store near feed or food stuffs. To prevent cross-contamination, do not store near open containers of fertilizer, seed or other pesticides.

PESTICIDE DISPOSAL: If container is damaged or if pesticide has leaked, clean up all spilled material. Improper disposal of excess pesticide, spray mixtures or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by State and local authories, by burning. If burned stay out of smoke.

WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER. TO THE EXTENT PERMITTED BY LAW, MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO CROP INJURY OR INSEFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

LIMITATION OF LIABILITY

TO THE EXTENT PERMITTED BY LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR RISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS.

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

(RV110606)

Tri-Power is a registered trademark of Nufarm Americas Inc.

OPTIONAL SPREADER INSTRUCTIONS

(illustration) For Drop S

For Drop Spreaders: First apply two strips at ends. Then apply product along the length of the lawn, over-

lapping very slightly and shutting off spreader when turning.

(illustration)

For Rotary Spreaders: Apply in a circular path, starting on the outside and working toward the center, over-

lapping very slightly.

OPTIONAL MARKETING STATEMENTS

Contains Tri-Power® a Premium Broadleaf Herbicide

The following note will not be part of the actual label copy.

NOTE: Spreader settings will vary among various manufacturers.

(RESIDENTIAL LABEL)

TRI-POWER®

GRANULAR WEED KILLER

THIS PRODUCT IS A PREMIUM GRADE HERBICIDE
WHICH CONTROLS A WIDE SPECTRUM OF BROADLEAF WEEDS

Weeds contacted by this product gradually die and disappear from the lawn.

Treats (or covers) 5,000 Sq. Ft. (50' x 100')

| ACTIVE INGREDIENTS: | |
|-----------------------------------------------------------------------------------|---------|
| Dimethylamine Salt of 2-Methyl-4-Chlorophenoxyacetic Acid* | |
| Dimethylamine Salt of 2-(2-Methyl-4-Chlorophenoxy)propionic Acid** | 0.20% ′ |
| Dimethylamine Salt of Dicamba (3,6-Dichloro-o-Anisic Acid)*** | 0.09% |
| OTHER INGREDIENTS: | 98.70% |
| TOTAL: | 100.00% |
| | |
| ISOMER SPECIFIC AOAC METHOD, EQUIVALENT TO: | |
| ISOMER SPECIFIC AOAC METHOD, EQUIVALENT TO: *2-Methyl-4-Chlorophenoxyacetic Acid | . 0.82% |
| · · | |
| *2-Methyl-4-Chlorophenoxyacetic Acid | 0.165% |

KEEP OUT OF REACH OF CHILDREN CAUTION

SEE INSIDE BOOKLET FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300 For Medical Emergencies Only, Call (877) 325-1840

EPA REG. NO. 228-303 EPA EST. NO. 228-IL-1 ACCEPTED with COMMENTS In EPA Letter, Dated:

OMMENTS MANUFACTURED BY NUFARM AMERICAS INC. BURR RIDGE, IL 60527



NET CONTENTS

GALS.

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pasticide registered under EPA Reg. No.

000228-00303.20061106.pending RED 228-303

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Avoid contact with skin, eyes, or clothing. Harmful if absorbed through skin. Causes moderate eye injury. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Loaders, applicators and other handlers must wear:

- · Long-sleeved shirt and long pants, and
- · Shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- · Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

| FIRST AID | | |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| IF IN EYES | Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. | |
| IF SWALLOWED | Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. | |
| IF ON SKIN OR CLOTHING | Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. | |

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

This pesticide may be toxic to fish, aquatic invertebrates and aquatic plants. Do not apply directly to water. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours. Do not contaminate water when disposing of equipment washwaters or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

Do not apply this product in a way that will contact any person, or pet, either directly or through drift. Keep people and pets out of the area during application.

Do not allow people or pets to enter the treated area until dusts have settled.

This product is a stable mixture of three herbicides. It is for use on Residential Turf.

This product may be used on Bahia, common Bermuda, Blue Grass, Centipede, Fescue, Rye, St. Augustine, and Zoysia grass. DO NOT USE on Dichondra and Carpet grass. DO NOT USE this product where desirable clovers are present or allow the product to "wind drift" onto flowers, vegetables, ornamentals, shrubs, trees or other desirable plants.

Wild aster Wild carrot Wild geranium Wild gooseberry Wild jute Wild lettuce Wild marigold Wild onion Wild petunia Wild radish Wild sage Wild garlic Wintercress Witchweed Wood sorrel Yarrow Yellow charlock Yellow daisy Yellow rocket

WEEDS CONTROLLED /

This product is designed to control many broadleaf weeds such as:

| Beggartick | English daisy | Marshelder | Redstem |
|------------------|-------------------------|-----------------|-----------------|
| Bindweed | Fat hen | Mexican poppy | Sheep sorrel |
| Black medic | Fennel | Morningglory | Shepherdspurse |
| Buckhorn | Florida pusley | Mustard | Sicklepod |
| Burcucumber | Frenchweed | Nettle | Smartweed |
| Burdock | Galinsoga | Oxalis | Sneezeweed |
| Buttercup | Goatsbeard | Pennycress | Sow thistle |
| Canadian thistle | Goldenrod | Pennywort | Spanishneedle |
| Carpetweed | Ground ivy | Peppergrass | Speedwell |
| Catsear | Halbert-leaved saltbush | Pepperweed | Spurge |
| Chervil | Hawkweed | Pigweed | Spurweed |
| Chicory | Healall | Plantain | Stinging nettle |
| Chickweed | Heartleaf drymary | Poison hemlock | Stinkweed |
| Cinquefoil | Hempnettle | Poison ivy | Stitchwort |
| Clover | Henbit | Poison oak | Sunflower |
| Cocklebur | Hoary cress | Prickly lettuce | Thistle |
| Croton | Honeysuckle | Puncturevine | Thornapple |
| Daisy | Jimsonweed | Purslane | Toadflax |
| Dandelion | Knotweed | Ragweed | Veronica |
| Dock | Kochia | Red clover | Vetch |
| Dog fennel | Lambsquarter | Red root | Whitebrush |
| Dragonhead mint | Mallow | Red sorrel | White top |

WHEN TO APPLY: Best results are obtained when weeds are growing actively in Spring or early Fall. Avoid contact with desirable shrubs, plants, vegetables, or flowers; especially when applying with a rotary (spinner) type spreader. Do not reseed for at least 3 to 4 weeks after application. Do not apply to newly seeded or sodded lawn until after 3 mowings. For optimum results (1) Avoid mowing 1 to 2 days before and after application; (2) Apply when grass is moist (after a rain, sprinkling or dew); (3) Avoid unnecessary disturbances, including water of treated areas for 48 hours after application. Watering will wash off weed killing material; and (4) Avoid applying if rainfall is expected within 48 hours following treatment. Possible retreatment in approximately 30 days may be necessary if lawn is heavily overrun with weeds or if adverse low moisture conditions prevail and weeds are in a state of poor growth. Do not exceed recommended rates because damage to turn may occur.

NOTE: when applying to Southern Grasses – under conditions of inadequate moisture, high temperature and high humidity, over-application may cause minor transitory discoloration on Centipede and St. Augustine grasses. It is recommended that during hot, dry conditions, application rates should be reduced 50% to avoid possible dehydration or browning of grass.

HOW TO APPLY: This 20 pound bag should be used on 5000 square feet. Apply evenly with a lawn spreader as a one-pass application. A two-pass application, criss-crossing the area at half the rate each time is also acceptable.

The following settings are approximate for applying contents of this package at a suggested rate of 4 pounds per 1000 square feet. Settings are based on an average walking speed. Reduce setting for slower speed, raise setting for higher speed. Check your spreader on 250 square feet and adjust to apply at the rate of 1 lb. per 250 square feet. Clean spreader thoroughly after use.

SPREADER SETTINGS ONE-PASS APPLICATION:

| MAKE | SETTING |
|--------------------|---------|
| Central Calibrated | 5 |
| Cyclone Broadcast | 3-3/4 |
| Jackson | 5 |
| Sears Broadcast | 3 |
| Sears | 5 |
| Scotts Calibrated | 4 |

Environmental Benefits

(Grasscycling Logo)

Besides increasing property values, did you know a well-maintained lawn provides the following benefits to your home and environment:

√ A 50' x 50' lawn produces enough oygen for a family of 4 every day
 √ Reduces Glare & Reduces Noise

√ Traps Dust, Smoke Particles & Other Pollutants

√ Purifies Water & Modifies Temperature

√ Improves Soil Condition & Controls Erosion

Grass clippings and yard waste are approximately 20% of the volume in our nation's landfills. To do your part to reduce this amount, leave grass clippings on your lawn. Increased mowing height and frequency will produce smaller grass clippings that will decompose more readily so nutrients go back into your lawn.

RESTRICTIONS AND LIMITATIONS FOR USE ON RESIDENTIAL TURF

Do not apply more than 180 pounds product/acre per year.

Do not apply more than 2 applications per year with a minimum retreatment interval of 21 days.

STORAGE AND DISPOSAL /

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container and keep any bags containing unused product in locked storage area inaccessible to children and domestic animals, do not store near feed or food stuffs. To prevent cross-contamination, do not store near open containers of fertilizer, seed or other pesticides.

PRODUCT DISPOSAL: If empty – Do not reuse this container. Place in trash or offer for recycling if available. If partly filled – If product cannot be used as directed, or offered to others for their use, call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER. TO THE EXTENT PERMITTED BY LAW, MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO CROP INJURY OR INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

LIMITATION OF LIABILITY

TO THE EXTENT PERMITTED BY LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR RISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS.

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

(RV110606)

Tri-Power is a registered trademark of Nufarm Americas Inc.

OPTIONAL SPREADER INSTRUCTIONS

(illustration)

For Drop Spreaders: First apply two strips at ends. Then apply product along the length of the lawn,

overlapping very slightly and shutting off spreader when turning.

(illustration)

For Rotary Spreaders: Apply in a circular path, starting on the outside and working toward the center,

overlapping very slightly.

OPTIONAL MARKETING STATEMENTS

Contains Tri-Power® a Premium Broadleaf Herbicide

The following note will not be part of the actual label copy.

NOTE: Spreader settings will vary among various manufacturers.