228 - 303

Jacket



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Registration Division (7505P) Ariel Rios Building 1200 Pennsylvania Ave., NW Washington, D.C. 20460

N	\cap	rt.	CE	OF	DE	QT1	m	Ľ
IN	V.	ΙL	CE.	Ur.	PE	old	עוו	E

Registration
X Reregistration
(under FIFRA, as amended)

EPA:	Reg.	Numbe

228-303

Date of Issuance:

8-303

AUG 24 2009

Term of Issuance:

Name of Pesticide Product:

Tri-Power Granular Weed Killer

Name and Address of Registrant (include ZIP Code):

Nufarm Americas Inc.

150 Harvester Drive, Suite 200

Burr Ridge, IL 60527

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is reregistered in accordance with FIFRA provided that you:

1) Submit and/or cite all data required for registration/reregistration review of your product when the Agency requires all registrants of similar products to submit data.

Signature of Approving Official:	Date:		
Joanne Miller Product Manager 23 Herbicide Branch Registration Division (7505P)	AUG 2 4 2009		

Page 2 EPA Reg. 228-303

- 2) Commercial Label, Per the acute toxicity review, the Hazards to Humans and Domestic Animals must be revised to read: "Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing." Add "Gloves" to the PPE section.
- 3) Commercial Label, Delete "MCPA may be toxic to fish, aquatic invertebrates, and aquatic plants" from the Environmental Hazards section.
- 4) Commercial Label, Page 2, change "such as lawns" to "including lawns".
- 5) Residential Label, to the Hazards to Humans and Domestic Animals add "Wear long-sleeved shirt and long pants, socks, shoes, and gloves".
- 6) Residential Label, Add the following text to the Environmental Hazard statements currently on the label: "Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays and oceans. Do not apply when windy."
- 7) Residential Label, Update the Container Disposal language to comply with PR Notice 2007-4.

A stamped copy of the label is enclosed for your records. You must submit one copy of the final printed label before you release the product for shipment. Products shipped after 12 months from the date of this letter or the next printing of the label whichever occurs first, must bear the new revised label. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA. Your release for shipment of the product constitutes acceptance of these conditions. This label supercedes all other previously accepted labels. If you have any questions please call Erik Kraft at 703-308-9358 or email at Kraft.Erik@epa.gov.



TRI-POWER® GRANULAR WEED KILLER

THIS PRODUCT IS A PREMIUM GRADE HERBICIDE CONTROLS A WIDE SPECTRUM OF BROADLEAF WEEDS

WEED CONTACTED BY THIS PRODUCT GRADUALLY DIE AND DISAPPEAR FROM THE LAWN.

Treats (or covers) 5,000 Square Feet (50' x 100')

GET THE OPTICAL ADVANTAGE™

ACTIVE INGREDIENTS:

Dimethylamine Salt of 2-Methyl-4-Chlorophenoxyacetic Acid *	1.01%
Dimethylamine Salt of (+)-R-2-(2-Methyl-4-Chlorophenoxy)propionic Acid **	0.20%
Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid)***	
OTHER INGREDIENTS:	<u>98.70%</u>
TOTAL:	100.000%
ISOMER SPECIFIC METHOD, EQUIVALENT TO:	
*2-Methyl-4-Chlorophenoxyacetic Acid	0.82%
**(+)-R-2-(2-Methyl-4-Chlorophenoxy)propionic Acid	0.17%
***3,6-Dichloro-o-Anisic Acid	0.08%
‡CONTAINS THE SINGLE ISOMER OF MECOPROP-p.	

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR FIRST AID AND ADDITIONAL PRECUATIONARY STATEMENTS

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300 For Medical Emergencies Only, Call (877) 325-1840

ACCEPTED with COMMENTS In EPA Letter Dated:

AUG 24 2009

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

228-303

Manufactured For CO NUFARM AMERICAS INC. . . . 150 Harvester Drive Burr Ridge, IL 60527



EPA REG. NO. 228-303 EPA EST. NO. 228-IL-1

NET CONTENTS LBS

000228-00303.20090605.RED Pending

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes, or clothing. Causes moderate eye irritation.

PERSONAL PROTECTIVE EQUIPMENT (PPE):

Loaders, applicators, and all other handlers must wear:

- · Long-sleeved shirt and long pants,
- · Shoes and socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users Should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

FIRST AID			
	•		
IF SWALLOWED	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. 		
IF ON SKIN	Take off contaminated clothing.		
OR CLOTHING			
	Call a poison control center or doctor for treatment advice.		
IF IN EYES	Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.		
	 Remove contact lenses, if present, after the first 5 minutes, then continue rinsing 		
eye.			
 Call a poison control center or doctor for treatment advice. 			
HOT LINE NUMBER			
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment information.			
NOTE TO PHYSICIAN			
Probable mucosal damage may contraindicate the use of gastric lavage.			

ENVIRONMENTAL HAZARDS

This pesticide may be toxic to fish, aquatic invertebrates and aquatic plants. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours.

This product has properties and characteristics associated with chemicals detected in groundwater. The use of this product in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

5/4

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

This product is a stable mixture of three herbicides. It is for use on Ornamental Turf, such as Lawns (Residential, Industrial and Institutional), Parks, Cemeteries, Athletic Fields, Golf Courses (Fairways, Aprons, Tees and Roughs) and similar grass areas. Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

This product may be used on Bahia, common Bermuda, Blue Grass, Centipede, Fescue, Rye, St. Augustine, and Zoysia grass. Do not use on Dichondra and Carpetgrass. Do not use this product were desirable clovers are present or allow the product to "wind-drift" onto flowers, vegetables, cornamentals, shrubs, trees or other desirable plants.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

This product is designed to promote lush green growth in lawns and control many broadleaf weeds such as:

Beggartick Galinsoga Piaweed Thistle Bindweed Goatsbeard Plantain Thornapple Black medic Goldenrod Poison hemlock Toadf lax Buckhorn Ground ivv Poison ivy Veronica Halbert-leaved saltbush Poison oak Burcucumber Vetch Hawkweed Prickly lettuce Whitebrush Burdock Puncturevine White top Buttercup Healall Heartleaf drymary Wild aster Canadian thistle Purslane Hempnettle Ragweed Wild carrot Carpetweed Henbit Catsear Red clover Wild geranium Chervil Hoary cress Red root Wild gooseberry Honevsuckle Red sorrel Wild jute Chicory Chickweed Jimsonweed Redstem Wild lettuce Cinquefoil Knotweed Sheep sorrel Wild marigold Clover Kochia Wild onion Shepherdspurse Wild petunia Cocklebur Lambsquarter Sicklepod Wild radish Croton Mallow Smartweed Marsh elder Sneezeweed Wild sage Daisy Sow thistle Wild garlic Dandelion Mexican poppy Dock Morningglory Spanish needle Wintercress Dogfennel Mustard Speedwell Witchweed Dragonhead mint Nettle Spurge Wood sorrel English daisy Oxalis Spurweed Yarrow Fat hen Pennycress Stinging nettle Yellow charlock Fennel Pennywort Stinkweed Yellow daisy Peppergrass Stitchwort Yellow rocket Florida pusley Frenchweed Pepperweed Sunflower

WHEN TO APPLY: Best results are obtained when weeds are growing actively in spring or early fall. Avoid contact with desirable shrubs, trees, vegetables, flowers, or desirable plants; especially when applying with a rotary (spinner) type spreader. Do not reseed for at least 3 to 4 weeks after application. Do not apply to newly seeded or sodded lawn until after 3 mowings. For optimum results (1) Avoid mowing 1 to 2 days before and after application; (2) Apply when grass is moist (after a rain, sprinkling or dew); (3) Avoid unnecessary disturbances, including watering of treated areas for 48 hours after application. Watering will wash off weed killing material; and (4) Avoid applying if rainfall is expected within 48 hours following treatment. Possible retreatment in approximately 30 days may be necessary if lawn is heavily overrun with weeds or if adverse low moisture conditions prevail and weeds are in a state of poor growth. Do not exceed recommended rates because damage to turf may occur.

6/14

NOTE: When applying to Southern Grasses - under conditions of inadequate moisture, high temperature and high humidity, over-application may cause minor transitory discoloration on Centipede and St. Augustine grasses. It is recommended that during hot, dry conditions, application rates should be reduced 50% to avoid possible dehydration or browning of grass.

HOW TO APPLY: This 20 pound bag should be used on 5,000 square feet. Apply evenly with a lawn spreader as a one pass application. A two-pass application, criss-crossing the area at half the rate each time is also acceptable.

The following settings are <u>approximate</u> for applying contents of this package at a suggested rate of 4 pounds of product per 1,000 square feet. Settings are based on an average walking speed. Reduce setting for slower speed; raise setting for higher speed. Check your spreader on 250 square feet and adjust to apply at the rate of 1 pound per 250 square feet.

SPREADER SETTINGS ON PASS APPLICATION°:

MAKE	SETTING
Central Calibrated	5
Cyclone Broadcast	3-3/4
Jackson	5
Sears Broadcast	3
Sears	5
Scotts Calibrated	4

Use Precautions for Ornamental Turf

Do not apply more than 185 pounds of product per acre per year. Do not apply more than 2 applications per treatment site per year with a minimum of 30 days between applications.

Environmental Benefits

(Grasscycling Logo)

Besides increasing property values, did you know a well-maintained lawn provides the following benefits to your home and environment:

Grass clippings and yard waste are approximately 20% of the volume in our nation's landfills. To do your part to reduce this amount, leave grass clippings on your lawn. Increased mowing height and frequency will produce smaller grass clippings that will decompose more readily so nutrients go back into your lawn.

A 50' x 50' lawn produces enough oxygen for a family for 4 every day.

√ Reduces Glare & Reduces Noise

Traps Dust, Smoke Particles & Other $\sqrt{}$ Pollutants

√ Purifies Water & Modifies Temperature.

Improves Soil Condition & Controls

√ Erosion

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container and keep any bags containing unused product in a located storage area inaccessible to children and domestic animals. Do not store near feed or food stuffs. To prevent cross-contamination, do not store near open containers of fertilizers, seed, or other pesticides. **PESTICIDE DISPOSAL:** If container is damaged or if pesticide has leaked, clean up all spilled material. Improper disposal of excess pesticide, spray mixtures or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning, if burned, stay away from smoke

WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR RISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

(RV060509R)

Tri-Power and THE OPTICAL ADVANTAGE are registered trademarks of Nufarm Americas Inc.

OPTIONAL SPREADER INSTRUCTIONS:

(Illustration)

For Drop Spreaders: First apply two strips at ends. Then apply product along the

length of the lawn, overlapping very slightly and shutting off spreader when

turning.

(Illustration)

For Rotary Spreaders: Apply in a circular path, starting on the outside and working

toward the center, overlapping very slightly.

OPTIONAL MARKETING STATEMENTS:

Contains Tri-Power® - A Premium Broadleaf Herbicide
The following note will not be part of the actual label copy.

NOTE: Spreader settings will vary among various manufacturers.



TRI-POWER® GRANULAR WEED KILLER

THIS PRODUCT IS A PREMIUM GRADE HERBICIDE CONTROLS A WIDE SPECTRUM OF BROADLEAF WEEDS

WEED CONTACTED BY THIS PRODUCT GRADUALLY DIE AND DISAPPEAR FROM THE LAWN.

Treats (or covers) 5,000 Square Feet (50' x 100')

GET THE OPTICAL ADVANTAGE™

ACTIVE INGREDIENTS:

Dimethylamine Salt of 2-Methyl-4-Chlorophenoxyacetic Acid	d *	1.01%
Dimethylamine Salt of (+)-R-2-(2-Methyl-4-Chlorophenoxy)		
Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid)*		
OTHER INGREDIENTS:		
	TOTAL:	100.000%
ISOMER SPECIFIC METHOD, EQUIVALENT TO:		
*2-Methyl-4-Chlorophenoxyacetic Acid		0.82%
(+)-R-2-(2-Methyl-4-Chlorophenoxy)propionic Acid	*************************************	0.17%
***3,6-Dichloro-o-Anisic Acid		
‡CONTAINS THE SINGLE ISOMER OF MECOPROP-p.		

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR FIRST AID AND ADDITIONAL PRECUATIONARY STATEMENTS

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300 For Medical Emergencies Only, Call (877) 325-1840

ACCEPTED with COMMENTS In EPA Letter Dated:

AUG 24 2009

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

228-303

Manufactured For NUFARM AMERICAS INC. 150 Harvester Drive Burr Ridge, IL 60527



EPA REG. NO. 228-303 EPA EST. NO. 228-IL-1

.....

NET CONTENTS LBS

000228-00303.20090605.RED Pending

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes, or clothing. Causes moderate eye irritation. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

	FIRST AID	
_	•	
IF	Call a poison control center or doctor immediately for treatment advice.	
SWALLOWED	Have person sip a glass of water if able to swallow.	
	Do not induce vomiting unless told to do so by the poison control center or doctor.	
	Do not give anything by mouth to an unconscious person.	
IF ON SKIN	Take off contaminated clothing.	
OR CLOTHING	Rinse skin immediately with plenty of water for 15 to 20 minutes.	
	Call a poison control center or doctor for treatment advice.	
IF IN EYES	Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.	
	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing	
	eye.	
Call a poison control center or doctor for treatment advice.		
	HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for		
treatment. You may also contact 1-877-325-1840 for emergency medical treatment information.		
	NOTE TO PHYSICIAN	
Probable mucosal damage may contraindicate the use of gastric lavage.		

ENVIRONMENTAL HAZARDS

This product may adversely affect non-target plants. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweep any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off the water bodies or drainage system.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

This product is a stable mixture of three herbicides. It is for use on all Residential Turf.

This product may be used on Bahia, common Bermuda, Blue Grass, Centipede, Fescue, Rye, St. Augustine, and Zoysia grass. Do not use on Dichondra and Carpetgrass. Do not use this product were desirable clovers are present or allow the product to "wind-drift" onto flowers, vegetables, cornamentals, shrubs, trees or other desirable plants.

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until dusts have settled. Do not apply more than 185 pounds of product per acre per year. Do not apply more than 2 applications per treatment site per year with a minimum of 30 days between applications.

This product is designed to promote lush green growth in lawns and control many broadleaf weeds such as:

Beggartick -Galinsoga Piaweed Thistle Bindweed Goatsbeard Plantain Thornapple Black medic Goldenrod Poison hemlock Toadf lax Buckhorn Ground ivv Veronica Poison ivy Halbert-leaved saltbush Burcucumber Poison oak Vetch Hawkweed Whitebrush Burdock Prickly lettuce Buttercup Healall Puncturevine White top Canadian thistle Heartleaf drymary Purslane Wild aster Carpetweed Hempnettle Ragweed Wild carrot Catsear Henbit Red clover Wild geranium Chervil Wild gooseberry Hoary cress Red root Chicory Honeysuckle Red sorrel Wild jute Chickweed Jimsonweed Redstem Wild lettuce Cinquefoil Knotweed Sheep sorrel Wild marigold Clover Kochia Shepherdspurse Wild onion Cocklebur Lambsquarter Sicklepod Wild petunia Croton Mallow Smartweed Wild radish Daisy Marsh elder Sneezeweed Wild sage Dandelion Mexican poppy Sow thistle Wild garlic Dock Morningalory Spanish needle Wintercress Dogfennel Mustard Speedwell Witchweed Dragonhead mint Nettle Spurge Wood sorrel Spurweed English daisy Oxalis Yarrow Fat hen Pennycress Stinging nettle Yellow charlock Fennel Pennywort Stinkweed Yellow daisy Florida puslev Peppergrass Stitchwort Yellow rocket Pepperweed Sunflower Frenchweed

WHEN TO APPLY: Best results are obtained when weeds are growing actively in spring or early fall. Avoid contact with desirable shrubs, trees, vegetables, flowers, or desirable plants; especially when applying with a rotary (spinner) type spreader. Do not reseed for at least 3 to 4 weeks after application. Do not apply to newly seeded or sodded lawn until after 3 mowings. For optimum results (1) Avoid mowing 1 to 2 days before and after application; (2) Apply when grass is moist (after a rain, sprinkling or dew); (3) Avoid unnecessary disturbances, including watering of treated areas for 48 hours after application. Watering will wash off weed killing material; and (4) Avoid applying if rainfall is expected within 48 hours following treatment. Possible retreatment in approximately 30 days may be necessary if lawn is heavily overrun with weeds or if adverse low moisture conditions prevail and weeds are in a state of poor growth. Do not exceed recommended rates because damage to turf may occur.

NOTE: When applying to Southern Grasses - under conditions of inadequate moisture, high temperature and high humidity, over-application may cause minor transitory discoloration on Centipede and St. Augustine grasses. It is recommended that during hot, dry conditions, application rates should be reduced 50% to avoid possible dehydration or browning of grass.

HOW TO APPLY: This 20 pound bag should be used on 5,000 square feet. Apply evenly with a lawn spreader as a one pass application. A two-pass application, criss-crossing the area at half the rate each time is also acceptable.

The following settings are <u>approximate</u> for applying contents of this package at a suggested rate of 4 pounds of product per 1,000 square feet. Settings are based on an average walking speed. Reduce setting for slower speed; raise setting for higher speed. Check your spreader on 250 square feet and adjust to apply at the rate of 1 pound per 250 square feet.

SPREADER SETTINGS ON PASS APPLICATION°:

MAKE	SETTING
Central Calibrated	5
Cyclone Broadcast	3-3/4
Jackson	5
Sears Broadcast	3
Sears	5
Scotts Calibrated	4

Environmental Benefits

(Grasscycling Logo)

Besides increasing property values, did you know a well-maintained lawn provides the following benefits to your home and environment:

Grass clippings and yard waste are approximately 20% of the volume in our nation's landfills. To do your part to reduce this amount, leave grass clippings on your lawn. Increased mowing height and frequency will produce smaller grass clippings that will decompose more readily so nutrients go back into your lawn.

A 50' x 50' lawn produces enough oxygen for a family for 4 every day.

√ Reduces Glare & Reduces Noise

Traps Dust, Smoke Particles & Other

√ Pollutants

√ Purifies Water & Modifies Temperature.

Improves Soil Condition & Controls

√ Erosion

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: This product should be stored in its original container in a cool, dry locked place out of the reach of children and out of direct sunlight.

CONTAINER DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER OR SELLER SHALL NOT

BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR RISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded. (RV060509R)

Tri-Power and THE OPTICAL ADVANTAGE are registered trademarks of Nufarm Americas Inc.

14

OPTIONAL SPREADER INSTRUCTIONS:

(Illustration) For Drop Spreaders:

For Drop Spreaders: First apply two strips at ends. Then apply product along the

length of the lawn, overlapping very slightly and shutting off spreader when

turning.

(Illustration)

For Rotary Spreaders: Apply in a circular path, starting on the outside and working

toward the center, overlapping very slightly.

OPTIONAL MARKETING STATEMENTS:

Contains Tri-Power® - A Premium Broadleaf Herbicide
The following note will not be part of the actual label copy.

NOTE: Spreader settings will vary among various manufacturers.