

228-309

07/15/1996

1/4

RIVERDALE

VETERAN® 10G

GRANULAR HERBICIDE

FOR NONCROPLAND AREAS
SUCH AS FENCE ROWS, ROADWAYS, WASTELAND, GENERAL FARMSTEAD,
AND SIMILAR NONCROPLAND. ALSO FOR PASTURES AND RANGELAND

ACTIVE INGREDIENTS:

Dicamba (3,6-dichloro- <u>o</u> -anisic acid)	10.0%
INERT INGREDIENTS	90.0%
TOTAL	100.0%

Veteran® is a Trademark of Riverdale Chemical Company.

KEEP OUT OF REACH OF CHILDREN

WARNING

See side panel for additional precautionary statements

EPA REG. NO. 228-309

NET CONTENTS LBS.

EPA EST. NO. 228-IL-1

MANUFACTURED BY

RIVERDALE CHEMICAL COMPANY

GLENWOOD, ILLINOIS 60425-1584

ACCEPTED

JUL 15 1996

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 228-309

ACCEPTED

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
WARNING**

Harmful if swallowed. Avoid breathing vapors. Dust may cause eye irritation. Avoid contact with skin, eyes and clothing. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists.

Do not store near feed or food stuffs. ✓

ENVIRONMENTAL HAZARDS

Do not apply directly to water or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water by the cleaning of equipment or disposal wastes. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

IMPORTANT

Do not contaminate irrigation ditches or water used for domestic purposes.

Veteran® 10G Herbicide may cause injury to desirable trees or plants, particularly beans, cotton, flowers, fruit trees, grapes, ornamentals, peas, potatoes, soybeans, sunflowers, tobacco, tomatoes, and other broadleaf plants when contacting their roots, stems, or foliage.

Do not treat areas where the possible downward movement into the soil or surface washing may cause contact of herbicide with the roots of desirable plants such as trees and shrubs.

To avoid injury to desirable plants, equipment used for VETERAN 10G Herbicide should be thoroughly cleaned before reuse to handle or apply any other chemicals.

VETERAN 10G Herbicide may temporarily stunt or eliminate the growth of grass in the treated areas.

Pasture and rangeland grasses may be grazed or harvested for feed (green or dry) for lactating dairy animals 60 days following treatment. There is no waiting period between treatment and grazing for animals other than lactating dairy animals. Remove meat animals from treated areas 30 days prior to slaughter.

WEEDS AND BRUSH CONTROLLED

VETERAN 10G Herbicide, when applied in accordance with this label, will give control or growth suppression of many BIENNIAL and PERENNIAL broadleaf weeds as well as many WOODY brush and vine species including:

BIENNIAL and PERENNIAL BROADLEAVES

- Bindweed, Field
- Blueweed, Texas
- Bursage, Skeletonleaf
(Bur Ragweed, Povertyweed)
- Bursage, Woollyleaf
(Lakeweed)
- *Fern, Bracken
- Knapweed, Russian
- Nightshade, Silverleaf
- Ragwort, Tansy
- Sowthistle, Perennial

*Spurge, Leafy
 Starthistle, Yellow
 Thistle, Artichoke
 Thistle, Bull
 Thistle, Canada

- * Noted weeds require higher rates of VETERAN 10G than other listed weeds. See APPLICATION RATES AND TIMING section of this label.

WOODY BRUSH and VINES

Creosotebush
 Elm, Siberian
 Kudzu
 Olive, Autumn
 Persimmon, Eastern
 Plum, Sand
 Saltcedar
 Sumac
 Tarbush

APPLICATION RATES AND TIMING: VETERAN 10G Herbicide may be applied using standard ground or air granular application equipment for broadcast or spot treatments. VETERAN 10G Herbicide is activated when there is sufficient moisture to move the herbicide into the root zone of plants to be controlled. Application may be made any time when soil is not frozen. However, best performance usually occurs when treatments are made in the Spring just before or during active growth of the weeds and brush. CONSULT YOUR LOCAL OR STATE AUTHORITIES FOR THE BEST TIMING OF APPLICATION.

Application rates are given below. Use the higher level of listed rate range when treating dense vegetative growth.

- For spot treatments, use 1/2 to 1 pound of product per 1000 square feet for control of listed BIENNIAL and PERENNIAL weeds.
- For spot treatments, use 1 to 2 pounds of product per 1000 square feet for noted (*) BIENNIAL and PERENNIAL weeds.
- For spot treatments, use 2 pounds of product per 1000 square feet for control of listed WOODY BRUSH and VINES. Uniformly spread granules over the area where the plant roots are growing.

In most cases, these treatments will not control weed seedlings which germinate one to two years after treatment. Once the effect of the herbicide has been lost, a follow-up program for seedling control or other cultural practices should be instituted.

For broadcast application, do not use more than 20 pounds of VETERAN 10G per treated acre per year.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in original container in a well-ventilated area away from fertilizer, feed or foodstuffs and separated from other pesticides.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent) plastic pails. For paper or plastic bags, or for fiber drums with liners, completely empty into application equipment by shaking and tapping container. Offer pails or drums for recycling or reconditioning or puncture before disposal. Dispose of bags, liners, or punctured containers in sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

LIMITATION OF WARRANTY AND LIMITATION OF LIABILITY

NOTICE: Read this Limitation of Warranty and Limitation of Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Riverdale or seller. All such risks shall be assumed by buyer or user. Riverdale warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, under normal use conditions, subject to the risks described above. **Riverdale makes no other express or implied warranty of fitness or of merchantability or any other express or implied warranty.** In no event shall Riverdale or seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. **The exclusive remedy of the user or buyer, and the exclusive liability of Riverdale or seller for any and all claims, losses, injuries or damages (including claims based on breach of warranty, contract, negligence, tort, strict liability or otherwise) resulting from the use or handling of this product, shall be the return of the purchase price of the product or, at the election of Riverdale or seller, the replacement of the product.** Riverdale and seller offer this product, and buyer and user accept it, subject to the foregoing limitations of warranty and limitation of liability, which may not be modified by any oral or written agreement. (RV 052396)