| U.S. ENVIRONMENTAL PROTECTION AGENCY<br>Office of Pesticide Programs<br>Registration Division (7505C)<br>401 "M" St., S.W.<br>Washington, D.C. 20460<br>NOTICE OF PESTICIDE:<br>Registration | EPA Reg.<br>Number:<br>228-310<br>Term of Issuance | Date of Issuance:<br>NOV   1995 |  |  |
|--|--|---------------------------------|--|--|
| Registration Division (7505C)<br>401 "W" St., S.W.<br>Washington, D.C. 20460<br>NOTICE OF PESTICIDE:<br>Registration   | 228-310  |                                 |  |  |
| Washington, D.C. 20460<br>NOTICE OF PESTICIDE:<br>Registration   |  |                                 |  |  |
| NOTICE OF PESTICIDE:   |  |                                 |  |  |
| Registration _   | Term of Issuance                                   |                                 |  |  |
| Registration _   | +  | 21                              |  |  |
|  | Condition  | al                              |  |  |
|  | Condición  | **                              |  |  |
|  | }  |                                 |  |  |
|  | Name of Pesticio                                   | de Product:                     |  |  |
| (under FIFRA, as amended)  | Riverdale  | Tri-Power                       |  |  |
|  | G. T. Law  |                                 |  |  |
|  | Killer   | ,                               |  |  |
| Name and Address of Registrant (include ZIP Code):   |  |                                 |  |  |
| Name and Modress of Registrant (include 219 code):   |  |                                 |  |  |
|  |  |                                 |  |  |
| Riverdale Chemical Company   |  |                                 |  |  |
| 425 West 194th Street  |  |                                 |  |  |
| Glenwood, IL 60425-1584  |  |                                 |  |  |
|  |  |                                 |  |  |
| Mote: Changes in labeling differing in substance from that accepted in a   |  |                                 |  |  |
| be submitted to and accepted by the Registration Division prior to use of  |  | merce. In any                   |  |  |
| correspondence on this product always refer to the above EPA registration  |  |                                 |  |  |
| On the basis of information furnished by the registrant, the above name  |  | by                              |  |  |
| registered/reregistered under the Federal Insecticide, Fungicide and Roo   | denticide Act.                                     |                                 |  |  |
| Registration is in no way to be construed as an endorsement or recomment   | dation of this proc                                | luct by the Agency.             |  |  |
| In order to protect health and the environment, the Administrator, on h  | is motion, may at a                                | any time suspend or             |  |  |
| cancel the registration of a pesticide in accordance with the Act. The   |  |                                 |  |  |
| with the registration of a product under this Act is not to be construed<br>exclusive use of the name or to its use if it has been covered by others   |  | istrant a right to              |  |  |
| exclusive use of the name of to its use if it has been covered by other  | 8.   |                                 |  |  |
|  |  |                                 |  |  |
|  |  | !                               |  |  |
| This product is conditionally register   | red in accor                                       | dance with                      |  |  |
| FIFRA sec. 3(c)(7)(A) provided that you:   |  |                                 |  |  |
|  |  |                                 |  |  |
| <ol> <li>Submit and/or cite all data requir</li> </ol>   | ed for regi  | .stration/                      |  |  |
| reregistration of your product under FIFRA   | sec. 3(c) (5                                       | ) when the                      |  |  |
| Agency requires all registrants of similar   | products to  | submit such                     |  |  |
| data; and submit acceptable responses requi  | -  |                                 |  |  |
| of your product under FIFRA section 4.   |  | - ,                             |  |  |
|  |  |                                 |  |  |
| 2. Make the following label change be  | efore von re                                       | lease the                       |  |  |
| product for shipment:  | Ing Te   |                                 |  |  |
| broade for purbacie.   |  |                                 |  |  |
| a. Revise the EPA Registration Numbe   | or to read   | HEDA Dog                        |  |  |
| No. "228-310".   | L LO Leau,   | ney.                            |  |  |
| NO. "228-310".   |  |                                 |  |  |
| 2 Submit one conv of the revised fin   | al nointad   | labol for                       |  |  |
| 3. Submit one copy of the revised fir  | -  |                                 |  |  |
| the record before you release the product f  | ror surbment                                       | • •                             |  |  |
|  |  |                                 |  |  |
|  |  |                                 |  |  |
|  |  |                                 |  |  |
|  |  |                                 |  |  |
|  |  |                                 |  |  |
|  |  |                                 |  |  |
| Signature of Approving Official:   | Date:  |                                 |  |  |
| lk l   | North  | IOOE                            |  |  |
|  |  |                                 |  |  |
|  | NOV I  | 1995                            |  |  |

page 2 EPA Reg. No. 228-310

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Joanne I. Miller Product Manager (23) Fungicide-Herbicide Branch Registration Division (7505C)

Enclosure

}

RD:STANTON:PM Team 23:Rm. 235:CM-2:305-5218:Disk #1:228\_GRN.REG

| CONCURRENCES |              |   |   |        |          |          |              |        |
|--------------|--------------|---|---|--------|----------|----------|--------------|--------|
| SYNBOL +     | 7505C        |   |   |        |          |          |              |        |
| SURNAME +    | S. Stanton   |   |   |        |          |          |              |        |
| DATE +       | Oct 30, 1995 |   | *** *** *** *** *********************** | ****** |          | *****    |              |        |
| EPA Form 132 |              | L |   |        | <b>.</b> | <u> </u> | OFFICIAL FIL | E COPY |

- 1- 1- 1-2. El El 1990 E 1997 EL 1997 EL 1990 EL

### RIVERDALE

# TRI-POWER<sup>®</sup> G. T. LAWN WEED KILLER

## FOR SELECTIVE CONTROL OF BROADLEAF WEEDS IN ORNAMENTAL LAWNS AND TURF GRASSES

# CONTAINS TRI-POWER® PREMIUM BROADLEAF HERBICIDE

One Quart Treats up to 10,000 square feet

Controls: Dandelion, Chickweed, Black Medic, Knotweed, Plantains, Oxalis, Clover, Cocklebur, Thistles and many other species of broadleaf weeds; some of which are listed on this label.

ACTIVE INGREDIENTS:

· · · ·

| Dimethylamine Salt of | 2-Methyl-4-Chlorophenoxyacetic Acid*         | • |   |   |   |   |   | . 10.10% |
|-----------------------|--|---|---|---|---|---|---|----------|
| Dimethylamine Salt of | 2-(2-Methyl-4-Chlorophenoxy)propionic Acid** |   |   |   |   | • |   | . 3.99%  |
|                       | Dicamba (3,6-Dichloro-o-Anisic Acid) ***     |   |   |   |   |   |   |          |
| INERT INGREDIENTS:    |  |   | • | • | • | • | • | 84.921   |
|                       | TOTAL  | ٠ | ٠ | ٠ | • | • | • | 100.00%  |

| By Isomer Specific AOAC Method, Equivalent to: |                       |
|--|-----------------------|
| *2-Methyl-4-Chlorophenoxyacetic Acid           | 8.25%, 0.71 lbs./gal. |
| **2-(2-Methyl-4-Chlorophenoxy) propionic Acid  | 3.30%, 0.28 lbs./gal. |
| ***3,6-Dichloro-o-Anisic Acid                  | 0.82%, 0.07 lbs./gal. |

TRI-POWER<sup>®</sup> - Is A Registered Trademark of Riverdale Chemical Company

## KEEP OUT OF REACH OF CHILDREN

CAUTION

## SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND STATEMENT OF PRACTICAL TREATMENT

NET CONTENTS

EPA REG. NO. 228- GRAN

KPA EST. NO. 228-IL-1

### MANUFACTURED BY

## RIVERDALE CHEMICAL COMPANY

GLENWOOD, ILLINOIS 60425-1584

| AC       | CEPTED       |
|----------|--------------|
| - WILL C | MLATIN       |
| in EPA   | Letter Dated |
| 1        | Dated        |

| NUV I | 1995 |
|-------|------|
|-------|------|

Under the Federal Insecticide, Fundicide, and Rodenticide Act as amended, for the posticide registered ander EPA Reg. No. 228-310

. . . . . . . . . . .

Riverdale Tri-Power<sup>®</sup> G. T. Lawn Weed Killer

------

Page 2

#### (Left Side Panel)

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### CAUTION

Harmful if swallowed, inhaled or absorbed through skin. Causes eye irritation. Avoid contact with eyes, skin or clothing. Avoid inhalation of spray mists. Wash thoroughly after handling. Remove contaminated clothing and wash before reuse.

### STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or poison control center. Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

- Wash with plenty of soap and water. Get medical attention. IF ON SKIN:
- Remove victim to fresh air. If not breathing, give artificial respiration, IF INHALED: preferably mouth to mouth. Get medical attention. Flush with plenty of water. Call a physician if irritation persists.
- IF IN EYES:

## ENVIRONMENTAL HAZARDS

Drift or runoff may adversely affect nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate nor pour washwater on the ground; spray or drain over a large area away from wells and other water sources. Do not apply this product through any type of irrigation system. Do not contaminate water used for irrigation or domestic purposes.

### (Back Panel) DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

#### USE PRECAUTIONS

### FOR MOST EFFECTIVE WEED CONTROL:

Apply TRI-POWER® G. T. Lawn Weed Killer in the Spring or early Fall when weeds are actively growing. Do not cut grass for 1 to 2 days before or after application, water for 48 hours after application or apply if rainfall is expected within 48 hours of application.

Do not use this product for controlling weeds in flower or vegetable gardens, around shrubs or ornamental plantings.

Do not spray roots of desirable trees and plants.

Do not spray on Carpetgrass, Dichondra, Lippia, or on grasses where desirable clovers are present.

Do not cut grass for 1 to 2 days before or after application, water for 48 hours after application or apply if rainfall is expected within 48 hours of application.

Do not exceed recommended label rates - turf injury may occur.

Do not apply when temperatures exceed 90°F.

Do not apply to newly seeded grasses until they have been mowed 3 times or reseed for 3 to 4 weaks after application.

Avoid fine mists. Ose a lawn sprayer with coarse spray droplets. Spray entire lawn, evenly wetting weeds and lawn grasses. Do not spray to the point of dripping or running off. Spray when air is calm to reduce drift and injury to desirable plants.

## WEEDS CONTROLLED BY TRI-POWER® G. T. LAWN WEED KILLER

Bindweed, Black medic, Buckhorn, Burdock, Buttercup, Canada thistle, Carpetweed, Chickweed, Chicory, Clover, Cocklebur, Dandelion, Dock, Dog fennel, English daisy, Florida pusley, Frenchweed, Goldenrod, Ground ivy, Hawkweed, Healall, Heartleaf drymary, Henbit, Jimsonweed, Knotweed, Kochia, Lambsquarter, Mallow, Morningglory, Mustard, Oxalis, Pennywort, Pepperweed, Pigweed, Plantain, Poison ivy, Poison oak, Purslane, Ragweed, Red

clover, Red sorrel, Shepherdspurse, Smartweed, Speedwell, Spurge, Spurweed, Stinging nettle, Stitchwort, Thistle, Toadflax, Veronica, Wild aster, Wild carrot, Wild garlic, Wild geranium, Wild lettuce, Wild onion, Wild radish, Wood sorrel, Yarrow and many other broadleaf weeds.

### ORNAMENTAL LAWNS AND TURF

For use on Bluegrass, Fescue, Ryegrasses, Bentgrass (maintained to lawn cutting height of 2 to 3 inches), Bahia, Common Bermuda, St. Augustinegrass and Centipede: 1 quart covers up to 10,000 square feet.

**NOTE:** Applications to St. Augustinegrass and Centipede may result in temporary discoloration. Avoid application to these grasses during hot and/or dry conditions. Applying 2 treatments of this product at 1/2 rate each, spaced 2 weeks apart are suggested to reduce this discoloration.

#### MIXING INSTRUCTIONS

(Optional wording based on package type and sprayer to be used)

### HAND PUMP PRESSURE SPRAYERS

Measure the proper rate of TRI-POWER® G. T. Lawn Weed Killer to be used into tank and dilute with water according to the following chart:

| Gallons of<br>Water<br>in Sprayer | Area to be<br>Sprayed<br>(square feet) | Amount of TRI-POWER <sup>®</sup> G. T.<br>Lawn Weed Killer to Use |
|-----------------------------------|--|---|
| 1                                 | 500                                    | 1% ounces   |
| 2                                 | 1000                                   | 3 ounces  |
| 3                                 | 1500                                   | 4% ounces   |
| 4                                 | 2000                                   | 6 ounces  |

After proper mixing in the sprayer, shake well and spray to wet and evenly cover the proper area to be sprayed according to the chart above. Use coarse spray droplets. Avoid fine mists.

#### REUSABLE HOSE END SPRAYERS WITH METERING DIALS

Set the metering dial on the hose-end sprayer to mix the proper rate of TRI-POWER<sup>®</sup> G. T. Lawn Weed Killer for your turf species according to the following instructions: Use 1.5 fluid ounces (3 Tablespoons) TRI-POWER<sup>®</sup> G. T. Lawn Weed Killer per gallon of water and uniformly spray to evenly cover 500 square feet of turf area.

**NOTE:** Applications to St. Augustinegrass and Centipede may result in temporary discoloration. Avoid application to these grasses during hot and/or dry conditions. Applying 2 treatments of this product at 1/2 rate each, spaced 2 weeks apart are suggested to reduce this discoloration.

When spraying is complete, return undiluted portion of TRI-POWER<sup>®</sup> G. T. Lawn Vccd Killer to original container and follow sprayer manufacturers instructions for cleancut of sprayer.

### DISPOSABLE HOSE END SPRAYERS

Determine area to be sprayed. Apply at the rate of 32 oz. (1 quart) per 10,000 square feet. Connect spray nozzle to hose. Remove bottle cap and screw bottle into nozzle. While holding sprayer at waist level, point in direction away from face and body. Turn on the water at the faucet. Place finger over hole on right side of nozzle (or turn ON/OFF lever to the ON position) and the TRI-POWER® G. T. Lawn Weed Killer will mix automatically at the proper ratio. Walk at a steady pace while spraying, using an even sweeping motion, lightly overlapping treated areas. Periodically check level of TRI-POWER® G. T. Lawn Weed Killer in spray bottle to insure that you are using proper rate for area covered. If you are using more, increase your walking speed. If you are using less, decrease your walking

المراجع المراجع المراجع المراجع المراجع المراجع المراجع والمراجع وال

speed.

When finished, turn ON/OFF lever to OFF, and turn water off at the faucet. Disconnect spray nozzle from hose and replace cap on spray bottle. Rinse off any spilled material from spray bottle and nozzle.

| 2,000 Sq. Ft.  | (Marks on left for 1 gt. |
|----------------|--------------------------|
| 4,009 Sg. Ft.  | disposable bottle. Not   |
| 6,000 Sq. Ft.  | to Scale).               |
| 8,000 Sq. Ft.  | to blacy.                |
| 10,000 Sq. Ft. |                          |

Page 4

ł

### SPOT TREATMENTS

C ( ) (

анана. Алариянана алар

Put 1 Tablespoon (1/2 ounce) of TRI-POWER® G. T. Lawn Weed Killer into an empty quart trigger sprayer container. Add 30 ounces of water. Adjust spray nozzle to give a coarse spray. Aim at center of weed and spray to wet. A repeat application in 3 to 4 weeks may be required for hard-to-control weeds.

To control plants such as poison ivy, poison oak, and kudzu, use 5 Tablespoons (2-1/2 ounces) TRI-POWER® G. T. Lawn Weed Killer in 1 quart of water and spray plant to wet when it is fully leaved. Retreat in about 4 weeks if necessary. Early Fall applications on these difficult to control species may be more effective.

### STORAGE AND DISPOSAL

**STORAGE:** To be stored in original container and placed in an area inaccessible to children.

**PRODUCT DISPOSAL:** Partially filled container may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash.

**CONTAINER DISPOSAL:** Rinse thoroughly before discarding in trash. Do not reuse empty container.

**NOTICE:** Buyer assumes all risks of use, storage and handling of this product not in strict accordance with directions given herewith.