

228-333

10/23/2007

117



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number: 228-333	Date of Issuance: OCT 23 2007
---------------------------------	--------------------------------------

Term of Issuance:

Name of Pesticide Product:

MCDA L.A.C. Selective
Herbicide

NOTICE OF PESTICIDE:

Registration
 Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Nufarm Americas Inc.
150 Harvester Drive
Suite 200
Burr Ridge, IL 60527

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.


Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is reregistered in accordance with FIFRA section 4(g)(2)(C) provided you agree in writing to:

1. The word "Peligro" must remain on the label. The phrase "Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle." may be removed.
2. Change the Hazards to Humans and Domestic Animals to "Corrosive. Causes irreversible eye damage. Harmful if swallowed or absorbed through skin. Do not get in eyes or on clothing. Avoid contact with skin."
3. Change the Environmental Hazards to "Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinseate. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours. MCPA has properties and characteristics associated with chemicals detected in

groundwater. The use of this product in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.”.

- 4. To the label add “Not for use on turf being grown for sale or other commercial use such as sod, or for commercial seed production, or for research purposes.”.
- 5. To the label add a Non-Agricultural Use Requirements box and the appropriate accompanying language and “Do not enter or allow others to enter the treated area until sprays have dried.”.
- 6. To the label add “Do not apply more than 1.5 lbs. ai MCPA per acre per year. Do not apply more than 2 applications per year with a minimum retreatment interval of 21 days.” for all uses except rights-of-way (spot treatment). For rights-of-way (spot treatment) add “Do not apply more than 3.0 lbs. ai MCPA per acre per year.”. Remove all conflicting language from the label.
- 7. The text “In Oregon, the use of this product is limited to the sites stated on this label which are Agricultural, Forest, Rights-of-Way, Golf Course or Cemetery sites. This product can not be used on Agricultural or Forest site” must be deleted since forests and agricultural uses are not allowed on this label.
- 8. To the label add “Aerial Application is Prohibited”.
- 9. To the Warranty section change “To the extent Permitted by Law” to “To the extent consistent with applicable law”.

<p>Signature of Approving Official:</p>  <p>Kathryn V. Montague, Acting Product Manager (23) Herbicide Branch, Registration Division (7505P)</p>	<p>Date:</p> <p>OCT 23 2007</p>
---	---------------------------------

EPA Form 8570-6

You will submit one copy of your final printed labeling before you release the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). If you have any questions please call Erik Kraft at 703-308-9358.

3/7

MCDA L.A.C.

Selective Herbicide

FOR SELECTIVE BROADLEAF WEED CONTROL IN NON-RESIDENTIAL
ORNAMENTAL LAWNS AND TURF GRASSES

CONTAINS MCPA, CLOPYRALID AND DICAMBA

CONTROLS: Dandelion, Chickweed, Black medic, Knotweed, Plantain, Oxalis, Clover, Cocklebur, Thistle and many other species of broadleaf weeds; some of which are listed on this label.

ACTIVE INGREDIENT:

Dimethylamine Salt of 2-Methyl-4-Chlorophenoxyacetic Acid*	48.13%
Monoethanolamine Salt of 3, 6-Dichloro-2-Pyridinecarboxylic Acid**	2.58%
Dimethylamine Salt of Dicamba (3, 6-Dichloro-o-Anisic Acid)***	4.73%

OTHER INGREDIENTS:	44.56%
TOTAL	100.0%

By Isomer Specific AOAC Method, Equivalent to:

*2-Methyl-4-Chlorophenoxyacetic Acid	39.30%, 3.75 lbs./gal.
**3, 6-Dichloro-2-Pyridinecarboxylic Acid	1.96%, 0.18 lbs./gal.
***3, 6-Dichloro-o-Anisic Acid	3.93%, 0.37 lbs./gal.

FOR USE BY PROFESSIONAL TURF MAINTNEANCE PERSONNEL,
LANDSCAPING OR COMMERCIAL APPLICATORS ONLY.

NOT FOR SALE OR USE IN NASSAU AND SUFFOLK COUNTIES IN N.Y. STATE.
IN CALIFORNIA AND WASHINGTON, TURFGRASS AND LAWN USES ARE RESTRICTED TO GOLF COURSES ONLY.

IN OREGON, THE USE OF THIS PRODUCT IS LIMITED TO THE SITES STATED ON THIS LABEL WHICH ARE
AGRICULTRUAL*, FOREST*, RIGHT-OF-WAY, GOLF COURSE OR CEMETERY SITES.

*This product cannot be used on agricultural or forest sites.

KEEP OUT OF REACH OF CHILDREN
DANGER - PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

SEE INSIDE BOOKLET FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300
For Medical Emergencies Only, Call (877) 325-1840

NOTE: Spanish language is optional.

ACCEPTED
with COMMENTS
In EPA Letter Dated:

OCT 23 2007

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

EPA REG. NO. 228-333
EPA EST. NO. 228-IL-1

MANUFACTURED BY
NUFARM AMERICAS INC.
BURR RIDGE, IL 60527



000228-00333.20061024.pending RED 228-333

4/7

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER - PELIGRO**

Corrosive. This concentrate causes irreversible eye damage. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Wear protective eyewear (goggles, face shield, or safety glasses). Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category A on the EPA chemical resistant category selection chart.

Mixers, loaders, applicators and other handlers must wear: long sleeved shirt and long pants, shoes plus socks and chemical resistant gloves when mixing, loading or using any hand-held equipment.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washable exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS	
Users should:	
<ul style="list-style-type: none"> • Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. • Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. • Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing. 	

FIRST AID	
IF IN EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment information.	
NOTE TO PHYSICIAN	
Probable mucosal damage may contraindicate the use of gastric lavage.	

ENVIRONMENTAL HAZARDS

Drift or runoff may adversely affect non-target plants and may be hazardous to aquatic organisms in water adjacent to treated areas. MCPA may be toxic to fish, aquatic invertebrates and aquatic plants. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark.

MCPA has properties and characteristics associated with chemicals detected in groundwater. The use of this product in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollution Discharge Elimination (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

5/7

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

This product is for use only on Non-Residential Ornamental Turf (Athletic and Recreational Sports Fields, Cemeteries, Golf Courses**, Industrial Sites, Non-Cropland, Parks, Rights-of-Way and Roadsides). **Excluding Bentgrass Tees.

Do not use on residential turfgrass. Do not collect grass clippings for mulch or compost. Do not send clippings to a compost facility. Applicator must give notice to landowners/property managers to not use grass clippings for mulching or composting.

USE PRECAUTIONS

Avoid drift of spray mist to vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants. Do not pour spray solutions near desirable plants. Do not use on Centipede, St. Augustine, Dichondra, nor on lawns or turf where desirable clovers are present. Avoid fine mists. Use lawn type sprayer with coarse spray as wind drift is less likely. Avoid contact with exposed feeder roots of ornamentals and trees. Maximum control of weeds will be obtained from Spring or early Fall applications when weeds are actively growing. The degree of weed control and duration of effect will vary with weed size and density, spray rate and coverage, and growing conditions before, during, and after the time of treatment. Use the higher rate for hard-to-control weeds. Do not exceed specified dosages for any area; be particularly careful within the dripline of tree and other ornamental species. Do not apply to newly seeded grasses until well established. Do not spray when air temperature exceeds 90NF.

The suitable use of this product on non-recommended turf species may be determined by treating a small area at any rate/acre which does not exceed 3 pints/acre. The treated area should be observed for any sign of turf injury for a period of 30 days of normal growing conditions to determine the phytotoxicity and efficacy to the treated area.

For optimum results: (1) avoid applying during excessively dry or hot periods unless irrigation is used; (2) turf should not be mowed 1 to 2 days before and following application; (3) reseed no sooner than 3 to 4 weeks after application of this product. Adding oil, wetting agent, or other surfactant to the spray may be used to increase effectiveness on weeds but doing so may reduce selectivity to turf resulting in turf damage. Clean and rinse spray equipment using soap or detergent and water, and rinse thoroughly before reuse for other sprays.

GENERAL APPLICATION RESTRICTIONS

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

WEEDS CONTROLLED

Alder	Bur ragweed	English daisy	Hop clover
Annual yellow sweet clover	Burweed	Fall dandelion	Horsenettle
Artichoke	Buttercup	False dandelion	Horsetail
Aster	Canada thistle	False flax	Indiana mallow
Austrian fieldcress	Carolina geranium	False sunflower	Ironweed
Bedstraw	Carpetweed	Fiddleneck	Jewelweed
Beggartick	Catchweed bedstraw	Field bindweed	Jimsonweed
Biden	Catsear	Field pansy	Kochia
Bindweed	Catnip	Flea bane (daisy)	Knawel
Bird vetch	Chickweed	Flixweed	Knotweed
Bitterweed	Chicory	Florida betony	Lambsquarter
Bitter wintercress	Cinquefoil	Florida pusley	Lespedeza
Black-eyed Susan	Clover	Frenchweed	Locoweed
Black medic	Cockle	Galinsoga	Lupine
Black mustard	Cocklebur	Garlic mustard	Mallow
Blackseed plantain	Coffeebean	Goathead	Marshelder
Blessed thistle	Coffeeweed	Goatsbeard	Matchweed
Blue lettuce	Common chickweed	Goldenrod	Mexicanweed
Blue vervain	Common mullein	Ground ivy	Milk vetch
Box elder	Common sowthistle	Gumweed	Milkweed bloodflower
Bracted plantain	Corn Chamomile	Hairy bittercress	Mugwort
Brassbuttons	Creeping jenny	Hairy fleabane	Morningglory
Bristly oxtongue	Crimson clover	Hawkweed	Mouseear chickweed
Broadleaf dock	Croton	Healall	Musk thistle
Broadleaf plantain	Cudweed	Heartleaf drymary	Mustard
Broomweed	Curly dock	Hedge bindweed	Narrowleaf plantain
Buckhorn	Curly indigo	Hedge mustard	Narrowleaf vetch
Buckhorn plantain	Dandelion	Hemp	Nettle
Bulbous buttercup	Dead nettle	Henbit	Orange hawkweed
Bull nettle	Dock	Hoary cress	Oxalis
Bull thistle	Dogbane	Hoary plantain	Oxeye daisy
Burdock	Dogfennel	Hoary vervain	Parsley-piert
Burning nettle	Elderberry	Honeysuckle	

WEEDS CONTROLLED (CONTINUED)

Parsnip	Rough cinquefoil	Stinkweed	White clover
Pearlwort	Rough fleabane	Stitchwort	White mustard
Pennycress	Roundleaved marigold	Strawberry clover	Wild mustard
Pennywort	Rush	Sumac	Wild aster
Peppergrass	Russian pigweed	Sunflower	Wild buckwheat
Pepperweed	Russian thistle	Sweet clover	Wild carrot
Pigweed	St. Johnswort	Tall nettle	Wild four-o'clock
Pineywoods bedstraw	Scarlet pimpernel	Tall vervain	Wild garlic
Plains coreopsis	Scotch thistle	Tansy mustard	Wild geranium
Plantain	Sheep sorrel	Tansy ragwort	Wild lettuce
Poison hemlock	Shepherdspurse	Tanweed	Wild marigold
Poison ivy	Slender plantain	Tarweed	Wild onion
Poison oak	Smallflower galinsoga	Thistle	Wild parsnip
Pokeweed	Smartweed	Tick trefoil	Wild radish
Poorjoe	Smooth dock	Toadflax	Wild rape
Povertyweed	Smooth pigweed	Trailing Crownvetch	Wild strawberry
Prickly lettuce	Sneezeweed	Tumble mustard	Wild sweet potato
Prickly sida	Southern wild rose	Tumble pigweed	Wild vetch
Primrose	Sowthistle	Tumbleweed	Willow
Prostrate knotweed	Spanishneedle	Velvet leaf	Witchweed
Prostrate pigweed	Spatterdock	Venice mallow	Woolly morningglory
Prostrate spurge	Speedwell	Veronica	Woodsorrel
Prostrate vervain	Spiny Amaranth	Vervain	Woolly croton
Puncture vine	Spiny cocklebur	Vetch	Woolly plantain
Purslane	Spotted catsear	Virginia buttonweed	Wormseed
Ragweed	Spotted knapweed	Virginia creeper	Yarrow
Red clover	Spotted spurge	Virginia pepperweed	Yellow rocket
Redroot pigweed	Spurge	Wavyleaf bullthistle	Yellowflower pepperweed
Red sorrel	Spurweed	Western clematis	and other broadleaf weeds.
Redstem filaree	Stinging nettle	Western salsify	

After applying this product, many broadleaf weeds will begin to show visible signs of leaf curl within a few days. Some hard-to-kill (or control) broadleaf weeds may require a second broadcast treatment in 3 to 4 weeks.

ORNAMENTAL LAWNS AND TURF

Apply this product at the rate of 2 to 3 pints in 20 to 240 gallons of water per acre (0.73 to 1.10 fl. oz. in 0.5 to 5.5 gallons of water per 1,000 square feet) to control weeds growing in turf planted to Bluegrass, Fescue, Ryegrass, Bentgrass (excluding golf course greens and tees), Bahia, Bermudagrass and Zoysia grass.

Controlled Droplet Applicators - (CDA), Atomizers, and Spinning Disk Applicators: Use this product at the rate of 2 to 3 pints per acre (0.73 to 1.10 fluid ounces per 1,000 square feet) in sufficient water to assure coverage (1 to 4 gallons of water per acre is normal for this type of equipment).

Lower Volume Equipment: Use as little as 5 gallons of water per acre. Use only application equipment that is capable of spreading a uniform droplet, wetting each weed surface.

NOTE: For all grasses (1) Do not overlap spray patterns; (2) Use reduced rates if grass is stressed from heat, drought, etc.; and (3) Follow CDA equipment spray instructions.

COMPATIBILITY

This product can be mixed with some liquid fertilizers or liquid iron materials. Because liquid fertilizers and liquid iron differ in pH, free ammonia content, density, salt concentration and percentage of water, a compatibility test (given below) is recommended prior to mixing in the application equipment. All regulations, either State or Federal, relating to the application of liquid fertilizers or liquid iron and this product must be strictly followed. The following compatibility test should always be performed prior to full-scale mixing.

1. Pour 18 ounces of water into a quart jar.
2. Add 1 ounce of either the liquid fertilizer or liquid iron to be used.
3. Add 1 ounce of this product.
4. Close jar and shake well.
5. Watch the mixture for several seconds after shaking and check again after 30 minutes.
6. If the mixture does not show signs of separating, the combination may be used. If the mixture foams excessively, gels, separates or gets very thick, do not combine for field application.
7. Compatibility may be improved by the use of a compatibility agent. Some suggested compatibility agents to try are Kalo Laboratories Complex, Hopkins Chemical's Unite, Farm Chemicals Inc.'s Compat, Harcros Chemicals' T-Mulz 734-2, Rigo Company's Rigo Compatibility Agent, Witco Chemical's Sponto 168D, Amoco Oil's Amoco Spray Mate and Universal Coop's

7/7

- Chem-Link. These agents are all used in the same manner. Follow the previously outlined test procedures and add 1/6 ounce of the compatibility agent between steps (the compatibility agent must be added to the fertilizer or iron before adding this product).
8. If the mixture does not separate, gel, foam or get very thick, it may be used for field application. Mix only the amount to be sprayed. Do not allow to stand overnight.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Always use original container to store pesticides in a secured warehouse or storage building. Store at temperatures above 32°F. If allowed to freeze, remix before using. This does not alter this product. Containers should be opened in well ventilated areas. Keep container tightly sealed when not in use. Do not stack cardboard cases more than two pallets high. Do not store near open containers of fertilizer, seed or other pesticides. Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. If container is damaged or if pesticide has leaked, contain all spillage. Absorb and clean up all spilled material with granules or sand. Place in a closed labeled container for proper disposal. Improper disposal of excess pesticide, spray mixtures, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent), adding rinsate to spray tank. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers are also disposable by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER. TO THE EXTENT PERMITTED BY LAW, MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO CROP INJURY OR INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

LIMITATION OF LIABILITY

TO THE EXTENT PERMITTED BY LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR ARISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS.

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

(RV102406)

Editor's Note:

The State Sale and Use Prohibitions of this product must be part of printed label text for any product which might possibly enter the channels of trade in the states of California, New York, Oregon and/or Washington. The label prohibitions are optional for all other states.