

EPA Reg. Number:

Date of Issuance:

228-334

OCT 2 3 2007

Term of Issuance:

Name of Pesticide Product:

Horsepower Lawn Weed Killer

U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Registration Division (7505P) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460

NOTICE OF PESTICIDE:

___ Registration

X Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Nufarm Americas Inc.

150 Harvester Drive

Suite 200

Burr Ridge, IL 60527

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is reregistered in accordance with FIFRA section 4(g)(2)(C) provided you agree in writing to:

Residential Label

- 1. To the First Aid section add "If On Skin Or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice." and place after "If Swallowed".
- 2. Delete "Probable mucosal damage may contraindicate the use of gastric lavage" from the label.
- 3. Change the Hazards to Humans and Domestic Animals to "Causes substantial but temporary eye injury. Harmful if swallowed. Harmful if absorbed through skin. Do not get in eyes or on clothing. Avoid contact with skin. This product may cause skin sensitization reactions in some people".

- 4. Change the Environmental Hazards to "Do not apply directly to water. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours. Do not contaminate water when disposing of equipment washwaters or rinseate.".
- 5. Change "Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application" to "Do not apply this product in a way that will contact any person, or pet, either directly or through drift. Keep people and pets out of the area during application.".
- 6. To the label add "User Safety Recommendations, "Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing." and place in a box.
- 7. After "General Application Restrictions" add "Entry Restrictions: Do not allow people or pets to enter the treated area until sprays have dried.".
- 8. To the Warranty section change "To the extent permitted by law" to "To the extent consistent with applicable law" and "Buyer's or User's exclusive remedy" to "To the extent consistent with applicable law, Buyer's or User's exclusive remedy".

Commercial Label

- 9. The word "AVISO" must remain on the label. The text "Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle." may be removed from the label.
- 10. To the First Aid section add "If On Skin Or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice." and place after "If Swallowed".
- 11. Delete "Probable mucosal damage may contraindicate the use of gastric lavage" from the label.
- 12. Change the Hazards to Humans and Domestic Animals to "Causes substantial but temporary eye injury. Harmful if swallowed. Harmful if absorbed through skin. Do not get in eyes or on clothing. Avoid contact with skin. This product may cause skin sensitization reactions in some people".
- 13. Change the PPE to "Some materials that are chemical-resistant to this product are made of any waterproof material. If you want more options, follow the instructions for category A on an EPA selection chart. Mixers, loaders, applicators, and other handlers must wear: Long sleeved shirt and long pants, Shoes plus socks, Chemical-resistant gloves, and Goggles, face shield or safety glasses."
- 14. Change the Environmental Hazards section to "Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinseate. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Runoff of this

product will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours. This pesticide has properties and characteristics associated with chemicals detected in groundwater. The use of this product in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.".

- 15. To the label add a Non-Agricultural Use Requirements Box and the appropriate accompanying language and "Do not enter or allow others to enter the treated area until sprays have dried.".
- 16. To the label add "Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.".
- 17. To the label add "Do not apply more than 1.5 lbs. ai MCPA per acre per year. Do not apply more than 2 applications per year with a minimum retreatment interval of 21 days." and delete any conflicting language.
- 18. To the Warranty section change "To the extent permitted by law" to "To the extent consistent with applicable law" and "Buyer's or User's exclusive remedy" to "To the extent consistent with applicable law, Buyer's or User's exclusive remedy".

Signature of Approying Official:

Date:

OCT 23 2007

Kathryn V. Montague, Acting Product Manager (23) Herbicide Branch, Registration Division (7505P)

EPA Form 8570-6

You will submit one copy of your final printed labeling before you release the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). If you have any questions please call Erik Kraft at 703-308-9358.

(Residential)

HORSEPOWER® LAWN WEED KILLER

For Selective Broadleaf Weed Control in Residential Turf; For Brush Control

CONTAINS MCPA, TRICLOPYR AND DICAMBA

KILLS: Dandelion, Clover Chickweed, Oxalis, Ground Ivy, Wild Violetand [many] [Over 240] other tough lawn weeds.

One quart covers 10.000 sq. ft.

[many] [Over 240] other to	ougn lawn weeds.	
One quart covers 10),000 sq. ft.	° 60.6
ACTIVE INGREDIENTS:		
Dimethylamine Salt of 2-Methyl-4-Chlorophenoxyacetic Acid*		13.7286
Triethylamine Salt of 3,5,6-Trichloro-2-Pyridinyloxyacetic Acid**		1.56%
Dimethylamine Salt of Dicamba (3,6-Dichloro-o-Anisic Acid)***		1.35%
OTHER INGREDIENTS:		83.37%
	TOTAL	100.00%
By Isomer Specific Method, Equivalent to:		
*2-Methyl-4-Chlorophenoxyacetic Acid		970 lbs./gal.
**3,5,6-Trichloro-2-Pyridinyloxyacetic Acid		097 lbs./gal.
***3,6-Dichloro-o-Anisic Acid		097 lbs./gal.

WARNING - AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.

SEE SIDE PANELS FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300 For Medical Emergencies Only, Call (877) 325-1840

Note: Spanish language is optional

EPA REG. NO. 228-334 EPA EST. NO. 228-IL-1

NET CONTENTS

000228-00334.20061025.pending RED

MANUFACTURED BY NUFARM AMERICAS INC. BURR RIDGE, IL 60527

Shite 200



ACCEPTED
with COMMENTS
in EPA Letter Dated

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

228-374

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING - AVISO

Causes substantial but temporary eye injury. Harmful if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles, face shield or safety glasses when mixing, pouring this concentrate from one container to another and when removing or reattaching container closure/spray nozzle. After product has been diluted in accordance with Directions for Use, eye protection is not required. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

	FIRST AID
IF IN EYES	 Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF SWALLOWED	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
	HOT LINE NUMBER Intainer or label with you when calling a poison control center or doctor, or going for treatment. It 1-877-325-1840 for medical emergency information.
Probable mucosal	NOTE TO PHYSICIAN damage may contraindicate the use of gastric lavage.

ENVIRONMENTAL HAZARDS

Drift or runoff may adversely affect nontarget plants. Do not apply directly to water. When cleaning equipment, do not pour washwater on the ground; spray or drain over a large area away from wells and other water sources. Do not contaminate water when disposing of equipment washwaters. Do not apply this product through any type of irrigation system. Do not contaminate water used for irrigation or domestic purposes.

Most cases of groundwater contamination involving phenoxy herbicides such as MCPA have been associated with mixing/loading and disposal sites. Caution should be exercised when handling these phenoxy pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing and transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read entire label before using this product. Use strictly in accordance with label precautionary statements and directions.

This product is for use on residential turf. IMPORTANT: For use on Bluegrass, Fescues, Rye, Bent, Bermuda, Bahia and Zoysia Lawns. Avoid application to St. Augustine or centipede lawns unless injury can be tolerated. [Do not use on St. Augustine and Centipede lawns]. Do not spray Carpet grass, Dichondra or desirable clovers. May cause temporary yellowing of some Bermudagrass turf. Do not exceed specified dosages for any area. Be particularly careful applying within the drip line of trees and other ornamental species. Avoid contact with exposed feeder roots of ornamentals and trees.

Do not apply more than 1.5 lb ae/acre per year. Do not apply more than 2 broadcast applications per year with a minimum retreatment interval of 21 days.

GENERAL APPLICATION RESTRICTIONS

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

LAWN WEED CONTROL

When used as directed kills weeds in your lawn — won't harm lawn grasses.

OF

When used as directed kills broadleaf weeds in lawns — roots and all. Kills weeds — not lawn grasses.

WEEDS [ILLUSTRATION]

Alder Annual yellow sweet clover, Artichoke Aster Austrian fieldcress **Bedstraw** Beggartick Biden Bindweed Bird vetch Bitterweed Bitter wintercress Black-eved Susan Black medic Black mustard Black-seed plantain Blessed thistle Blue lettuce Blue vervain Box elder Bracted plantain Brassbuttons Bristly oxtongue Broadleaf dock Broadleaf plantain Broomweed Buckhorn Buckhorn plantain **Bulbous buttercup** Bull nettle Bull thistle Burdock Burning nettle Bur ragweed Burweed Buttercup Canada thistle Carolina, geranium Carpetweed Catchweed bedstraw

Catnip Chickweed Chicory Cinquefoil Clover Cockle Cocklebur Coffeebean Coffeeweed Common chickweed Common mullein Common sowthistle Corn Chamomile Creeping jenny Crimson clover Croton Cudweed Curly dock Curly indigo Dandelion Dead nettle Dock

Catsear

Dogbane Dogfennel Elderberry English daisy Fall dandelion False dandelion False flax False sunflower Fiddleneck Field bindweed Field pansy Flea bane (daisy) Flixweed Florida betony Florida pusley Frenchweed Galinsoga Garlic mustard Goathead Goatsbeard Goldenrod Ground ivy Gumweed Hairy bittercress Hairy fleabane Hawkweed Healall Heartleaf drymary Hedge bindweed

Henbit Hoary cress Hoary plantain Hoary vervain Honevsuckle Hop clover Horsenettle Horsetail Indiana mallow Ironweed Jewelweed Jimsonweed Kochia Knawel Knotweed Lambsquarter Lespedeza Locoweed Lupine Mallow Marshelder Matchweed Mexicanweed Milk vetch

Hedge mustard

Hemp

Milkweed bloodflower Mugwort

Morningglory Mousear chickweed Musk thistle

Mustard

Narrowleaf plantain Narrowleaf vetch Nettle Orange hawkweed

Oxalis
Oxeye daisy
Parsley-piert
Parsnip
Pearlwort
Pennycress
Pennywort
Peppergrass
Pepperweed
Pigweed

Pineywoods bedstraw Plains coreopsis Plantain Poison hemlock

Poison ivy
Poison oak
Pokeweed
Poorjoe
Povertyweed
Prickly lettuce
Prickly sida
Primrose

Prostrate knotweed
Prostrate pigweed
Prostrate spurge
Prostrate vervain
Puncture vine
Purslane
Ragweed
Red clover
Redroot pigweed
Red sorrel
Redstem filaree
Rough cinquefoil
Rough fleabane
Roundleafed marigold
Rush

Russian pigweed
Russian thistle
St. Johnswort
Scarlet pimpernel
Scotch thistle
Sheep sorrel
Shepherdspurse
Slender plantain
Smallflower galinsoga
Smartweed
Smooth dock
Smooth pigweed

Southern wild rose Sowthistle Spanishneedle Spatterdock Speedwell Spiny Amaranth

Sneezeweed

Spiny cocklebur Spotted catsear Spotted knapweed Spotted spurge

Spurge

Spurweed
Stinging nettle
Stinkweed
Stitchwort
Strawberry clover
Sumac, Sunflower
Sweet clover
Tall nettle
Tall vervain
Tansy mustard
Tansy ragwort
Tanweed
Tarweed
Thistle
Tick trefoil

Toadflax
Trailing Crownvetch
Tumble mustard
Tumble pigweed
Tumbleweed
Velvet leaf
Venice mallow
Veronica
Vervain
Vetch

Virginia buttonweed Virginia creeper Virginia pepperweed Wavyleaf bullthistle Western clematis Western salsify White clover White mustard Wild mustard Wild aster Wild buckwheat Wild carrot Wild four-o'-clock Wild garlic Wild geranium Wild lettuce Wild marigold Wild onion Wild parsnip Wild radish Wild rape Wild strawberry Wild sweet potato Wild vetch Willow Witchweed Woolly morningglory,

Yellow rocket Yellowflower pepperweed and other broadleaf weeds.

Woodsorrel

Wormseed

Yarrow

Woolly croton

Woolly plantain

MIXING INSTRUCTIONS (Amount to Use)

(For (on) Northern Lawns (grasses))

· Fescues, Kentucky bluegrass, perennial rye & zoysia

When using a tank sprayer: Add 4 fl oz per 1 gallon of water for each 1,000 sq. ft. [icon] When using an ORTHO Dial 'n Spray: Set dial to 4 oz. Add 8 fl oz of concentrate directly into sprayer jar. **DO NOT ADD WATER**. Spray evenly over 2,000 sq ft. (until jar is empty.) (After spraying with Ortho Dial

n Spray applicator,) Any unused product should be poured back into its original container.

(For (on) Southern Lawns (grasses))

· Bermuda, bahia, & bent (Do not use on St. Augustine or centipede lawns):

When using a tank sprayer: Add 2 fl oz per gallon of water for each 1,000 sq ft.

[icon] When using ORTHO Dial 'n Spray: Set dial to 2 oz. Add 8 oz of concentrate into sprayer jar. **DO NOT ADD WATER.** Spray evenly over 4,000 sq ft. (until jar is empty.) (After spraying with Ortho Dial 'n Spray applicator,) Any unused product should be poured back into its original container.

(Optional Directions for Hose-End Sprayer)

AMOUNT TO SPRAY

[walking man icon]

- Measure lawn. Calculate square feet by multiplying length times width.
- Use the amount indicated for your lawn variety.

(For (on) Northern Lawns (grasses))

Fescues, Kentucky bluegrass, perennial rye & zoysia
 16 fl oz (1/2 bottle) treats 4,000 sq ft.

(For (on) Southern Lawns (grasses))

• Bermuda, bahia, bent, (centipede & St. Augustine.) (Do not use on floratam): 16 fl oz (1/2 bottle) treats 8,000 sq ft.

(For (on) Southern Lawns (grasses))

· Centipede & St. Augustine (Do not use on floratam)

16 fl oz (1/2 bottle) treats 10,667 sq ft.

(Floratam is a variety of St. Augustinegrass widely grown in Florida). (This product kills floratam grass.) (For floratam lawns, use Weed-B-Gon for St. Augustine Lawns.)

[END Optional use directions for (Brand Name) Hose-End Sprayer]

FOR BEST RESULTS

Before You Apply:

Do not mow for 1 to 2 days before or after application.

If soil is dry, water before application.

To treat entire lawn (broadcast application): Use a tank sprayer or hose-end sprayer. Measure lawn. Calculate square feet by multiplying length times width. Spray evenly over measured area.

HOW TO APPLY: To spot treat individual lawn weeds: Use a tank sprayer and spray to wet weeds. To reduce spray drift, adjust sprayer nozzle to deliver a coarse spray. For broadcast application - use Ortho Dial 'n Spray applicator.

WHEN TO APPLY:

[illustration]

- · Spray when weeds are actively growing.
- [Spray when] temperature is below 90°F.
- Spray when air is calm to avoid drift to vegetables, flowers, ornamental plants, trees, shrubs and other desirable plants.
- Do not apply to newly seeded grasses until well-established (they have been mowed 3 times).
- Rain or watering 1 hour after application will not wash away effectiveness.
- · Reseed no sooner than 3 weeks after application.

BRUSH CONTROL

Kills Brush And Other Tough Weeds - Poison Ivy, Poison Oak, Kudzu, Wild Blackberries and over 240 other tough weeds.

WHERE TO USE

This product may be used around homes, cabins and other buildings and along fences.

Amount to Use - 4 fluid ounces per gallon of water per 1,000 square feet.

MIXING INSTRUCTIONS

Amount to Use: 4 fluid ounces per gallon of water per 1,000 square feet (1 tablespoon = 3 teaspoons, 1 fluid ounce = 2 tablespoons).

[icon] When using (Brand Name Spray): Set dial to 4 ounces. Pour 4 ounces: of this product directly into sprayer jar. DO NOT ADD WATER. Spray evenly over 1,000 square feet. After spraying, unused product should be poured back into its original container.

HOW TO APPLY

- Use coarse spray pattern to reduce drift to desirable plants.
- · Spray weeds to thoroughly wet foliage, stems and trunk.
- Do not spray on or around plants or grasses you like, they may die too.
- If weeds are growing around desirable plants, shield them from drift with a sheet of cardboard or plastic.
- If desirable plants are accidentally sprayed, rinse off immediately with water.

TO KILL VINES

- If weeds are growing up poles, fences or tree trunks with mature bark, spray to thoroughly cover weeds up to a height of 3 to 4 feet. Tree bark is mature if you scratch the bark with your finger and do not find any green tissue.
- If weeds are climbing shrubs or green barked trees, cut weeds at base and treat as directed for stumps.

TO KILL STUMPS

- Apply product undiluted with a paintbrush to the entire freshly cut stump, including the cut surface, remaining trunk and exposed roots.
- Do not reuse paintbrush. Wrap paintbrush in newspaper and put in trash.

WHEN TO APPLY

[illustration]

- · Spray when weeds are actively growing.
- · Spray when air is calm to avoid drift to vegetables, flowers, ornamental plants, trees, shrubs and other desirable plants.

Note: Contact with poison ivy or poison oak any time of the year can cause an allergic reaction. Handle dead plants with rubber gloves. Dispose of plants and rubber gloves in tightly sealed garbage bags.

[Re-entry icon] Do not allow people (other than applicator) or pets on treatment area during application. People and pets may enter treated area after spray has dried.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: To be stored in original container and placed in an area inaccessible to children. CONTAINER DISPOSAL: If empty - Do not reuse this container. Place in trash or offer for recycling if available. If partly filled - If product cannot be used as directed, call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER. TO THE EXTENT PERMITTED BY LAW, MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINITENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON

OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

LIMITATION OF LIABILITY

TO THE EXTENT PERMITTED BY LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR RISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS.

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

(RV102506)

Questions, Comments or Medical Information

Call 1-800-XXX-XXXX

www. XXXXXX.com

(Questions, Comments or Medical Information

Call 1-800-XXX-XXXX

www.XXXXXX.com

The Seller's Guarantee

If for any reason you are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase price.

NOTICE: Buyer assumes all risks of use, storage and handling of this product not in strict accordance with directions given herewith.

Horsepower is a Registered Trademark of Nufarm Americas Inc.

APPENDIX

Formula Claims: These claims may be presented on the retail container label or on the labeling accompanying the product.

APPENDIX

- · Kills weeds not lawns.
- · For a beautiful Weed-Free Lawn
- Use [Product Name] to control weeds everywhere around [or in] your lawn.
- · Kills broadleaf weeds in your lawn.
- · Ideal for spot treating individual lawn weeds.
- · Rain proof in hours.
- New Formula.
- · Can be used on all cool season [turf] [grass] [lawns].
- · Guaranteed [Results]
- · Kills weeds the first time, every time, guaranteed.
- · Guaranteed not to harm the lawn.
- Kills to the root so weeds don't [won't] ever come [grow] back.
- Formerly [Product Name]
- · Complete [total] root [weed] kill
- Kills all major [common] broadleaf weeds
- · Complete kill [root kill] [weed kill]
- · Kills [even] hard to control [kill] weeds
- Kills even tough [the toughest] [lawn] weeds [to the root]
- · Won't harm lawns, when used as directed.
- · Total root kill
- Kills [dandelions] [chickweed] [clover] [ground ivy] [creeping Charlie] [oxalis] [wild violet] [poison ivy] [poison oak] [over 250] and other [over 240 other] tough [lawn] weeds [tough [lawn] weeds].

- · Kills over 250 [tough][lawn] weeds
- Kills Weeds
- Kills over 250 weeds including: dandelion, chickweed, clover, ground ivy, (creeping Charlie), oxalis, wild violet & other tough lawn weeds.
- [Product Name] singles out weeds leaves grass alone [unharmed].
- Targets weeds, leaves grass [the lawn] unharmed.
- · Made [scientifically formulated] [special formula] for use on lawns.
- New
- New Formula
- Now
- · Helps keep lawn[s] healthy and weed-free.
- How it works: [Product Name] contains an exclusive blend of ingredients scientifically proven to kill even the toughest lawn weeds down to the roots. And its revolutionary formula won't kill [harm] your lawn [grass] guaranteed! [Best of all], the killing power [the exclusive ingredients] only work[s] on weeds, so it [Product Name] won't kill [harm] your lawn [grass] guaranteed!] When used as directed.
- · Helps keep[s] the lawn look [ing] beautiful.
- · Great [ideal] for spot treatments
- · Kills the toughest [lawn] weeds, guaranteed.
- · Maximum weed [brush] control
- · Results [works] with 1 application
- · Tough weed formula
- Max Kill Formula
- · Kills weeds to the MAX
- · Revolutionary [tough weed] formula
- [Company Name][our][Product Name] best lawn weed killer [weed killer for lawns] [brush killer]
- [Company Name] [our] [Product Name] most-effective lawn weed killer [weed killer for lawns] [brush killer]
- [Company Name] [our] [Product Name] most powerful lawn weed killer [weed killer for lawns] [brush killer]
- [Company Name] [Product Name] strongest formula [ever]
- Kills the [entire] root
- 100% [MAX] root [weed] kill.
- [Product Name] MAX
- Guaranteed kill.
- · Tough on weeds. Gentle [easy] on lawns.
- · Easy to use.
- · Just attach hose and spray.
- · Results in 24 hours
- · Overnight results
- Rain-Proof in 1 hour
- Rain-Proof! BRAND
- PRODUCT FACT
- Treats up to 8,000 sq. ft. [16 oz. size] (at 2 fl. oz/1 Gal/ 1,000 sq ft. rate)
- Treats up to 16,000 sq. ft. [32 oz. size] (at 2 fl oz/1 Gal/ 1,000 sq ft. rate)
- Makes up to 8 gallons of spray [16 oz. size] (at 2 fl oz/1 Gal/ 1,000 sq ft. rate)
- Makes up to 16 gallons of spray [32 oz. size] (at 2 fl oz/1 Gal/ 1,000 sq ft. rate)
- · Results Guaranteed!
- · Kills Poison Ivy, Poison Oak and Other Tough Weeds
- Kills Brush, Woody Weeds & Vines
- · Also kills poison oak, [wild] blackberries, kudzu and stumps
- Kills Poison Ivy and Tough Brush [that invades your yard]
- Kills the toughest weeds [brush]

{Optional Language Below – Use Precautions]

USE PRECAUTIONS

Do not pour spray solutions near desirable plants. Avoid fine mists. Maximum kill (or control) of weeds will be obtained from spring or early fall applications when weeds are actively growing.

The suitable use of this product on non-recommended turf species may be determined by treating a small area at any rate/sq. ft. which does not exceed 4 ounces/1,000 square feet. Prior to treatment of larger areas, the treated area should be observed for any sign of turf injury for a period of 30 days of normal growing conditions to determine the

phytotoxicity and efficacy to the treated area. The user assumes the responsibility for any plant damage or other liability resulting from the use of this product on species not recommended on this label.

For optimum results: (1) avoid applying during excessively dry or hot periods unless irrigation is used; (2) avoid applying if rainfall is expected within 24 hours, nor should lawns be irrigated (watered) for 24 hours following application. Clean and rinse spray equipment using soap or detergent and water, and rinse thoroughly before reuse for other sprays.

Commercial Label

HORSEPOWER® LAWN WEED KILLER

FOR SELECTIVE BROADLEAF WEED CONTROL IN ORNAMENTAL LAWNS AND TURF GRASSES

CONTAINS MCPA, TRICLOPYR AND DICAMBA
KILLS (OR CONTROLS): Dandelion, Chickweed, Black medic, Knotweed, Plantain,
Oxalis, Clover, Cocklebur, Thistle and many other species of broadleaf weeds;

Some of which are listed on this label.

One quart covers 10,000 Square Feet

ACTIVE IN	GREDIENTS:
-----------	------------

Dimethylamine Salt of 2-Methyl-4-Chlorophenoxyacetic Acid*		
Triethylamine Salt of 3,5,6-Trichloro-2-Pyridinyloxyacetic Acid**		
Dimethylamine Salt of Dicamba (3,6-Dichloro-o-Anisic Acid)***		
OTHER INGREDIENTS		
•	TOTAL:	100.00%
By Isomer Specific Method, Equivalent To:		•
*2-Methyl-4-Chlorophenoxyacetic Acid		
**3,5,6-Trichloro-2-Pyridinyloxyacetic Acid	1.12%, 0.097	7 lbs./gal.
***3,6-Dichloro-o-Anisic Acid	1.12%, 0.097	7 lbs./gal.

WARNING - AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.

SEE SIDE PANELS FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

NOTE: Spanish language is optional

EPA REG. NO. 228-334 EPA EST. NO. 228-IL-1 MANUFACTURED BY NUFARM AMERICAS INC. BURR RIDGE, IL 60527

NET CONTENTS

000228-00334.20061025.pending RED



ACCEPTED with COMMENTS in EPA Letter Dated

10-23-07

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

ZZ 8-33 9

13/16

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING - AVISO

Causes substantial but temporary eye injury. Harmful if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles, face shield or safety glasses when mixing, pouring this concentrate from one container to another and when removing or reattaching container closure/spray nozzle. After product has been diluted in accordance with Directions for Use, eye protection is not required. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category A on the EPA chemical resistant category selection chart.

Mixers, loaders, applicators and other handlers must wear: long sleeved shirt and long pants, shoes plus socks and chemcial resistant gloves when mixing, loading or using any hand-held equipment.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washable exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- . Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- · Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

FIRST AID		
IF IN EYES	 Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 	
IF SWALLOWED	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. 	
	HOT LINE NUMBER ontainer or label with you when calling a poison control center or doctor, or going for treatment act 1-877-325-1840 for medical emergency information.	
Probable mucosa	NOTE TO PHYSICIAN Il damage may contraindicate the use of gastric lavage.	

ENVIRONMENTAL HAZARDS

Drift or runoff may adversely affect non-target plants and may be hazardous to aquatic organisms in water adjacent to treated areas. MCPA may be toxic to fish, aquatic invertebrates and aquatic plants. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark.

MCPA has properties and characteristics associated with chemicals detected in groundwater. The use of this product in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollution Discharge Elimination (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

14/16

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read entire label before using this product. Use strictly in accordance with label precautionary statements and directions.

This product is for use on Ornamental Turf Lawns (Residential, Industrial and Institutional), Parks, Cemeteries, Athletic Fields and Golf Courses (Fairways, Aprons, Tees and Roughs) and similar turf areas.

USE PRECAUTIONS

Spray when air is calm to avoid spray drift. Avoid drift of spray mist to vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants. Do not pour spray solutions near desirable plants. Avoid fine mists. Use lawn type sprayer with coarse spray as wind drift is less likely. Do not use on Carpetgrass, Dichondra, nor on lawns or turf where desirable Clovers are present. Avoid contact with exposed feeder roots of ornamentals and trees. Maximum kill (or control) of weeds will be obtained from spring or early fall applications when weeds are actively growing. Spray entire lawn, wetting weeds and lawn grasses. Do not exceed specified dosages for any area; be particularly careful within the dripline of tree and other ornamental species. Do not apply to newly seeded grasses until well established. Do not spray when air temperature exceeds 90°F.

Avoid application to Centipede, or St. Augustine grasses unless turf injury can be tolerated. The suitable use of this product on non-recommended turf species may be determined by treating a small area at any rate/square feet which does not exceed 3 pints/12,000 square feet. Prior to treatment of larger areas, the treated area should be observed for any sign of turf injury for a period of 30 days of normal growing conditions to determine the phytotoxicity and efficacy to the treated area. The user assumes the responsibility for any plant damage or other liability resulting from the use of this product on species not recommended on this label.

For optimum results:

- (1) avoid applying during excessively dry or hot periods unless irrigation is used;
- (2) avoid applying if rainfall is expected within 24 hours, nor should lawns be irrigated (watered) for 24 hours following application. If lawn needs watering, water thoroughly before application;
- (3) turf should not be moved 1 to 2 days before and following application;
- (4) reseed no sooner than 3 to 4 weeks after application of this product. Adding oil, wetting agent, or other surfactant to the spray may be used to increase effectiveness on weeds but doing so may reduce selectivity to turf resulting in turf damage. Clean and rinse spray equipment using soap or detergent and water, and rinse thoroughly before reuse for other sprays.

GENERAL APPLICATION RESTRICTIONS

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

WEEDS CONTROLLED

Mavweed

Alfalfa Dog fennel Amaranth Aster Beadstraw Bedstraw Fleabane Beggartick Beggarweed Frenchweed Bindweed Galinsoga Bitter sneezeweed Geranium Back medic Goatsbeard Bladder campton Goldenrod Bracken fern Goosefoot Broomweed Gromwell Buckhorn Buckwheat Buffalobur Hawkweed Burclover Healall Burcucumber Burdock Bursage Hempnettle Buttercup Henbit Canada thistle Horsenettle Carpetweed Horseweed Catnip Ironweed Catsear Chamise Jimsonweed Chamomile Knapweed Chickweed Knapwood Chicory Knawel Cinquefoil Knotweed Clover Kochia Cocklebur Ladysthumb Coffeeweed Lambsquarter Cornflower Lespedeza Cornspeedwell Croton Mallow Daisy Marc's tail Dandelion

Dock

Dragonhead mint Milkweed Evening primrose Morningglory Field pennycress Mustard Nightflowering catchfly Florida pusley Nightshade Oxalis (Stricta and Corniculata) Parsley-piert Pennywort Peppergrass Pepperweed Piaweed Ground ivy (Creeping Charlie) Plantain Halfshrub sundrop Poison hemlock Poison ivv Poison oak Heartleaf drymary Pokeweed Hemp sesbania Poorjoe Prickly sida Prickly lettuce. Puncturevine Purslane Ragweed Jerusalem artichoke Red sorrel Red clover Redevine Redstem Rubberweed Sheep sorrel Shepherdspurse Sicklepod Smartweed Snakeweed Little starwort Sowthistle Speedwell Spiderwort Marshelder Spikeweed Matchweed Spurge

Starbur Stinging nettle Stitchwort Stunkweed Sumpweed Sunflower Tansy ragwort Teasel Teaweed Texas blueweed Thistle Toadflax Trumpetcreeper Velvetleaf Veronica Vetch Waterhemlock Waterhemp Whitebrush Wild violet Wild radish Wild onion Wild aster Wild carrot Wild lettuce Wild garlic Wild geranium Wood sorrel Wormwood Yankeeweed Yarrow Yellow starthistle Yellow rocket

Spurry

Spurweed

and many other broadleaf

weeds.

ORNAMENTAL LAWNS AND TURF

Apply this product at the rate of 2 pints in 4 to 50 gallons of water per 10,000 square feet (3.2 fluid ounces in 2.5 gallons of water per 1,000 square feet) to control weeds growing in turf planted to Bluegrass, Fescue, Rye, Bent (excluding golf course greens and tees), Bahia, Bermuda and Zoysia.

For Refill of this product: Put 1.7 ounces of this product into the labeled empty quart container. Then add 30 ounces of tap water. Trigger Sprayer - adjust spray nozzle to give coarse spray. Aim at center of weed and spray to wet. Applicator Cap - Hold applicator end about 6 inches from surface to be treated and thoroughly wet. To obtain wider coverage raise container. One application should be sufficient. Effects begin to show after a few days and weeds gradually die. Repeat as necessary.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Always use original container to store pesticides in a secured warehouse or storage building. Store at temperatures above 32°F. If allowed to freeze, remix before using. This does not alter this product. Containers should be opened in well-ventilated areas. Keep container tightly sealed when not in use. Do not stack cardboard cases more than two pallets high. Do not store near open containers of fertilizer, seed or other pesticides. PESTICIDE DISPOSAL: If container is damaged or if pesticide has leaked, contain all spillage. Absorb and clean up all spilled material with granules or sand. Place in a closed, labeled container for proper disposal. Improper disposal of excess pesticide, spray mixtures, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers are also disposable by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

NOTICE: Buyer assumes all risk of use, storage and handling of this product not in strict accordance with directions given herewith.

WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. The GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER. TO THE EXTENT PERMITTED BY LAW, MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO CROP INJURY OR INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

LIMITATION OF LIABILITY

TO THE EXTENT PERMITTED BY LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR RISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS.

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

(RV102506)

Horsepower is a Registered Trademark of Nufarm Americas Inc.