

228-334

8/13/2009

Jacker  
10/17



U.S. ENVIRONMENTAL PROTECTION  
AGENCY

Office of Pesticide Programs  
Registration Division (7505P)  
Ariel Rios Building  
1200 Pennsylvania Ave., NW  
Washington, D.C. 20460

EPA Reg. Number:

228-334

Date of Issuance:

AUG 13 2009

NOTICE OF PESTICIDE:

Registration  
 Reregistration  
(under FIFRA, as amended)

Term of Issuance:

Name of Pesticide Product:

Horsepower Lawn Weed Killer

Name and Address of Registrant (include ZIP Code):

Nufarm Americas, Inc.  
150 Harvester Drive, Suite 200  
Burr Ridge, IL 60527

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is reregistered in accordance with FIFRA provided that you:

- 1) Submit and/or cite all data required for registration/reregistration review of your product when the Agency requires all registrants of similar products to submit data.
- 2) Commercial Label, delete "and similar turf areas" under Directions for Use.

Signature of Approving Official:

Joanne Miller  
Product Manager 23  
Herbicide Branch  
Registration Division (7505P)

Date:

AUG 13 2009

- 3) Commercial Label, delete "General" from "General Application Restrictions".
- 4) Residential Label, add "Wear long-sleeved shirt and long pants, socks and shoes, protective eyewear (goggles or faceshield), and chemical-resistant gloves made of any waterproof material."
- 5) Residential Label, delete "General" from "General Application Restrictions".
- 6) The claim "New" and "Now" may only remain on the label for 6 months. Delete "Kills to the root so weeds don't ever come back".

A stamped copy of the label is enclosed for your records. You must submit one copy of the final printed label before you release the product for shipment. Products shipped after 12 months from the date of this letter or the next printing of the label whichever occurs first, must bear the new revised label. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA. Your release for shipment of the product constitutes acceptance of these conditions. This label supercedes all other previously accepted labels. If you have any questions please call Erik Kraft at 703-308-9358 or email at [Kraft.Erik@epa.gov](mailto:Kraft.Erik@epa.gov).

Stamped 5-11-01

30917

Commercial Label

# HORSEPOWER® LAWN WEED KILLER

FOR SELECTIVE BROADLEAF WEED CONTROL IN ORNAMENTAL LAWNS  
AND TURF GRASSES

CONTAINS MCPA, TRICLOPYR AND DICAMBA  
KILLS (OR CONTROLS): Dandelion, Chickweed, Black medic, Knotweed, Plantain,  
Oxalis, Clover, Cocklebur, Thistle and many other species of broadleaf weeds;  
Some of which are listed on this label.

One quart covers 10,000 Square Feet

**ACTIVE INGREDIENTS:**

Dimethylamine Salt of 2-Methyl-4-Chlorophenoxyacetic Acid*	13.72%
Triethylamine Salt of 3,5,6-Trichloro-2-Pyridinyloxyacetic Acid**	1.56%
Dimethylamine Salt of Dicamba (3,6-Dichloro-o-Anisic Acid)***	1.35%
<b>OTHER INGREDIENTS</b> .....	<b>83.37%</b>
<b>TOTAL:</b> .....	<b>100.00%</b>

By Isomer Specific Method, Equivalent To:

*2-Methyl-4-Chlorophenoxyacetic Acid .....	11.20%, 0.970 lbs/gal.
**3,5,6-Trichloro-2-Pyridinyloxyacetic Acid .....	1.12%, 0.097 lbs/gal.
***3,6-Dichloro-o-Anisic Acid .....	1.12%, 0.097 lbs/gal.

**KEEP OUT OF REACH OF CHILDREN**

**WARNING - AVISO**

SEE SIDE PANELS FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

EPA REG. NO. 228-334  
EPA EST. NO.

NET CONTENTS  
000228-00334.050709 Notification 98-10

**ACCEPTED  
with COMMENTS**  
In EPA Letter Dated:

AUG 13 2009

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

MANUFACTURED FOR  
NUFARM AMERICAS INC.  
BURR RIDGE, IL 60527



228-334

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
WARNING - AVISO**

Causes substantial but temporary eye injury. Harmful if swallowed or absorbed through skin. Do not get in eyes, or on clothing. Avoid contact with skin. This product may cause skin sensitization reactions in some people.

**PERSONAL PROTECTIVE EQUIPMENT (PPE)**

Some materials that are chemical-resistant to this product are made of waterproof material. If you want more options, follow the instructions for category A on the EPA chemical resistant category selection chart.

**Mixers, loaders, applicators and other handlers must wear:**

- long sleeved shirt and long pants,
- shoes plus socks,
- chemical resistant gloves, and
- Goggles, face shield or safety glasses.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washable exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

<b>USER SAFETY RECOMMENDATIONS</b>	
<b>Users should:</b>	
<ul style="list-style-type: none"> <li>• Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.</li> <li>• Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.</li> <li>• Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.</li> </ul>	

<b>FIRST AID</b>	
<b>IF IN EYES</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>IF SWALLOWED</b>	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
<b>IF ON SKIN OR CLOTHING</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>HOT LINE NUMBER</b>	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for medical emergency information.	

**ENVIRONMENTAL HAZARDS**

Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. Drift or runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours.

This product has properties and characteristics associated with chemicals detected in groundwater. The use of this product in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **Read entire label before using this product. Use strictly in accordance with label precautionary statements and directions.**

This product is for use on Ornamental Turf Lawns (Residential, Industrial and Institutional), Parks, Cemeteries, Athletic Fields and Golf Courses (Fairways, Aprons, Tees and Roughs) and similar turf areas.

Not for use on turf being grown for sale or other commercial use such as sod, or for commercial seed production, or for research purposes.

### NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Do not enter or allow others to enter the treated area until sprays have dried.

## USE PRECAUTIONS

Spray when air is calm to avoid spray drift. Avoid drift of spray mist to vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants. Do not pour spray solutions near desirable plants. Avoid fine mists. Use lawn type sprayer with coarse spray as wind drift is less likely. Do not use on Carpetgrass, Dichondra, nor on lawns or turf where desirable Clovers are present. Avoid contact with exposed feeder roots of ornamentals and trees. Maximum kill (or control) of weeds will be obtained from spring or early fall applications when weeds are actively growing. Spray entire lawn, wetting weeds and lawn grasses. Do not exceed specified dosages for any area; be particularly careful within the dripline of tree and other ornamental species. Do not apply to newly seeded grasses until well established. Do not spray when air temperature exceeds 90°F.

Avoid application to Centipede, or St. Augustine grasses unless turf injury can be tolerated. The suitable use of this product on non-recommended turf species may be determined by treating a small area at any rate/square feet which does not exceed 3 pints/12,000 square feet. Prior to treatment of larger areas, the treated area should be observed for any sign of turf injury for a period of 30 days of normal growing conditions to determine the phytotoxicity and efficacy to the treated area. The user assumes the responsibility for any plant damage or other liability resulting from the use of this product on species not recommended on this label.

For optimum results:

- (1) avoid applying during excessively dry or hot periods unless irrigation is used;
- (2) avoid applying if rainfall is expected within 24 hours, nor should lawns be irrigated (watered) for 24 hours following application. If lawn needs watering, water thoroughly before application;
- (3) turf should not be mowed 1 to 2 days before and following application;
- (4) reseed no sooner than 3 to 4 weeks after application of this product. Adding oil, wetting agent, or other surfactant to the spray may be used to increase effectiveness on weeds but doing so may reduce selectivity to turf resulting in turf damage. Clean and rinse spray equipment using soap or detergent and water, and rinse thoroughly before reuse for other sprays.

## GENERAL APPLICATION RESTRICTIONS

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. Do not apply more than 1.5 lbs ai MCPA per acre per year. Do not apply more than 2 applications per year with a minimum retreatment interval of 21 days.

## WEEDS CONTROLLED

Alfalfa	Dog fennel	Mayweed	Spurry
Amaranth	Dragonhead mint	Milkweed	Spurweed
Aster	Evening primrose	Morningglory	Starbur
Beadstraw	Field pennycress	Mustard	Stinging nettle
Bedstraw	Fleabane	Night-crawling catchfly	Stitchwort
Beggartick	Florida pusley	Nightshade	Stunkweed

Beggarweed	Frenchweed	Oxalis (Stricta and Corniculata)	Sumpweed
Bindweed	Galinsoga	Parsley-piert	Sunflower
Bitter sneezeweed	Geranium	Pennywort	Tansy ragwort
Black medic	Goatsbeard	Peppergrass	Teasel
Bladder campton	Goldenrod	Pepperweed	Teaweed
Bracken fern	Goosefoot	Pigweed	Texas blueweed
Broomweed	Gromwell	Plantain	Thistle
Buckhorn	Ground ivy (Creeping Charlie)	Poison hemlock	Toadflax
Buckwheat	Halfshrub sundrop	Poison ivy	Trumpet creeper
Buffalobur	Hawkweed	Poison oak	Velvetleaf
Burclover	Healall	Pokeweed	Veronica
Burcucumber	Heartleaf drymary	Poorjoe	Vetch
Burdock	Hemp sesbania	Prickly sida	Waterhemlock
Bursage	Hempnettle	Prickly lettuce	Waterhemp
Buttercup	Henbit	Puncturevine	Whitebrush
Canada thistle	Horsenettle	Purslane	Wild violet
Carpetweed	Horseweed	Ragweed	Wild radish
Catnip	Ironweed	Red sorrel	Wild onion
Catsear	Jerusalem artichoke	Red clover	Wild aster
Chamise	Jimsonweed	Redevine	Wild carrot
Chamomile	Knapweed	Redstem	Wild lettuce
Chickweed	Knapwood	Rubberweed	Wild garlic
Chicory	Knawel	Sheep sorrel	Wild geranium
Cinquefoil	Knotweed	Shepherdspurse	Wood sorrel
Clover	Kochia	Sicklepod	Wormwood
Cocklebur	Ladysthumb	Smartweed	Yankeeweed
Coffeeweed	Lambsquarter	Snakeweed	Yarrow
Cornflower	Lespedeza	Sowthistle	Yellow starthistle
Cornspeedwell	Little starwort	Speedwell	Yellow rocket
Croton	Mallow	Spiderwort	and many other broadleaf weeds.
Daisy	Marc's tail	Spikeweed	
Dandelion	Marshelder	Spurge	
Dock	Matchweed		

### ORNAMENTAL LAWNS AND TURF

Apply this product at the rate of 2 pints in 4 to 50 gallons of water per 10,000 square feet (3.2 fluid ounces in 2.5 gallons of water per 1,000 square feet) to control weeds growing in turf planted to Bluegrass, Fescue, Rye, Bent (excluding golf course greens and tees), Bahia, Bermuda and Zoysia.

**For Refill of this product:** Put 1.7 ounces of this product into the labeled empty quart container. Then add 30 ounces of tap water. Trigger Sprayer - adjust spray nozzle to give coarse spray. Aim at center of weed and spray to wet. Applicator Cap - Hold applicator end about 6 inches from surface to be treated and thoroughly wet. To obtain wider coverage raise container. One application should be sufficient. Effects begin to show after a few days and weeds gradually die. Repeat as necessary.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Always use original container to store pesticides in a secured warehouse or storage building. Store at temperatures above 32°F. If allowed to freeze, remix before using. This does not alter this product. Containers should be opened in well-ventilated areas. Keep container tightly sealed when not in use. Do not stack cardboard cases more than two pallets high. Do not store near open containers of fertilizer, seed or other pesticides.

**PESTICIDE DISPOSAL:** If container is damaged or if pesticide has leaked, contain all spillage. Absorb and clean up all spilled material with granules or sand. Place in a closed, labeled container for proper disposal. Improper disposal of excess pesticide, spray mixtures, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional office for guidance.

**CONTAINER DISPOSAL: Nonrefillable Containers 5 Gallons or Less:** Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers are also disposable by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

**Nonrefillable containers larger than 5 gallons:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. **Triple rinse as follows:** Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. **Pressure rinse as follows:** Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 psi for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

**Refillable containers larger than 5 gallons:** Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10% full with water and, if possible, spray all sides while adding water. If practical, agitate vigorously or recirculate water with the pump for two minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

Or

**Refillable Container:** Refill this container with pesticide only. Do not reuse this container for any other purpose. Close all openings and replace all caps. Contact Nufarm's Customer Service Department at 1-800-345-3330 to arrange for return of the empty refillable container.

### WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER, AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, CROP OR PLANT DAMAGE, OR LOSS OF YIELD, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE WEATHER, WIND, AND TEMPERATURE, OR THE MANNER OF USE OR APPLICATION, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER, AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER OR MANUFACTURER/REP, AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY OTHER REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS. NO WARRANTIES SHALL BE CREATED BY COURSE OF DEALING, USAGE OF TRADE, OR COURSE OF PERFORMANCE. THERE ARE NO WARRANTIES THAT EXTEND BEYOND THE FACE HEREOF. THE SELLER OR

MANUFACTURER ASSUMES NO RESPONSIBILITY THAT THE GOODS WILL BE FIT FOR ANY PARTICULAR PURPOSE FOR WHICH YOU MAY BE BUYING OR USING THE GOODS, EXCEPT AS OTHERWISE PROVIDED IN THE CONTRACT.

**LIMITATION OF LIABILITY WARNING**

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, NEITHER MANUFACTURER NOR SELLER SHALL BE LIABLE TO BUYER OR USER OR TO CUSTOMERS OF BUYER, IF ANY, FOR INDEMNIFICATION OR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR ARISING OUT OF THE USE, MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR CUSTOMERS. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY, SHALL BE FOR DAMAGES NOT EXCEEDING THE PURCHASE PRICE OF THE GOODS AND, IF BUYER OR USER WISHES, THE RETURN OF THE GOODS BY BUYER TO SELLER.

**If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the goods, and return it unopened to the Seller, and the purchase price will be refunded.** *By using the goods, you expressly agree to all of the terms and conditions of this contract.*

(RV050709N)

Horsepower is a Registered Trademark of Nufarm Americas Inc.



STAMPED 11-07  
90817

(Residential)

# HORSEPOWER® LAWN WEED KILLER

For Selective Broadleaf Weed Control  
in Residential Turf; For Brush Control

CONTAINS MCPA, TRICLOPYR AND DICAMBA

**KILLS: Dandelion, Clover Chickweed, Oxalis, Ground Ivy, Wild Violet and  
[many] [Over 240] other tough lawn weeds.  
One quart covers 10,000 sq. ft.**

**ACTIVE INGREDIENTS:**

Dimethylamine Salt of 2-Methyl-4-Chlorophenoxyacetic Acid*	13.72%
Triethylamine Salt of 3,5,6-Trichloro-2-Pyridinyloxyacetic Acid**	1.56%
Dimethylamine Salt of Dicamba (3,6-Dichloro-o-Anisic Acid)***	1.35%

<b>OTHER INGREDIENTS:</b>	<b>83.37%</b>
<b>TOTAL</b>	<b>100.00%</b>

By Isomer Specific Method, Equivalent to:

*2-Methyl-4-Chlorophenoxyacetic Acid	11.20%, 0.970 lbs./gal.
**3,5,6-Trichloro-2-Pyridinyloxyacetic Acid	1.12%, 0.097 lbs./gal.
***3,6-Dichloro-o-Anisic Acid	1.12%, 0.097 lbs./gal.

**KEEP OUT OF REACH OF CHILDREN**

**WARNING - AVISO**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.

**SEE SIDE PANELS FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS**


For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300  
For Medical Emergencies Only, Call (877) 325-1 840

EPA REG. NO. 228-334  
EPA EST. NO.


MANUFACTURED FOR  
NUFARM AMERICAS INC.  
BURR RIDGE, IL 60527



NET CONTENTS



000228-00334.050709 Notification 98,10 & 08-01



**ACCEPTED**  
with **COMMENTS**  
In EPA Letter Dated:

AUG 13 2009  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

228-334

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
WARNING - AVISO**

Causes substantial but temporary eye injury. Harmful if swallowed or absorbed through skin. Do not get in eyes, or on clothing. Avoid contact with skin. This product may cause skin sensitization reactions in some people.

**USER SAFETY RECOMMENDATIONS**

**Users should:**

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

**FIRST AID**

<b>IF IN EYES</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>IF SWALLOWED</b>	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
<b>IF ON SKIN OR CLOTHING</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>

**HOT LINE NUMBER**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for medical emergency information.

**ENVIRONMENTAL HAZARDS**

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems. Drift or runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read entire label before using this product. Use strictly in accordance with label precautionary statements and directions.

This product is for use on residential turf. **IMPORTANT:** For use on Bluegrass, Fescues, Rye, Bent, Bermuda, Bahia and Zoysia Lawns. Avoid application to St. Augustine or centipede lawns unless injury can be tolerated. [Do not use on St. Augustine and Centipede lawns]. Do not spray Carpet grass, Dichondra or desirable clovers. May cause temporary yellowing of some Bermudagrass turf. Do not exceed specified dosages for any area. Be particularly careful applying within the drip line of trees and other ornamental species. Avoid contact with exposed feeder roots of ornamentals and trees.

Do not apply more than 1.5 lb ae/acre per year. Do not apply more than 2 broadcast applications per year with a minimum retreatment interval of 21 days.

**GENERAL APPLICATION RESTRICTIONS**

Entry Restrictions: Do not apply this product in a way that will contact any person, or pet., either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until sprays have dried.

**LAWN WEED CONTROL**

When used as directed kills weeds in your lawn - won't harm lawn grasses.

OR

When used as directed kills broadleaf weeds in lawns — roots and all. Kills weeds — not lawn grasses.

**WEEDS [ILLUSTRATION]**

Alder	Dogbane	Nettle	Spurweed
Annual yellow sweet clover,	Dogfennel	Orange hawkweed	Stinging nettle
Artichoke	Elderberry	Oxalis	Stinkweed
Aster	English daisy	Oxeye daisy	Stitchwort
Austrian fieldcress	Fall dandelion	Parsley-piert	Strawberry clover
Bedstraw	False dandelion	Parsnip	Sumac, Sunflower
Beggartick	False flax	Pearlwort	Sweet clover
Biden	False sunflower	Pennycress	Tall nettle
Bindweed	Fiddleneck	Pennywort	Tall vervain
Bird vetch	Field bindweed	Peppergrass	Tansy mustard
Bitterweed	Field pansy	Pepperweed	Tansy ragwort
Bitter wintercress	Flea bane (daisy)	Pigweed	Tanweed
Black-eyed Susan	Flixweed	Pineywoods bedstraw	Tarweed
Black medic	Florida betony	Plains coreopsis	Thistle
Black mustard	Florida pusley	Plantain	Tick trefoil
Black-seed plantain	Frenchweed	Poison hemlock	Toadflax
Blessed thistle	Galinsoga	Poison ivy	Trailing Crownvetch
Blue lettuce	Garlic mustard	Poison oak	Tumble mustard
Blue vervain	Goathead	Pokeweed	Tumble pigweed
Box elder	Goatsbeard	Poorjoe	Tumbleweed
Bracted plantain	Goldenrod	Povertyweed	Velvet leaf
Brassbuttons	Ground ivy	Prickly lettuce	Venice mallow
Bristly oxtongue	Gumweed	Prickly sida	Veronica
Broadleaf dock	Hairy bittercress	Primrose	Vervain
Broadleaf plantain	Hairy fleabane	Prostrate knotweed	Vetch
Broomweed	Hawkweed	Prostrate pigweed	Virginia buttonweed
Buckhorn	Healall	Prostrate spurge	Virginia creeper
Buckhorn plantain	Heartleaf drymary	Prostrate vervain	Virginia pepperweed
Bulbous buttercup	Hedge bindweed	Puncture vine	Wavyleaf bullthistle
Bull nettle	Hedge mustard	Purslane	Western clematis
Bull thistle	Hemp	Ragweed	Western salsify
Burdock	Henbit	Red clover	White clover
Burning nettle	Hoary cress	Redroot pigweed	White mustard
Bur ragweed	Hoary plantain	Red sorrel	Wild mustard
Burweed	Hoary vervain	Redstem filaree	Wild aster
Buttercup	Honeysuckle	Rough cinquefoil	Wild buckwheat
Canada thistle	Hop clover	Rough fleabane	Wild carrot
Carolina geranium	Horsenettle	Roundleaved marigold	Wild four-o'clock
Carpetweed	Horsetail	Rush	Wild garlic
Catchweed bedstraw	Indiana mallow	Russian pigweed	Wild geranium
Catsear	Ironweed	Russian thistle	Wild lettuce
Catnip	Jewelweed	St. Johnswort	Wild marigold
Chickweed	Jimsonweed	Scarlet pimpernel	Wild onion
Chicory	Kochia	Scotch thistle	Wild parsnip
Cinquefoil	Knawel	Sheep sorrel	Wild radish
Clover	Knotweed	Shepherdspurse	Wild rape
Cockle	Lambsquarter	Slender plantain	Wild strawberry
Cocklebur	Lespedeza	Smallflower galinsoga	Wild sweet potato
Coffeebean	Locoweed	Smartweed	Wild vetch
Coffeeweed	Lupine	Smooth dock	Willow
Common chickweed	Mallow	Smooth pigweed	Witchweed
Common mullein	Marshelder	Sneezeweed	Woolly morningglory,
Common sowthistle	Matchweed	Southern wild rose	Woodsorrel
Corn Chamomile	Mexicanweed	Sowthistle	Woolly croton
Creeping jenny	Milk vetch	Spanishneedle	Woolly plantain
Crimson clover	Milkweed bloodflower	Spatterdock	Wormseed
Croton	Mugwort	Speedwell	Yarrow
Cudweed	Morningglory	Spiny Amaranth	Yellow rocket
Curly dock	Mousear chickweed	Spiny cocklebur	Yellow lower pepperweed
Curly indigo	Musk thistle	Spotted catsear	and other broadleaf weeds.
Dandelion	Mustard	Spotted knapweed	
Dead nettle	Narrowleaf plantain	Spotted spurge	
Dock	Narrowleaf vetch	Spurge	

12 of 17



**ORNAMENTAL LAWNS AND TURF**

Apply this product at the rate of 2 pints in 4 to 50 gallons of water per 10,000 square feet (3.2 fluid ounces in 2.5 gallons of water per 1,000 square feet) to control weeds growing in turf planted to Bluegrass, Fescue, Rye, Bent (excluding golf course greens and tees), Bahia, Bermuda and Zoysia.

**MIXING INSTRUCTIONS (Amount to Use)**

<b>(For (on) Northern Lawns (grasses))</b>	
<ul style="list-style-type: none"> <li><u>Fescues, Kentucky bluegrass, perennial rye &amp; zoysia</u> When using a tank sprayer: Add 4 fl oz per 1 gallon of water for each 1,000 sq. ft. [icon] When using an ORTHO Dial 'n Spray: Set dial to 4 oz. Add 8 fl oz of concentrate directly into sprayer jar. <b>DO NOT ADD WATER.</b> Spray evenly over 2,000 sq ft. (until jar is empty.) (After spraying with Ortho Dial 'n Spray applicator,) Any unused product should be poured back into its original container.</li> </ul>	
<b>(For (on) Southern Lawns (grasses))</b>	
<ul style="list-style-type: none"> <li><u>Bermuda, bahia, &amp; bent (Do not use on St. Augustine or centipede lawns):</u> When using a tank sprayer: Add 2 fl oz per gallon of water for each 1,000 sq ft. [icon] When using ORTHO Dial 'n Spray: Set dial to 2 oz. Add 8 oz of concentrate into sprayer jar. <b>DO NOT ADD WATER.</b> Spray evenly over 4,000 sq ft. (until jar is empty.) (After spraying with Ortho Dial 'n Spray applicator,) Any unused product should be poured back into its original container.</li> </ul>	

<b>(Optional Directions for Hose-End Sprayer)</b>	
<b>AMOUNT TO SPRAY</b>	
[walking man icon]	<ul style="list-style-type: none"> <li>Measure lawn. Calculate square feet by multiplying length times width.</li> <li>Use the amount indicated for your lawn variety.</li> </ul>
<b>(For (on) Northern Lawns (grasses))</b>	
<ul style="list-style-type: none"> <li><u>Fescues, Kentucky bluegrass, perennial rye &amp; zoysia</u></li> </ul>	
16 fl oz (1/2 bottle) treats 4,000 sq ft.	
<b>(For (on) Southern Lawns (grasses))</b>	
<ul style="list-style-type: none"> <li><u>Bermuda, bahia, bent, (centipede &amp; St. Augustine.) (Do not use on floritam):</u></li> </ul>	
16 fl oz (1/2 bottle) treats 8,000 sq ft.	
<b>(For (on) Southern Lawns (grasses))</b>	
<ul style="list-style-type: none"> <li><u>Centipede &amp; St. Augustine (Do not use on floritam)</u></li> </ul>	
16 fl oz (1/2 bottle) treats 10,667 sq ft.	
(Floritam is a variety of St. Augustine grass widely grown in Florida). (This product kills floritam grass.) (For floritam lawns, use Weed-B-Gon for St. Augustine Lawns.)	



[END Optional use directions for (Brand Name) Hose-End Sprayer]

**FOR BEST RESULTS**

**Before You Apply:**

Do not mow for 1 to 2 days before or after application.

If soil is dry, water before application.



To treat entire lawn (broadcast application): Use a tank sprayer or hose-end sprayer. Measure lawn. Calculate square feet by multiplying length times width. Spray evenly over measured area.

**HOW TO APPLY:** To spot treat individual lawn weeds: Use a tank sprayer and spray to wet weeds. To reduce spray drift, adjust sprayer nozzle to deliver a coarse spray. For broadcast application - use Ortho Dial 'n Spray applicator.

**WHEN TO APPLY:**

[illustration]

- Spray when weeds are actively growing.
- [Spray when] temperature is below 90°F.
- Spray when air is calm to avoid drift to vegetables, flowers, ornamental plants, trees, shrubs and other desirable plants.
- Do not apply to newly seeded grasses until well-established (they have been mowed 3 times).
- Rain or watering 1 hour after application will not wash away effectiveness.
- Reseed no sooner than 3 weeks after application.



140917

### BRUSH CONTROL

Kills Brush And Other Tough Weeds - Poison Ivy, Poison Oak, Kudzu, Wild Blackberries and over 240 other tough weeds.

#### WHERE TO USE

This product may be used around homes, cabins and other buildings and along fences.  
Amount to Use - 4 fluid ounces per gallon of water per 1,000 square feet.

#### MIXING INSTRUCTIONS

Amount to Use: 4 fluid ounces per gallon of water per 1,000 square feet (1 tablespoon = 3 teaspoons, 1 fluid ounce = 2 tablespoons).

[icon] When using (Brand Name Spray): Set dial to 4 ounces. Pour 4 ounces. of this product directly into sprayer jar. DO NOT ADD WATER. Spray evenly over 1,000 square feet. After spraying, unused product should be poured back into its original container.

#### HOW TO APPLY

- Use coarse spray pattern to reduce drift to desirable plants.
- Spray weeds to thoroughly wet foliage, stems and trunk.
- Do not spray on or around plants or grasses you like, they may die too.
- If weeds are growing around desirable plants, shield them from drift with a sheet of cardboard or plastic.
- If desirable plants are accidentally sprayed, rinse off immediately with water.

#### TO KILL VINES

- If weeds are growing up poles, fences or tree trunks with mature bark, spray to thoroughly cover weeds up to a height of 3 to 4 feet. Tree bark is mature if you scratch the bark with your finger and do not find any green tissue.
- If weeds are climbing shrubs or green barked trees, cut weeds at base and treat as directed for stumps.

#### TO KILL STUMPS

- Apply product undiluted with a paintbrush to the entire freshly cut stump, including the cut surface, remaining trunk and exposed roots.
- Do not reuse paintbrush. Wrap paintbrush in newspaper and put in trash.

#### WHEN TO APPLY

[illustration]

- Spray when weeds are actively growing.
- Spray when air is calm to avoid drift to vegetables, flowers, ornamental plants, trees, shrubs and other desirable plants.

Note: Contact with poison ivy or poison oak any time of the year can cause an allergic reaction. Handle dead plants with rubber gloves. Dispose of plants and rubber gloves in tightly sealed garbage bags.

[Re-entry icon] Do not allow people (other than applicator) or pets on treatment area during application. People and pets may enter treated area after spray has dried.

### STORAGE AND DISPOSAL

**PESTICIDE STORAGE:** To be stored in original container and placed in an area inaccessible to children.

**PESTICIDE DISPOSAL: If empty:** Do not reuse this container except as specified in directions to prepare refill. Place in trash or offer for recycling if available. **If partially filled:** If product cannot be used as directed, call your local solid waste agency for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

#### WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER, AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, CROP OR PLANT DAMAGE, OR LOSS OF YIELD, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE WEATHER, WIND, AND TEMPERATURE, OR THE MANNER OF USE OR APPLICATION, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER, AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER OR MANUFACTURER, AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY

AUTHORITY TO MAKE ANY OTHER REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS. NO WARRANTIES SHALL BE CREATED BY COURSE OF DEALING, USAGE OF TRADE, OR COURSE OF PERFORMANCE. THERE ARE NO WARRANTIES THAT EXTEND BEYOND THE FACE HEREOF. THE SELLER OR MANUFACTURER ASSUMES NO RESPONSIBILITY THAT THE GOODS WILL BE FIT FOR ANY PARTICULAR PURPOSE FOR WHICH YOU MAY BE BUYING OR USING THE GOODS, EXCEPT AS OTHERWISE PROVIDED IN THE CONTRACT.

**LIMITATION OF LIABILITY WARNING**

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, NEITHER MANUFACTURER NOR SELLER SHALL BE LIABLE TO BUYER OR USER OR TO CUSTOMERS OF BUYER, IF ANY, FOR INDEMNIFICATION OR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR ARISING OUT OF THE USE, MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR CUSTOMERS. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY, SHALL BE FOR DAMAGES NOT EXCEEDING THE PURCHASE PRICE OF THE GOODS AND, IF BUYER OR USER WISHES, THE RETURN OF THE GOODS BY BUYER TO SELLER.

**If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the goods, and return it unopened to the Seller, and the purchase price will be refunded. *By using the goods, you expressly agree to all of the terms and conditions of this contract.***

(RV050709N)

**Questions, Comments or Medical Information**

Call 1-800-XXX-XXXX [www.XXXXXX.com](http://www.XXXXXX.com)

( Questions, Comments or Medical Information

Call 1-800-XXX-XXXX [www.XXXXXX.com](http://www.XXXXXX.com)

**The Seller's Guarantee**

If for any reason you are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase price.

**NOTICE:** Buyer assumes all risks of use, storage and handling of this product not in strict accordance with directions given herewith.

Horsepower is a Registered Trademark of Nufarm Americas Inc.



**Formula Claims:** These claims may be presented on the retail container label or on the labeling accompanying the product.

#### APPENDIX

- Kills weeds - not lawns.
- For a beautiful Weed-Free Lawn
- Use [Product Name] to control weeds everywhere around [or in] your lawn.
- Kills broadleaf weeds in your lawn.
- Ideal for spot treating individual lawn weeds.
- Rain proof in hours.
- New Formula.
- Can be used on all cool season [turf] [grass] [lawns].
- Guaranteed [Results]
- Kills weeds the first time, every time, guaranteed.
- Guaranteed not to harm the lawn.
- Kills to the root so weeds don't [won't] ever come [grow] back.
- Formerly [Product Name]
- Complete [total] root [weed] kill
- Kills all major [common] broadleaf weeds
- Complete kill [root kill] [weed kill]
- Kills [even] hard to control [kill] weeds
- Kills even tough [the toughest] [lawn] weeds [to the root]
- Won't harm lawns, when used as directed.
- Total root kill
- Kills [dandelions] [chickweed] [clover] [ground ivy] [creeping Charlie] [oxalis] [wild violet] [poison ivy] [poison oak] [over 250] and other [over 240 other] tough [lawn] weeds [tough [lawn] weeds].
- Kills over 250 [tough][lawn] weeds
- Kills Weeds
- Kills over 250 weeds including: dandelion, chickweed, clover, ground ivy, (creeping Charlie), oxalis, wild violet & other tough lawn weeds.
- [Product Name] singles out weeds leaves grass alone [unharmed].
- Targets weeds, leaves grass [the lawn] unharmed.
- Made [scientifically formulated] [special formula] for use on lawns.
- New
- New Formula
- Now
- Helps keep lawn[s] healthy and weed-free.
- How it works: [Product Name] contains an exclusive blend of ingredients scientifically proven to kill even the toughest lawn weeds down to the roots. And its revolutionary formula won't kill [harm] your lawn [grass] – guaranteed! [Best of all], the killing power [the exclusive ingredients] only work[s] on weeds, so it [Product Name] won't kill [harm] your lawn [grass] – guaranteed!] When used as directed.
- Helps keep[s] the lawn look [ing] beautiful.
- Great [ideal] for spot treatments
- Kills the toughest [lawn] weeds, guaranteed.
- Maximum weed [brush] control
- Results [works] with 1 application
- Tough weed formula
- Max Kill Formula
- Kills weeds to the MAX
- Revolutionary [tough weed] formula
- [Company Name][our][Product Name] best lawn weed killer [weed killer for lawns] [brush killer]
- [Company Name] [our] [Product Name] most-effective lawn weed killer [weed killer for lawns] [brush killer]
- [Company Name] [our] [Product Name] most powerful lawn weed killer [weed killer for lawns] [brush killer]
- [Company Name] [Product Name] strongest formula [ever]
- Kills the [entire] root
- 100% [MAX] root [weed] kill.
- [Product Name] MAX
- Guaranteed kill.
- Tough on weeds. Gentle [easy] on lawns.
- Easy to use.
- Just attach hose and spray.



- Results in 24 hours
- Overnight results
- Rain-Proof in 1 hour
- Rain-Proof! BRAND
- PRODUCT FACT
- Treats up to 8,000 sq. ft. [16 oz. size] (at 2 fl. oz/1 Gal/ 1,000 sq ft. rate)
- Treats up to 16,000 sq. ft. [32 oz. size] (at 2 fl oz/1 Gal/ 1 ,000 sq ft. rate)
- Makes up to 8 gallons of spray [16 oz. size] (at 2 fl oz/1 Gal/ 1 ,000 sq ft. rate)
- Makes up to 16 gallons of spray [32 oz. size] (at 2 fl oz/1 Gal/ 1 ,000 sq ft. rate)
- Results Guaranteed!
- Kills Poison Ivy, Poison Oak and Other Tough Weeds
- Kills Brush, Woody Weeds & Vines
- Also kills poison oak, [wild] blackberries, kudzu and stumps
- Kills Poison Ivy and Tough Brush [that invades your yard]
- Kills the toughest weeds [brush]

**{Optional Language Below – Use Precautions}**

**USE PRECAUTIONS**

Do not pour spray solutions near desirable plants. Avoid fine mists. Maximum kill (or control) of weeds will be obtained from spring or early fall applications when weeds are actively growing.

The suitable use of this product on non-recommended turf species may be determined by treating a small area at any rate/sq. ft. which does not exceed 4 ounces/1,000 square feet. Prior to treatment of larger areas, the treated area should be observed for any sign of turf injury for a period of 30 days of normal growing conditions to determine the phytotoxicity and efficacy to the treated area. The user assumes the responsibility for any plant damage or other liability resulting from the use of this product on species not recommended on this label.

For optimum results: (1) avoid applying during excessively dry or hot periods unless irrigation is used; (2) avoid applying if rainfall is expected within 24 hours, nor should lawns be irrigated (watered) for 24 hours following application. Clean and rinse spray equipment using soap or detergent and water, and rinse thoroughly before reuse for other sprays.

