Please read instructions on re	R-34/ verse before completing	<u>5</u> -	17-3	2004	Form Apr	oroved.	OML		t).			
United States Environmental Protection Age Washington, DC 20460				ency			Regist <u>, 207</u> Amendme Other		OPP Identifier Number 300372			
		Applicatio	n for F									
1. Company/Product Number 228-341				2. EPA Product Manager J. I. Miller			- 000 00000 0 0000 0 0000	3. Proposed Cib				
4. Company/Product (Name) Riverdale XRM-5202 Premium Granular Weed Killer				PM# 23 None								
5. Name and Address of Applicant (Include ZIP Code) Nufarm Americas Inc. 1333 Burr Ridge Parkway, Suite 125A Burr Ridge, IL 60527-0866				 6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No 								
Check if t	his is a new addres	55	Coo	Product Name								
Se Amendment - Explain below. Resubmission in response to Agency letter dated Notification - Explain below.			Jeci		on - II Final printed labels in response to Agency letter dated "Me Too" Application. NOTIFICATION MAY 1 7 2004 Other - Explain below.							
Explanation: Use additional Revised State use limitations for 6 This notification is consistent with Confidential Statement of Formul that if this notification is not cons action and penalties under section	Oregon. h the provisions of PR No la of this product, I under istent with the terms of P	otice 98-10 and E rstand that it is a	PA regulat violation o	tions at 40 (f 18 U.S.C.	Sec. 1001 to	willfull	y make any false :	statemen	t to EPA. I further understand			
			Sect	ion - II	1							
1. Material This Product Will	Be Packaged In:						······					
Child-Resistant Packaging Yes * No * Certification must be submitted	ef If "Yes" No. per If "Y			Soluble Packaging 2. Type of Yes. No s" No. per ge wgt container				Container Metal Plastic Glass Paper Other (Specify)				
	Decation of Net Contents Information 4. Size(s) Retail Conta			On Label					ections			
6. Manner in Which Label is Affixed to Product Paper gl				luedOuter								
			Sect	ion - I\	/			<u> </u>				
1. Contact Point (Complete it	ems directly below for	r identification	of indívi	dual to be	contacted,	, if nece	ssary, to proce	ss this	application.)			
Name Title Russell F. Sawyer 1				Telephone No. (Include Area CodeRegulatory Affairs Manager708/754-3330					•			
I certify that the statem I acknowledge that any both under applicable I	knowingly false or m		all attachr					ete.	6. Date Application Received (Stamped)			
2. Signature C. A Aug 3. T			Regulatory Affairs Manager						•			
I. Typed Name	0		5. Date	jate								
Russell F. Sawyer			April 30, 2004									
PA Form 8570-1 IRev. 8-94)	Previous editions are	obsolete.			Wh	ite - EP	A File Copy (or	iginal)	•Yellow - Appficant Copy			

(Commercial Only Label)



MAY 1 7 2004

RIVERDALE

XRM-5202™ PREMIUM GRANULAR WEED KILLER

THIS PRODUCT IS A PREMIUM GRADE HERBICIDE WHICH KILLS (OR CONTROLS) A WIDE SPECTRUM OF BROADLEAF WEEDS.

CONTAINS 2,4-D, TRICLOPYR, AND CLOPYRALID.

Weeds contacted by this product gradually die and disappear from the lawn.

Treats (or covers) 5,000 Square Feet (50' x 100')

ACTIVE INGREDIENTS: Triisopropanolamine Salt of 2,4-Dichlorophenoxyacetic Acid*	•						2.139%
Triethylamine Salt of 3,5,6-Trichloro-2-Pyridinyloxyacetic Acid**							
3,6-Dichloro-2-Pyridinecarboxylic Acid***							
INERT INGREDIENTS:							
TOTAL		•	•	٠	•	•	100.000%
By Isomer Specific Method, Equivalent to: *2,4-Dichlorophenoxyacetic Acid		•	•				0.1148

Riverdale is a Registered Trademark of Nufarm Americas Inc.

¹IN CALIFORNIA AND WASHINGTON, TURFGRASS AND LAWN USES ARE RESTRICTED TO GOLF COURSES ONLY. IN OREGON, THE USE OF THIS PRODUCT IS LIMITED TO THE SITES STATED ON THIS LABEL WHICH ARE AGRICULTURAL*, FOREST*, RIGHT-OF-WAY*, GOLF COURSE OR CEMETERY SITES. *This product cannot be used on Agricultural, Forest Sites or Rights-of-Way.

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

EPA REG. NO. 228-341

NET WEIGHT 20 LBS.

EPA EST. NO. 228-IL-1

MANUFACTURED BY NUFARM AMERICAS INC., BURR RIDGE, ILLINOIS 60527-0866

Revised 4/18/03 Changed First Aid Statement per PR 2001-1 via Amendment.

10/10/03 Changed per EPA's letter dated 5/5/03, added State Restrictions and added more weeds all via Notification.

4/30/04 Corrected per EPA's e-mail dated 1/21/04 regarding Oregon restrictions via Notification.

Riverdale XRM-5202TM Premium Granular Weed Killer (Commercial)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. When using this product, wear long pants, long-sleeved shirt, socks and shoes. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. The maximum number of broadcast applications per treatment site is 2 per year. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until dust has settled.

FIRST AID STATEMENT

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

Clopyralid, an active ingredient in this product, may leach through soil into groundwater under certain conditions of use. Use of this product where soils are permeable, particularly where the water table is shallow, may result in leaching to groundwater. Caution should be exercised when handling this product at mixing, loading, and disposal sites to prevent contamination of groundwater supplies. Use of closed systems for mixing or transferring this product will reduce the probability of spills. Placement of mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

XRM-5202²⁴⁴ PREMIUM GRANULAR WEED KILLER is a stable mixture of three broad-spectrum herbicides. It is for use on Non-Residential Ornamental Turf grass (Industrial and Institutional) Athletic/Recreational fields (Parks, Playgrounds and Sports Fields) Cemeteries, Golf Courses (Fairways, Aprons, Tees* and Roughs), Industrial Sites, Non-Cropland, Rights-of-Way and Roadsides, except as noted on the front cover. *Excluding Bentgrass Tees.

Do not use on residential turfgrass. Do not collect grass clippings for mulch or compost. Do not send clippings to a compost facility. Applicator must give notice to landowners/property managers to not use grass clippings for mulching or composting.

This product may be used on established Bahia, Bent* (excluding golf course greens and tees), Bermuda*, Blue Grass, Buffalo, Centipede*, Fescue, Rye, and Zoysia* grass. DO NOT USE on Centipede, Dichondra, St. Augustine, and Carpet grass. DO NOT USE this product where desirable clovers are present or allow the product to "wind drift" onto flowers,

Page 2

Riverdale XRM-5202™ Premium Granular Weed Killer (Commercial)

vegetables, ornamentals, shrubs, trees or other desirable plants. *Do not apply to these turfgrasses unless potential turf injury can be tolerated. To minimize grass injury, an additional application should be made no sooner than four weeks later. Avoid overlapping.

WEEDS CONTROLLED BY XRM-5202IM PREMIUM GRANULAR WEED KILLER

This product is designed to control many broadleaf weeds such as: Alder, Annual yellow sweet clover, Artichoke, Aster, Austrian fieldcress, Bedstraw, Beggartick, Biden, Bindweed, Bird vetch, Bitterweed, Bitter wintercress, Black-eyed Susan, Black medic, Black mustard, Blackseed pantain, Blackseed plantain, Blessed thistle, Blue lettuce, Blue vervain, Box elder, Bracted plantain, Brassbuttons, Bristly oxtongue, Broadleaf dock, Broadleaf plantain, Broomweed, Buckhorn, Buckhorn plantain, Bulbous buttercup, Bull nettle, Bull thistle, Burdock, Burning nettle, Bur ragweed, Burweed, Buttercup, Canada thistle, Carolina geranium, Carpetweed, Catchweed bedstraw, Catsear, Catnip, Chickweed, Chicory, Cinquefoil, Clover, Cockle, Cocklebur, Coffeebean, Coffeeweed, Common chickweed, Common mullein, Common sowthistle, Corn Chamomile, Creeping jenny, Crimson clover, Croton, Cudweed, Curly dock, Curly indigo, Dandelion, Dead nettle, Dock, Dogbane, Dogfennel, Elderberry, English daisy, Fall dandelion, False dandelion, False flax, False sunflower, Fiddleneck, Field bindweed, Field pansy, Flea bane (daisy), Flixweed, Florida betony, Florida pusley, Frenchweed, Galinsoga, Garlic mustard, Goathead, Goatsbeard, Goldenrod, Ground ivy, Gumweed, Hairy bittercress, Hairy fleabane, Hawkweed, Healall, Heartleaf drymary, Hedge bindweed, Hedge mustard, Hemp, Henbit, Hoary cress, Hoary plantain, Hoary vervain, Honeysuckle, Hop clover, Horsenettle, Horsetail, Indiana mallow, Ironweed, Jewelweed, Jimsonweed, Kochia, Knawel, Knotweed, Lambsquarter, Lespedeza, Locoweed, Lupine, Mallow, Marshelder, Matchweed, Mexicanweed, Milk vetch, Milkweed bloodflower, Mugwort, Morningglory, Mousear chickweed, Musk thistle, Mustard, Narrowleaf plantain, Narrowleaf vetch, Nettle, Orange hawkweed, Oxalis, Oxeye daisy, Parsley-piert, Parsnip, Pearlwort, Pennycress, Pennywort, Peppergrass, Pepperweed, Pigweed, Pineywoods bedstraw, Plains coreopsis, Plantain, Poison hemlock, Poison ivy, Poison oak, Pokeweed, Poorjoe, Povertyweed, Prairie, Prickly lettuce, Prickly sida, Primrose, Prostrate knotweed, Prostrate pigweed, Prostrate spurge, Prostrate vervain, Puncture vine, Purslane, Ragweed, Red clover, Redroot pigweed, Red sorrel, Redstem filaree, Rough cinquefoil, Rough fleabane, Roundleafed marigold, Rush, Russian pigweed, Russian thistle, St. Johnswort, Scarlet pimpernel, Scotch thistle, Sheep sorrel, Shepherdspurse, Slender plantain, Smallflower galinsoga, Smartweed, Smooth dock, Smooth pigweed, Sneezeweed, Southern wild rose, Sowthistle, Spanishneedle, Spatterdock, Speedwell, Spiny, Spiny Amaranth, Spiny cocklebur, Spotted catsear, Spotted knapweed, Spotted spurge, Spurge, Spurweed, Stinging nettle, Stinkweed, Stitchwort, Strawberry clover, Sumac, Sunflower, Sweet clover, Tall nettle, Tall vervain, Tansy mustard, Tansy ragwort, Tanweed, Tarweed, Thistle, Tick trefoil, Toadflax, Trailing Crownvetch, Tumble mustard, Tumble pigweed, Tumbleweed, Velvet leaf, Venice mallow, Veronica, Vervain, Vetch, Virginia buttonweed, Virginia creeper, Virginia pepperweed, Wavyleaf bullthistle, Western clematis, Western salsify, White clover, White mustard, Wild mustard, Wild aster, Wild buckwheat, Wild carrot, Wild fouro'-clock, Wild garlic, Wild geranium, Wild lettuce, Wild marigold, Wild onion, Wild parsnip, Wild radish, Wild rape, Wild strawberry, Wild sweet potato, Wild vetch, Willow, Witchweed, Wooly morningglory, Woodsorrel, Wooly croton, Wooly plantain, Wormseed, Yarrow, Yellow rocket, Yellowflower pepperweed, and other broadleaf weeds.

WHEN TO APPLY: Best results are obtained when weeds are growing actively in Spring or early Fall. Avoid contact with desirable shrubs, plants, vegetables, or flowers; especially when applying with a rotary (spinner) type spreader. Do not reseed for at least 3 to 4 weeks after application. Do not apply to newly seeded or sodded lawn until after 3 mowings. For optimum results (1) Avoid mowing 1 to 2 days before and after application; (2) Apply when grass is moist (after a rain, sprinkling or dew); (3) Avoid unnecessary disturbances, including watering of treated areas for 48 hours after application. Watering will wash off weed killing material; and (4) Avoid applying if rainfall is expected within 48 hours following treatment. Possible retreatment in approximately 30 days may be necessary if lawn is heavily overrun with weeds or if adverse low moisture conditions prevail and weeds are in a state of poor growth. Do not exceed recommended rates because damage to turf may occur.

NOTE: When applying to listed Warm Season Grasses - under conditions of inadequate moisture, high temperature and high humidity, over-application may cause minor transitory discoloration. It is recommended that during hot, dry conditions, application rates should be reduced 50% to avoid possible dehydration or browning of grass.

Riverdale XRM-5202™ Premium Granular Weed Killer (Commercial)

HOW TO APPLY: This 20 pound bag should be used on 5,000 square feet. Apply evenly with a lawn spreader as a one pass application. A two pass application, criss-crossing the area at half the rate each time is also acceptable.

The following settings are approximate for applying contents of this package at a suggested rate of 4 pounds per 1,000 square feet. Settings are based on an average walking speed. Reduce setting for slower speed; raise setting for higher speed. Check your spreader on 250 square feet and adjust to apply at the rate of 1 lb. per 250 square feet.

SPREADER SETTINGS ONE PASS APPLICATION: °

Environmental

(Giasscycling

Logoi

Benefits

MAKE	SETTING
Central Calibrated	5
Cyclone Broadcast	3-3/4
Jackson	5
Sears Broadcast	3
Sears	5
Scotts Calibrated	4

Wash out spreader after each use and allow it to dry thoroughly. Treat any exposed metal spreader areas with oil to reduce corrosion.

> Besides increasing property values, did you know a well-maintained lawn provides the following benefits to your home and environment:

Grass clippings and yard waste are approximately 20% of the volume in our nation's landfills. To do your part to reduce this amount, leave grass clippings on your lawn. Increased mowing height and frequency will produce smaller grass clippings that will decompose more readily so nutrients go back into vour lawn.

✓ A 50' x 50' lawn produces enough oxygen for a family of 4 every day

- ✓ Reduces Glare & Reduces Noise
- ✓ Traps Dust, Smoke Particles & other Pollutants
- ✓ Purifies Water & Modifies Temperature
- Improves Soil Condition & Controls Erosion

STORAGE AND DISPOSAL

STORAGE: Always use original container to store pesticides in a secured warehouse or storage building. Do not stack more than two pallets high. Do not store near open containers of fertilizer, seed or other pesticides. Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. If container is damaged or if pesticide has leaked, clean up all spilled material. Improper disposal of excess pesticide, spray mixtures or rinsate is a violation of Federal law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned, stay away from smoke.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Riverdale XRM-5202[™] Premium Granular Weed Killer (Commercial)

Page

OPTIONAL SPREADER INSTRUCTIONS:

- (Illustration) For Drop Spreaders: First apply two strips at ends. Then apply product along the length of the lawn, overlapping very slightly and shutting off spreader when turning.
- (Illustration) For Rotary Spreaders: Apply in a circular path, starting on the outside and working toward the center, overlapping very slightly.

OPTIONAL MARKETING STATEMENTS

Contains XRM-5202[™] - A Premium Selective Herbicide

For Both Cool Season & Warm Season Grasses

The following note will not be part of the actual label copy.

Note: Spreader Settings will vary among various commercial spreader manufacturers.

Editor's Note:

¹The State Sale and Use Prohibitions of this product must be part of printed label text for any product which might possibly enter the channels of trade in the states of California, Oregon and/or Washington. The label prohibitions are optional for all other states.



Nufarm Americas Inc. 1333 Burr Ridge Parkway, Suite 125A Burr Ridge, IL 60527-0866 Phone: 708.754.3330 Fax: 708.754.0314 www.us.nufarm.com

UPS - Overnight April 30, 2004

÷ ы.,

Document Processing Desk (NOTIF) Registration Division (7505C) Office of Pesticide Programs U.S. Environmental Protection Agency Crystal Mall Building, #2 1921 Jefferson Davis Arlington, VA 22202

Dear Sir/Madam:

Subject: Riverdale XRM-5202 Premium Granular Weed Killer EPA Registration No. 228-341 Label Revisions Application For Pesticide: Notification OPP Identifier No. 300372

We are resubmitting corrected labels. We followed the guidance fact sheet in your January 21, 2004 e-mail covering an identical Oregon label problem.

We have enclosed an extra copy of the label highlighted to show just the changes contained in this Notification.

If there is anything else we should do at this time please contact us immediately.

Thank you for your continuing assistance.

Sincerely yours,

NUFARM AMERICAS INC.

By Russell F. Sawyer Regulatory Affairs Manager



RFS:jb

Enclosures