

228-342

6/30/2009

Jacket

1/15

 <p align="center"> U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505P) Ariel Rios Building 1200 Pennsylvania Ave., NW Washington, D.C. 20460 </p>	EPA Reg. Number: 228-342	Date of Issuance: JUN 30 2009
	Term of Issuance:	
NOTICE OF PESTICIDE: <input type="checkbox"/> Registration <input checked="" type="checkbox"/> Reregistration (under FIFRA, as amended)	Name of Pesticide Product: Riverdale Dissolve Premium Granular Weed Killer	
Name and Address of Registrant (include ZIP Code): Nufarm Americas Inc. 150 Harvester Drive, Suite 200 Burr Ridge, IL 60527		
<p>Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.</p> <p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is reregistered in accordance with FIFRA section 4(g)(2)(C) provided you:</p> <ol style="list-style-type: none"> Submit and/or cite all data required for registration review/reregistration of your product when the Agency requires all registrants of similar products to submit data. Maintain changes as specified in the 2,4-D and MCP-p RED amendment letters. Make the following changes to the <u>commercial</u> label: <ol style="list-style-type: none"> Per the 2,4-D-p RED Add “ Discard clothing and other absorbent material that have been drenched or heavily contaminated with the product’s concentrate. Do not reuse them.” to the PPE section following the statement “Follow manufacturer’s instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.” Assure that application rates listed on the label do not exceed the maximum rate allowed for 2,4-D-p (0.75 lbs/A per broadcast application) and (2.0 lbs/A per spot treatment). Both spot and broadcast treatments are limited to 2 applications per year with a 30 day minimum interval between them. Broadcast application is prohibited at the spot treatment use rate. 		
<p><i>Continued on Page 2</i></p>		
Signature of Approving Official: Joanne I. Miller Product Manager 23 Herbicide Branch Registration Division (7505P)	Date: JUN 30 2009	

- c. Per the 2,4-D-p RED, the following use precaution statement must be added to the 'Directions For Use section.'

“Do not use this product on or near desirable plants, including within the dripline of the roots of desirable trees and shrubs, since injury may result.”

- d. Assure that the Storage and Disposal section complies with the residue removal and container handling language of PR Notice 2007-4. See chapter 13 of the Label Review Manual for further guidance.

4. Make the following changes to the non-commercial/residential label:

- a. Assure that application rates listed on the label do not exceed the maximum rate allowed for 2,4-D-p (0.75 lbs/A per broadcast application) and (2.0 lbs/A per spot treatment). Both spot and broadcast treatments are limited to 2 applications per year with a 30 day minimum interval between them. Broadcast application is prohibited at the spot treatment use rate.
- b. Assure that the Storage and Disposal section complies with the residue removal and container handling language of PR Notice 2007-4. See chapter 13 of the Label Review Manual for further guidance.

5. Make the following changes to both the commercial and non-commercial/residential labels:

- a. Remove “PREMIUM GRADE” from the product description below the product name as it implies heightened efficacy and may be false or misleading (PR Notice 93-6).
or
Provide justification to maintain this description.
- b. To avoid any confusion, the “per acre” restrictions must be converted to “per 1000 square feet”.
- c. Revise the ‘How to Apply’ statement “This 10 pound bag should be used on 5,000 square feet.” to “This 10 pound bag treats 5,000 square feet.”

6. A stamped copy of your labeling is enclosed for your records. You must submit one (1) copy of the final printed label before you release the product for shipment. Products shipped after 12 months from the date of this Notice or the next printing of the label whichever occurs first, must bear the new revised label. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Enclosure

3/15

COMMERCIAL

DISSOLVE[®] PREMIUM GRANULAR WEED KILLER

THIS PRODUCT IS A PREMIUM GRADE HERBICIDE WHICH CONTROLS A WIDE SPECTRUM OF BROADLEAF WEEDS.

CONTAINS 2,4-D, MECOPROP and DICHLORPROP

Weeds contacted by this product gradually die and disappear from the lawn registered under EPA Reg. No.

Treats (or covers) 5,000 Sq. Ft. (50' x 100')

ACCEPTED with COMMENTS In EPA Letter Dated:

JUN 30 2009 Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

228-342

ACTIVE INGREDIENTS:

Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid*	1.400%
Dimethylamine Salt of 2- (2-Methyl-4-Chlorophenoxy)propionic Acid**	0.726%
Dimethylamine Salt of 2- (2,4-Dichlorophenoxy)propionic Acid***	0.715%

OTHER INGREDIENTS:	97.159%
TOTAL:	100.000%

ISOMER SPECIFIC METHOD, EQUIVALENT TO:

*2,4-Dichlorophenoxyacetic Acid	1.16%
**2- (2-Methyl-4-Chlorophenoxy)propionic Acid	0.60%
***2- (2,4-Dichlorophenoxy)propionic Acid	0.60%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

SEE BACK PANEL FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300
For Medical Emergencies Only, Call (877) 325-1840

EPA REG. NO. 228-342
EPA EST. NO. 228-IL-1

NET WEIGHT 10 LBS

000228-00342.20090520.2,4-DP-p RED Pending

Manufactured For
NUFARM AMERICAS INC.
150 Harvester Drive
Burr Ridge, IL 60527



4/15

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Harmful if absorbed through skin or inhaled. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Avoid breathing dust.

PERSONAL PROTECTIVE EQUIPMENT (PPE):

All loaders, applicators, and other handlers must wear:

- long-sleeved shirt and long pants;
- shoes plus socks, and
- chemical-resistant gloves made of any waterproof material.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users Should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. If pesticide gets on skin, wash immediately with soap and water.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing

FIRST AID

IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a poison control center or doctor for treatment advice.
IF INHALED	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
IF IN EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash waters or rinsate.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow,

5/15

COMMERCIAL

may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. Do not enter or allow people (or pets) to enter the treated area until dusts have settled.

This product is a stable mixture of three herbicides. It is for use on Ornamental Turf Lawns (Residential, Industrial and Institutional), Parks, Cemeteries, Athletic Fields and Golf Courses (Fairways, Aprons, Tees and Roughs) and similar turf areas. Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

This product may be used on Bahia, common Bermuda, Bluegrass, Centipede, Fescue, Rye, St. Augustine, and Zoysia grass. DO NOT USE on Dichondra and Carpet grass. DO NOT USE this product where desirable clovers are present or allow the product to "wind drift" onto flowers, vegetables, ornamentals, shrubs, trees or other desirable plants. Do not use this product on or near desirable plants, including within the dripline of the roots of desirable trees and shrubs, since injury may result.

This product is designed to promote lush green growth in lawns and to control such broadleaf weeds as:

- | | | | |
|----------------------|--------------------|---------------------|----------------------|
| Alder, | Dogfennel, | Nettle, | Spurge, |
| Artichoke, | Elderberry, | Nutgrass, | Spurweed, |
| Aster, | English daisy, | Orange hawkweed, | Stinkweed, |
| Austrian fieldcress, | Flea bane | Oxalis, | Stitchwort, |
| Beggartick, | (daisy), | Parsnip, | Sumac, |
| Biden, | Flixweed, | Pennycress, | Sunflower, |
| Bindweed, | Florida pusley, | Pennywort, | Sweet clover, |
| Bitterweed, | Frenchweed, | Peppergrass, | Tarweed, |
| Bitter winter cress, | Galinsoga, | Pepperweed, | Thistle, |
| Black medic, | Goatsbeard, | Pigweed, | Toadflax, |
| Blessed thistle, | Goldenrod, | Plantain, | Tumbleweed, |
| Blue lettuce, | Ground ivy, | Poison hemlock, | Velvet leaf, |
| Box elder, | Gumweed, | Poison ivy, | Veronica, |
| Broomweed, | Hawkweed, | Poison oak, | Vervain, |
| Buckhorn, | Healall, | Pokeweed, | Vetch, |
| Bull thistle, | Heartloaf drymary, | Poorjoe, | Virginia buttonweed, |
| Burdock, | Hemp, | Povertyweed, | Virginia creeper, |
| Bur ragweed, | Henbit, | Prickly lettuce, | Wild aster, |
| Buttercup, | Hoary cress, | Primrose, | Wild carrot, |
| Canada thistle, | Honeysuckle, | Puncture vine, | Wild garlic, |
| Carpetweed, | Horsetail, | Purslane, | Wild geranium, |
| Catnip, | Indiana mallow, | Ragweed, | Wild lettuce, |
| Chickweed, | Ironweed, | Red clover, | Wild onion, |
| Chicory, | Jewelweed, | Red sorrel, | Wild radish, |
| Clover, | Jimsonweed, | Rush, | Wild rape, |
| Cockle, | Kochia, | Russian thistle, | Wild strawberry, |
| Cocklebur, | Knotweed, | St. Johnswort, | Wild sweet potato, |
| Coffeebean, | Lambsquarter, | Sheep sorrel, | Willow, |
| Coffeeweed, | Locoweed, | Shepherdspurse, | Witchweed, |
| Common sowthistle, | Lupine, | Smartweed, | Woodsorrel, |
| Creeping jenny, | Mallow, | Sneezeweed, | Wormseed, |
| Croton, | Marshelder, | Southern wild rose, | Yarrow, |
| Curly indigo, | Mexicanweed, | Sowthistle, | Yellow rocket, |

6/15

COMMERCIAL

Dandelion,	Morningglory,	Spanish-needle,	and other broadleaf weeds.
Dock,	Musk thistle,	Spatterdock,	
Dogbane,	Mustard,	Speedwell,	

WHEN TO APPLY: Best results are obtained when weeds are growing actively in Spring or early Fall. Avoid contact with desirable shrubs, plants, vegetables, or flowers; especially when applying with a rotary (spinner) type spreader. Do not reseed for at least 3 to 4 weeks after application. Do not apply to newly seeded or sodded lawn until after 3 mowings. For optimum results (1) Avoid mowing 1 to 2 days before and after application; (2) Apply when grass is moist (after a rain, sprinkling or dew); (3) Avoid unnecessary disturbances, including watering of treated areas for 48 hours after application. Watering will wash off weed killing material; and (4) Avoid applying if rainfall is expected within 48 hours following treatment. Possible retreatment in approximately 30 days may be necessary if lawn is heavily overrun with weeds or if adverse low moisture conditions prevail and weeds are in a state of poor growth. Do not exceed recommended rates because damage to turf may occur.

NOTE: When applying to Southern Grasses - under conditions of inadequate moisture, high temperature and high humidity, over-application may cause minor transitory discoloration on Centipede and St. Augustine grasses. It is recommended that during hot, dry conditions, application rates should be reduced 50% to avoid possible dehydration or browning of grass.

HOW TO APPLY: This 10 pound bag should be used on 5,000 square feet. Apply evenly with a lawn spreader as a one pass application. A two pass application, criss-crossing the area at half the rate each time is equal to one application.

The following settings are approximate for applying contents of this package at a suggested rate of 2 pounds per 1,000 square feet. Settings are based on an average walking speed. Reduce setting for slower speed; raise setting for higher speed. Check your spreader on 250 square feet and adjust to apply at the rate of 1/2 pound per 250 square feet.

Use Precautions for Turf, ornamental (golf courses, cemeteries, parks, sports fields, turfgrass, lawns and other grass areas)

Postemergence:

Limited to 2 applications per year with a minimum of 30 days between applications.
 Maximum of 125 pounds of product per acre per application.
 The maximum seasonal rate is 250 pounds of product per acre, excluding spot treatments.

**SPREADER SETTINGS
 ONE PASS APPLICATION***

MAKE	SETTING
Ortho Drop (3000, 5000 models)	7
Ortho Rotary (4000, 4000T, 6000, 600T models)	9-1/2
Scott's Speedy Green	4-1/4
Scott's Easy Green	27-3/4
Scott's Drop	7-3/4
Scott's R7X	1 - J
Prize C8-85 & CBT-85	4.7
Lesco	1 - J
Cyclone	4.7
Spyker	4.7
Lely	3.0

Environmental Benefits

(Grasscycling Logo)

Besides increasing property values, did you know a well-maintained lawn provides the following benefits to your home and environment:

Grass clippings and yard waste are approximately 20% of the volume in our nation's landfills. To do your part to reduce this amount, leave grass clippings on your lawn. Increased mowing height and frequency will produce smaller grass clippings that will decompose more readily so nutrients go back into your lawn.

- √ A 50' x 50' lawn produces enough oxygen for a family for 4 every day.
- √ Reduces Glare & Reduces Noise
- √ Traps Dust, Smoke Particles & Other Pollutants
- √ Purifies Water & Modifies Temperature.
- √ Improves Soil Condition & Controls Erosion

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Always use original container to store pesticides in a secured warehouse or storage building. Do not stack more than two pallets high. Do not store near open containers of fertilizer, seed or other pesticides.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. If container is damaged or if pesticide has leaked, clean up all spilled material. Improper disposal of excess pesticide, spray mixtures or rinsate is a violation of Federal law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay away from smoke

WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR ARISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS. TO THE

8/15

COMMERCIAL

EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

(RV052009R)

Dissolve is a registered trademark of Nufarm Americas Inc.

OPTIONAL SPREADER INSTRUCTIONS:

- (Illustration) For Drop Spreaders: First apply two strips at ends. Then apply product along the length of the lawn, overlapping very slightly and shutting off spreader when turning.
- (Illustration) For Rotary Spreaders: Apply in a circular path, starting on the outside and working toward the center, overlapping very slightly.

OPTIONAL MARKETING STATEMENTS:

Contains Dissolve® A Premium Broadleaf Herbicide

The following note will not be part of the actual label copy.

*NOTE: Spreader Settings will vary among various commercial manufacturers.

10/15

RESIDENTIAL

DISSOLVE[®] PREMIUM GRANULAR WEED KILLER

**ACCEPTED
with COMMENTS
In EPA Letter Dated:**

JUN 30 2009

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

THIS PRODUCT IS A PREMIUM GRADE HERBICIDE WHICH CONTROLS A WIDE SPECTRUM OF BROADLEAF WEEDS.

CONTAINS 2,4-D, MECOPROP and DICHLORPROP

Weeds contacted by this product gradually die and disappear from the lawn.

Treats (or covers) 5,000 Sq. Ft. (50' x 100')

228-342

ACTIVE INGREDIENTS:

Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid*	1.400%
Dimethylamine Salt of 2- (2-Methyl-4-Chlorophenoxy)propionic Acid**	0.726%
Dimethylamine Salt of 2- (2,4-Dichlorophenoxy)propionic Acid***	0.715%

OTHER INGREDIENTS:	97.159%
TOTAL:	100.000%

ISOMER SPECIFIC METHOD, EQUIVALENT TO:

*2,4-Dichlorophenoxyacetic Acid	1.16%
**2- (2-Methyl-4-Chlorophenoxy)propionic Acid	0.60%
***2- (2,4-Dichlorophenoxy)propionic Acid	0.60%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

SEE BACK PANEL FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300
For Medical Emergencies Only, Call (877) 325-1840

EPA REG. NO. 228-342
EPA EST. NO. 228-IL-1

NET WEIGHT 10 LBS

000228-00342.20090520.2,4-DP-p RED Pending

Manufactured For
NUFARM AMERICAS INC.
150 Harvester Drive
Burr Ridge, IL 60527



11/15

RESIDENTIAL

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Harmful if absorbed through skin or inhaled. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Avoid breathing dust. Wear long-sleeved shirt, long pants, shoes, socks and chemical-resistant gloves made of any waterproof material. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

FIRST AID	
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a poison control center or doctor for treatment advice.
IF INHALED	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
IF IN EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment information.	

ENVIRONMENTAL HAZARDS

This product may adversely affect non-target plants. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweep any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off the water bodies or drainage system.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until dusts have settled. Do not apply more than 2 broadcast applications per treatment site per year with a minimum of 30 days between applications.

This product is a stable mixture of three herbicides. It is for use on all Residential Turf.

This product may be used on Bahia, common Bermuda, Bluegrass, Centipede, Fescue, Rye, St. Augustine, and Zoysia grass. DO NOT USE on Dichondra and Carpet grass. DO NOT USE this product where desirable clovers are present or allow the product to "wind drift" onto flowers, vegetables, ornamentals, shrubs, trees or other desirable plants. Do not use this product on or near desirable plants, including within the dripline of the roots of desirable trees and shrubs, since injury may result.

12/15

RESIDENTIAL

This product is designed to promote lush green growth in lawns and to control such broadleaf weeds as:

- | | | | |
|----------------------|--------------------|---------------------|----------------------------|
| Alder, | Dog fennel, | Nettle, | Spurge, |
| Artichoke, | Elderberry, | Nutgrass, | Spurweed, |
| Aster, | English daisy, | Orange hawkweed, | Stinkweed, |
| Austrian fieldcress, | Flea bane | Oxalis, | Stitchwort, |
| Beggartick, | (daisy), | Parsnip, | Sumac, |
| Biden, | Flixweed, | Pennycress, | Sunflower, |
| Bindweed, | Florida pusley, | Pennywort, | Sweet clover, |
| Bitterweed, | Frenchweed, | Peppergrass, | Tarweed, |
| Bitter winter cress, | Galinsoga, | Pepperweed, | Thistle, |
| Black medic, | Goatsbeard, | Pigweed, | Toadflax, |
| Blessed thistle, | Goldenrod, | Plantain, | Tumbleweed, |
| Blue lettuce, | Ground ivy, | Poison hemlock, | Velvet leaf, |
| Box elder, | Gumweed, | Poison ivy, | Veronica, |
| Broomweed, | Hawkweed, | Poison oak, | Vervain, |
| Buckhorn, | Healall, | Pokeweed, | Vetch, |
| Bull thistle, | Heartloaf drymary, | Poorjoe, | Virginia buttonweed, |
| Burdock, | Hemp, | Povertyweed, | Virginia creeper, |
| Bur ragweed, | Henbit, | Prickly lettuce, | Wild aster, |
| Buttercup, | Hoary cress, | Primrose, | Wild carrot, |
| Canada thistle, | Honeysuckle, | Puncture vine, | Wild garlic, |
| Carpetweed, | Horsetail, | Purslane, | Wild geranium, |
| Catnip, | Indiana mallow, | Ragweed, | Wild lettuce, |
| Chickweed, | Ironweed, | Red clover, | Wild onion, |
| Chicory, | Jewelweed, | Red sorrel, | Wild radish, |
| Clover, | Jimsonweed, | Rush, | Wild rape, |
| Cockle, | Kochia, | Russian thistle, | Wild strawberry, |
| Cocklebur, | Knotweed, | St. Johnswort, | Wild sweet potato, |
| Coffeebean, | Lambsquarter, | Sheep sorrel, | Willow, |
| Coffeeweed, | Locoweed, | Shepherdspurse, | Witchweed, |
| Common sowthistle, | Lupine, | Smartweed, | Woodsorrel, |
| Creeping jenny, | Mallow, | Sneezeweed, | Wormseed, |
| Croton, | Marshelder, | Southern wild rose, | Yarrow, |
| Curly indigo, | Mexicanweed, | Sowthistle, | Yellow rocket, |
| Dandelion, | Morningglory, | Spanish-needle, | and other broadleaf weeds. |
| Dock, | Musk thistle, | Spatterdock, | |
| Dogbane, | Mustard, | Speedwell, | |

WHEN TO APPLY: Best results are obtained when weeds are growing actively in Spring or early Fall. Avoid contact with desirable shrubs, plants, vegetables, or flowers; especially when applying with a rotary (spinner) type spreader. Do not reseed for at least 3 to 4 weeks after application. Do not apply to newly seeded or sodded lawn until after 3 mowings. For optimum results (1) Avoid mowing 1 to 2 days before and after application; (2) Apply when grass is moist (after a rain, sprinkling or dew); (3) Avoid unnecessary disturbances, including watering of treated areas for 48 hours after application. Watering will wash off weed killing material; and (4) Avoid applying if rainfall is expected within 48 hours following treatment. Possible retreatment in approximately 30 days may be necessary if lawn is heavily overrun with weeds or if adverse low moisture conditions prevail and weeds are in a state of poor growth. Do not exceed recommended rates because damage to turf may occur.

NOTE: When applying to Southern Grasses - under conditions of inadequate moisture, high temperature and high humidity, over-application may cause minor transitory discoloration on Centipede and St. Augustine grasses. It is recommended that during hot, dry conditions, application rates should be reduced 50% to avoid possible dehydration or browning of grass.

HOW TO APPLY: This 10 pound bag should be used on 5,000 square feet. Apply evenly with a lawn spreader as a one pass application. A two pass application, criss-crossing the area at half the rate each time is equal to one application.

The following settings are approximate for applying contents of this package at a suggested rate of 2 pounds per 1,000 square feet. Settings are based on an average walking speed. Reduce setting for slower speed; raise setting for higher speed. Check your spreader on 250 square feet and adjust to apply at the rate of 1/2 pound per 250 square feet.

**SPREADER SETTINGS
ONE PASS APPLICATION***

MAKE	SETTING
Ortho Drop (3000, 5000 models)	7
Ortho Rotary (4000, 4000T, 6000, 600T models)	9-1/2
Scott's Speedy Green	4-1/4
Scott's Easy Green	27-3/4
Scott's Drop	7-3/4
Scott's R7X	1 - J
Prize C8-85 & CBT-85	4.7
Lesco	1 - J
Cyclone	4.7
Spyker	4.7
Lely	3.0

Environmental Benefits

(Grasscycling Logo)

Besides increasing property values, did you know a well-maintained lawn provides the following benefits to your home and environment:

- Grass clippings and yard waste are approximately 20% of the volume in our nation's landfills. To do your part to reduce this amount, leave grass clippings on your lawn. Increased mowing height and frequency will produce smaller grass clippings that will decompose more readily so nutrients go back into your lawn.*
 - √ A 50' x 50' lawn produces enough oxygen for a family for 4 every day.
 - √ Reduces Glare & Reduces Noise
 - √ Traps Dust, Smoke Particles & Other Pollutants
 - √ Purifies Water & Modifies Temperature.
 - √ Improves Soil Condition & Controls Erosion

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: This product should be stored in its original container in a cool, dry locked place out of the reach of children and out of direct sunlight.

CONTAINER DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE

14
15

RESIDENTIAL

PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR ARISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

(RV052009R)

Dissolve is a registered trademark of Nufarm Americas Inc.

15/15

OPTIONAL SPREADER INSTRUCTIONS:

- (Illustration) For Drop Spreaders: First apply two strips at ends. Then apply product along the length of the lawn, overlapping very slightly and shutting off spreader when turning.
- (Illustration) For Rotary Spreaders: Apply in a circular path, starting on the outside and working toward the center, overlapping very slightly.

OPTIONAL MARKETING STATEMENTS:

Contains Dissolve® A Premium Broadleaf Herbicide

The following note will not be part of the actual label copy.

°NOTE: Spreader Settings will vary among various commercial manufacturers.