	- 346 · on reverse before compl	•	-21-20		OMB No ¹²⁰⁷⁰	-0060, Approval expires 05-3	1/5		
\$epa	Environment: _{Wast}	~ .		Registratio Amendme Other	OPP Identifier Numbe	OPP Identifier Number			
		Applicatio	n for Pestici	de - Section	1				
1. Company/Product Nu	mber 228-346	······································	2. EPA Product Manager J. I. Miller			3. Proposed Classification			
4. Company/Product (Na			PM#			None Restricted			
	Ultra™ 8000 Lawn Wee Applicant (Include ZIP (23					
Riverdale Chemica 1333 Burr Ridge P Burr Ridge, IL 60	l Company arkway, Suite 125A		 6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No 						
				ct Name					
┝ <u>──</u> ,──────			<u>Section - I</u>	l	<u> </u>				
Amendment - Ex Resubmission in Notification - Exp	response to Agency lette	r dated	[]	Final printed labe Agency letter dat "Me Too" Applics Other - Explain be	ation.	• NOTIFICATION JAN 2 1 2002			
This notification is consister Confidential Statement of F that if this notification is no	ormula of this product. I und	Notice 98-10 and E lerstand that it is a	PA regulations at 40 violation of 18 U.S.C	CFR 152.46, and no . Sec. 1001 to willful	ly make any false st	been made to the labeling or the atement to EPA. I further understa and I may be subject to enforcement			
	······································		Section - I			<u> </u>	-		
1. Material This Product	Will Be Packaged In:								
Yes *	* Certification must			No. per container		f Container Metal Plastic Glass Paper Other (Specify)			
3. Location of Net Conte	nts Information	4. Size(s) Reta	lil Container]5 Lo	Directions accompanying product				
6. Manner in Which Lab	I is Attixed to Product	Lithogr Paper g Stencile	lued ad	Other					
			Section - N						
	ete items directly below f			a contacted, if nec					
Name Russell F. Saw	yer		Title Regulatory	Affairs Manager		ephone No. (Include Area Code (08/754-3330)	8)		
	tatements I have made of t any knowingly faise or t ble low.		all attachments the			6 Pate Application Received (S) amped)	:		
2. Signature	Denny	3	3. Title Regulatory Affairs Manager						
4. Typed Name	0	5	j. Date			• • ·			
Russell F	. Sawyer]	December 11, 20	01				
	on Durdene editione or	a obsolato		White - El	PA File Copy (ori	ginal) Yellow - Applicant (Conv		

(Non-Commercial)

.

RIVERDALE

MILLENNIUM[®] ULTRA 8000 LAWN WEED KILLER

FOR SELECTIVE BROADLEAF WEED CONTROL IN ORNAMENTAL LAWNS AND TURF GRASSES

CONTAINS 2,4-D, CLOPYRALID AND DICAMBA

KILLS (OR CONTROLS): Dandelion, Chickweed, Black medic, Knotweed, Plantain, Oxalis, Clover, Cocklebur, Thistle and many other species of broadleaf weeds; some of which are listed on this label. One quart covers 8,000 sq. ft.

ACTIVE INGREDIENTS: †								
Dimethylamine Salt of 2,4-D*								
Monoethanolamine Salt of Clopyralid**								
Dimethylamine Salt of Dicamba***								
INERT ¹ INGREDIENTS:								
TOTAL 100.00%								
By Isomer Specific AOAC Method, Equivalent to:								
*2,4 Acid								
**Clopyralid Acid								
***Dicamba Acid								
•								

†Millennium[®] - Is A Registered Trademark of Riverdale Chemical Company

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND

STATEMENT OF PRACTICAL TREATMENT

EPA I	REG.	NO.	228-	346 NET	C (Contents		EPA	EST.	NO.	228-IL-1
				MAL	NTT	FACTURED BY	-			6766 6 8468 8036	
						CHEMICAL COMPANY) E 7 4 e B C T	·	•	
				BURR RIDGE,	,	ILLINOIS 60527-0	••		+	•	
Revised JB	sed	12/11/		Added Marketing Hype f Chemtrec's phone numbe		or Hose-end Sprayer instructions; r via Notification. NOTIFICATION				also added	
						J	AN 2 1 2002	2			

Riverdale Millennium[®] Ultra 8000 Lawn Weed Killer (Non-Commercial)

Page 2

(Side Panels)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Wear long pants, long-sleeved shirt, socks, shoes and rubber gloves, when applying this product. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower. The maximum number of broadcast applications per treatment site is 2 per year. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried.

If this container is over one gallon and less than five gallons, then persons engaged in open pouring of this product must also wear coveralls or a chemical resistant apron. If this container is five gallons or more in capacity, do not open pour product from this container. A mechanical system (such as a probe and pump or spigot) must be used for transferring the contents of this container. If the contents of a non-refillable pesticide container are emptied, the probe must be rinsed before removal.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

Most cases of groundwater contamination involving herbicides such as 2,4-D and Clopyralid have been associated with mixing/loading and disposal sites. Additionally, using Clopyralid where soils are permeable, particularly where the water table is shallow, may also result in leaching to groundwater. Caution should be exercised when handling this product at mixing, loading and disposal sites to prevent contamination of groundwater supplies. Use of closed systems for mixing and transferring this pesticide will reduce the probability of spills. Placement of mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

MILLENNIUM[®] ULTRA 8000 LAWN WEED KILLER is for use on Ornamental Turf such as Lawns, Golf Courses (Fairways, Aprons, Tees* and Roughs), Parks, Cemeteries and similar non-crop areas. *Excluding Bentgrass Tees.

USE PRECAUTIONS

Avoid drift of spray mist to vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants. Do not pour spray solutions near desirable plants. Do not use on Centipede, St. Augustine, Dichondra, nor on lawns or turf where desirable clovers are present. Avoid fine mists. Use lawn type sprayer with coarse spray as wind drift is less likely. Avoid contact with exposed feeder roots of ornamentals and trees. Maximum killing (control) of weeds will be obtained from Spring or early Fall applications when weeds are actively growing. Do not exceed specified dosages for any area; be particularly careful within the dripline of tree and other ornamental species. Do not apply to newly seeded grasses until well established. Do not spray when air temperature exceeds 90°F. Rivercale Millennium[®] Ultra 8000 Lawn Weed Killer (Non-Commercial)

The suitable use of Millennium[®] Ultra 8000 Lawn Weed Killer on non-recommended turf species may be determined by treating a small area at any rate per square feet which does not exceed 3 pints per 15,000 square feet. The treated area should be observed for any sign of turf injury for a period of 30 days of normal growing conditions to determine the phytotoxicity and efficacy to the treated area.

For optimum results: (1) avoid applying during excessively dry or hot periods unless irrigation is used; (2) avoid applying if rainfall is expected within 24 hours, nor should lawns be irrigated (watered) for 24 hours following application. If lawn needs watering, water thoroughly before application. (3) turf should not be mowed 1 to 2 days before and following application; (4) reseed no sooner than 3 to 4 weeks after application of this product. Adding oil, wetting agent, or other surfactant to the spray may be used to increase effectiveness on weeds but doing so may reduce selectivity to turf resulting in turf damage. Clean and rinse spray equipment using soap or detergent and water, and rinse thoroughly before reuse for other sprays.

WEEDS CONTROLLED BY MILLENNIUM" ULTRA 8000 LAWN WEED KILLER

Alder, Alfalfa, Artichoke, Aster, Austrian fieldcress, Beggartick, Biden, Bindweed, Bitter wintercress, Bitterweed, Black medic, Blackeyed Susan, Blessed thistle, Blue lettuce, Box elder, Broomweed, Buckbrush, Buckhorn, Buffalobur, Bull thistle, Bur ragweed, Burdock, Burhead, Buttercup, Canada thistle, Carpetweed, Catnip, Chamise, Cherokee rose, Chickweed, Chicory, Cinquefoil, Clover, Coastal redstem sage, Cockle, Cocklebur, Coffee bean, Coffeeweed, Common groundsel, Common sowthistle, Common sunflower, Cornflower (bachelor button), Corn speedwell, Coyotebrush, Creeping jenny, Croton, Curly Indigo, Dandelion, Devil's claw, Dock, Dogbane, Dogfennel, Elderberry, English daisy, False Chamomile (scentless), Fanweed, Fiddle neck, Flea bane (daisy), Flixweed, Florida pusley, Frenchweed, Galinsoga, Goatsbeard, Goldenrod, Goosefoot, Ground ivy, Gumweed, Halogeton, Hawkweed, Healall, Heartleaf drymary, Hemp, Henbit, Hoary cress, Honeysuckle, Horestail, Horseweed, Indiana mallow, Indigo, Ironweed, Jerusalem artichoke, Jewelweed, Jimsonweed, Klamathweed, Knapweed (diffuse, Russian, & spotted), Knawel, Knotweed, Kochia, Ladysthumb, Lambsquarter, Lespedeza, Little starwort, Locoweed, Lupine, Mallow, Many flowered aster, Manzanita, Marijuana, Marshelder, Matchweed, Meadow salsify (goatsbeard), Mexican weed, Milkvetch, Morningglory, Musk thistle, Mustard, Narrowleaf hawksbeard, Nettle, Nightshade (cutleaf & hairy). Orange hawkweed, Oxalis (stricta and corniculata), Parrotfeather, Parsley-piert, Parsnip, Pennycress, Pennywort, Peppergrass, Pepperweed, Pigweed, Pineappleweed, Pinnate tansymustard, Plantain, Poison hemlock, Poison ivy, Poison oak, Pokeweed, Poorjoe, Povertyweed, Prickly lettuce, Primrose, Puncture vine, Purslane, Rabbitbrush, Ragweed, Red clover, Red sorrel, Redroot pigweed, Redstem, Rush, Russian thistle, Salsify, Sheep sorrel, Shepherdspurse, Sicklepod, Smartweed, Sneezeweed, Southern wild rose, Sowthistle, Spanishneedle, Spatterdock, Speedwell, Spiderwort, Spurge, Spotted catsear, Spurweed, St. Johnswort, Starthistle, Stinging nettle, Stinkweed, Stitchwort, Sumac, Sunflower, Sweet clover, Tansymustard, Tansyragwort, Tarweed, Texas blueweed, Thistle, Toadflax, Tumbleweed, Velvetleaf, Veronica, Vervain, Vetch, Virginia creeper, White clover, Wild aster, Wild buckwheat, Wild carrot, Wild garlic, Wild geranium, Wild lettuce, Wild parsnip, Wild radish, Wild rape, Wild strawberry, Wild sweet potato, Wild violet, Witchweed, Wormseed, Wormwood, Woodsorrell, Yarrow, Yellow rocket, Yellow starthistle, and other broadleaf weeds.

Some hard-to-kill (control) weeds may require a second broadcast application or repeated spot applications even under ideal conditions for application.

ORNAMENTAL TURF

Apply Millennium Ultra 8000 Lawn Weed Killer at the rate of 2 pints in 4 to 50, gallons of water per 8,000 square feet (4 fluid ounces in ½ to 5 gallons of water per 1,000 square feet) to control weeds growing in turf planted to Bluegrass, Fescue, "Rye, Bent' (excluding golf course greens and tees), Bahia, Bermuda and Zoysia.

Disposable Sprayer and Bottle Instructions: Determine area to be sprayed. Apply'at a rate of 32 oz. (1 quart) per 8,000 square feet. Remove bottle cap and screw bottle into nozzle. Connect spray nozzle to hose while holding sprayer at waist level, point in

Riverdale Millennium[®] Ultra 8000 Lawn Weed Killer (Non-Commercial)

direction away from face and body. Turn on the water at the tap. Place finger over hole on right side of nozzle (or turn on/off lever to the "ON" position) and the Lawn Weed Killer will mix automatically at the proper ratio. Walk back and forth at steady pace.

2,000 Sq. Ft. 4,000 Sq. Ft. (Optional marks on left for 1 quart disposable bottle. Not to scale.) 6,000 Sq. Ft. 8,000 Sq. Ft.

STORAGE AND DISPOSAL

STORAGE: To be stored in original container and placed in an area inaccessible to children.

PESTICIDE DISPOSAL: Partially filled container may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Rinse thoroughly before discarding in trash. Do not reuse empty container.

NOTICE: Buyer assumes all risks of use, storage and handling of this product not in strict accordance with directions given herewith.

(REV 111298A)

Alternate Statements

. .

¹Other*

*Please note, some states still require the term Inert.

L & G's Hose-end Sprayer instructions

Determine area to be sprayed. Apply at a rate of 32 oz. (1 quart) per 8,000 square feet. Before attaching sprayer to garden hose, make sure that the blue flow switch is in the "OFF" position; red flow switch in the up, "CLOSED" position. Connect spray nozzle to garden hose while holding sprayer at waist level, point in direction away from face and body. Insure sprayer is securely tightened to bottle. Turn on water at the tap; move blue flow switch to "ON" position; and, turn red flow switch to the forward, "OPEN" position CLOVER POWER HOSE 'EM will mix automatically at the proper ratio. When spraying, walk back and forth at a steady pace. When finished spraying, turn blue flow switch to "OFF" position and red flow switch to "Closed" position.

For medical or transportation emergency call CHEMTREC at 1-800-424-9300.

Page 4