UNITED BIAIRIE	U.B. ENVIRONDENTAL PROTEC (11) DEC DE PORTICIO P			······
The Wird L PRISTECTO	Fraid Lotion Division 401 "N" 201, 214	roamana (11750%) 4.	EPA Reg. Number: 228-347	NOV 12 1998
TAL PROTECT	Wardbington, D.C. 2	04 տ)	Term of Iscusion	
	NOTICE OF PESTICIDE: Registration		Conditiona	a T
		Reregistration	Name of Besteride Broduct: Millennium Ultra Spot	
graer FIERA, or	er FIER, an amended		Weed Killer	
Riverdale 425 West : Glenwood, Dote: Changes in the submitted to correspondence of the basic of resistant of resist in the basic of resistant of resist in the basic of the registra in the re	chemical Company 94th Street IL 60425-1584 1 defind differing in substance from and accepted by the Registration Div notific transition divage refer to the all internation functioned by the registra- internation functioned by the registra- tion of the registration and end of the secondaries attempts to the registration of the secondaries product is conditional 3(c)(7)(A) provided Submit and/or cite all attempts to the secondaries attempt of the secondaries of the secondaries attempt of the secondaries of the secondaries attempt of the secondaries of the secondaries of the secondaries attempt of the secondaries	ision prior to use of powe BPA registration and, the shower could be an additional solution of the shower could be an adversion of the so- an adversion of the so- lly registeres that you: data requires (c) (5) when t	the land in com a number. pesticipe is core anticide Act. and in accor ed in accor ed for regi the Agency	mercel in an by a table option istant a contract dance with stration of requires all
acceptabl			ation of yo	www.www.aluat
under FIF	Take the following lab	-	1	ur product
under FIF	RA section 4.	el changes:	-	-
under FIF	RA section 4. Make the following lab Revise the EPA Regis	el changes: tration Numbe entitled "HA	er to read, AZARDS TO H	"EPA Reg. UMANS AND
under FIF 2. a.	RA section 4. Make the following lab Revise the EPA Regis No. 228-347". Under the subheading DOMESTIC ANIMALS," p	el changes: tration Numbe entitled "HA lease incorpo d or absorbed yes, or cloth	er to read, AZARDS TO H brate the f d through s hing. Wash	"EPA Reg. UMANS AND ollowing .kin. Avoid

.

motwarp

. Alexandre -----

c. Under the subheading entitled "HAZARDS TO HUMANS AND DOMESTIC ANIMALS," please incorporate the following additional hygiene statement:

 $(1-i) = \sum_{i=1}^{n} \frac{1}{i} \sum_{i=1}^{n} \frac{1}$ 

"Remove saturated clothing as soon as possible and shower."

- d. Under the heading entitled "PRECAUTIONARY STATEMENTS." please incorporate the heading "Statement Of Practical Treatment" or "First Aid" directly below the Hazards & Domestic Animals statement in a separate section.
- e. Under the subheading entitled "STATEMENT OF PRACTICAL TREATMENT," please incorporate the following dermal and one of the following oral first aid statements:

"IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. If person is unconscious, do not give anything by mouth and do not induce vomiting."

-OR-

"IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger, cr if available by administering syrup of ipecac. If person is unconscious, do not give anything by mouth and do not induce vomiting."

"IF ON SKIN: Wash with plenty of soap and water. Get medical attention."

4. Submit two (2) copies of the revised final printed label for the record.

A stamped copy of the label is enclosed for your records.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Joanne I. Miller Product Manger (23) Herbicide Branch Registration Division (75050

Enclosure

ĺ

## RIVERDALE

# MILLENNIUM" ULTRA SPOT WEEL KILLER

## FOR SELECTIVE BROADLEAF WEED CONTROL IN ORNAMENTAL LAWNS AND TURP GRASSES

CONTAINS 2,4-D, CLOPYRALID AND DICAMBA

KILLS (OR CONTROLS): Dandelion, Chickweed, Black medic, Knotweed, Plantain, Oxalis, Clover, Cocklebur, Thistle and many other species of broadleaf weeds; some of which are listed on this label.

ACTIVE INGREDIENTS: Dimethylamine Salt of 2,4-D*	0.1113 0.1013 <u>98.9933</u>
By Isomer Specific AOAC Method, Equivalent to: *2,4-D Acid	,40.007 lbs./gal.

## KEEP OUT OF REACH OF CHILDREN

#### CAUTION

SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND STATEMENT OF PRACTICAL TREATMENT

) REG. NO. 228-OCUA Gut

NET CONTENTS

EPA EST. NO. 228-IL-1

, <sup>,</sup>

. . . .

. , , ,

• • •

• • •

. . .

. . . . . . . . .

MANUFACTURED BY

RIVERDALE CHEMICAL COMPANY

GLENWOOD, ILLINOIS 60425-1584

ACCEPTED with COMMENTS In EPA Letter Dated

NOV 12 1998

Under the Federal Insecticide, Fundicide, and Rodenticide Act as amended, for the posticide registered under EPA Reg. No. 98-347 Riverdale Millennium<sup>®</sup> Ultra Spot Weed Killer

4 P.S

Page 2

## (Side Panels)

### PRECAUTIONARY STATEMENTS

## HAZARDS TO HUMANS AND DOMESTIC ANIMALS

## CAUTION

Wear long pants, long-sleeved shirt, socks and shoes, when applying this product. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried.

## ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

MILLENNIUM<sup>®</sup> ULTRA SPOT WEED KILLER is for use on Ornamental Turf such as Lawns, Golf Courses (Fairways, Aprons, Tees\* and Roughs), Parks, Cemeteries and similar non-crop areas. \*Excluding Bentgrass Tees.

#### USE PRECAUTIONS

Do not use this product for controlling weeds in flower or vegetable beds or around shrubs or ornamental plantings. Do not spray roots of desirable trees and plants. Maximum kill(or control, of weeds will be obtained from Spring or early Fall applications when weeds are actively growing. Do not use on Dichondra, nor on lawns or turf where desirable { clovers are present. Avoid application to Centipede, or St. Augustine grasses unless turf injury can be tclerated. Do not apply to newly seeded grasses until they have been mowed 3 times. Do not cut grass 1 to 2 days before and after application. Do not reseed for 3 to 4 weeks after use. If lawn needs watering, water thoroughly before application. Do not water for 42 hours after application. Watering will wash off weed killing material. Do not apply if rainfall is expected within 48 hours. Avoid fine mists. Spray when air is calm to avoid spray drift that might injure desirable ornamental plants. Do not apply when temperature exceeds 90°F. Shake well before using.

## WEEDS CONTROLLED BY MILLENNIUM ULTRA SPOT WEED KILLER

Alder, Alfalfu, Artichoke, Aster, Austrian fieldcress, Beggartick, Biden, Bindweed, Bitter wintercress, Bitterweed, Black medic, Blackeyed Susan, Blessed thistle, Blue lettuce, Box elder, Brochweed, Fuckbrush, Buckhorn, Buffalobur, Bull thistle, Bur ragweed, Burdock, Burhead, Buttercup, Canada thistle, Carpetweed, Catnip, Chamise, Cherokee rose, Chickweed, Chicory, Cinquefoil, Clover, Coastal redstem sage, Cockle, Cocklebur, Coffee bean, Coffeeweed, Common groundsel, Common sowthistle, Common sunflower, Cornflower (bachelor button), Corn speedwell, Coyotebrush, Creeping jenny, Croton, Curly Indigo, Dandelion, Devil's claw, Dock, Dogbane, Dogfennel, Elderberry, English daisy, False Chamomile (scentless), Fanweed, Fiddle neck, Flea bane (daisy), Flixweed, Florida pusley, Frenchweed, 'Galinsoga, Goatsbeard, Goldenrod, Goosefoot, Ground ivy, Gumweed, Halogeton, Hawkweed, Healall, Heartleaf drymary, Hemp, Henbit, Hoary cress, Honeysuckle, Horestail, Horseweed, Indiana mallow, Indigo, Ironweed, Jerusalem artichoke, Jewelweed, Jimsonweed, Klamathweed, Knapweed (diffuse, Russian, & spotted), Knawel, Knotweed, Kochia, Ladysthumb,

• • • •

.

1 6 1 1 1 1 4 1 1 1

# Riveriale Millennium Ultra Spot Weed Killer

2

Page 3

Lambsquarter, Lespedeza, Little starwort, Locoweed, Lupine, Mallow, Many flowered aster, Manzanita, Marijuana, Marshelder, Matchweed, Meadow salsify (goatsbeard), Mexican weed, Milkwetch, Morningglory, Musk thistle, Mustard, Narrowleaf hawksbeard, Nettle, Nightshade (cutleaf & hairy), Orange hawkweed, Oxalis (stricta and corniculata), Parrotfeather, Parsley-piert, Parsnip, Pennycress, Pennywort, Peppergrass, Pepperweed, Pigweed, Pinearpleweed, Pinnate tansymustard, Plantain, Poison hemlock, Poison ivy, Poison oak, Pokeweed, Poorjoe, Povertyweed, Prickly lettuce, Primrose, Puncture vine, Purslane, Rabtitbrush, Ragweed, Red clover, Red sorrel, Redroot pigweed, Redstem, Rush, Russian thistle, Salsify, Sheep sorrel, Shepherdspurse, Sicklepod, Smartweed, Sneezeweed, Southern wild rose, Sowthistle, Spanishneedle, Spatterdock, Speedwell, Spiderwort, Spurge, Spotted catseir, Spurweed, St. Johnswort, Starthistle, Stinging nettle, Stinkweed, Stitchwort, Sumac, Sunflower, Sweet clover, Tansymustard, Tansyragwort, Tarweed, Texas blueweed, Thistle, Toadflax, Tumbleweed, Velvetleaf, Veronica, Vervain, Vetch, Virginia creeper, White clover, Wild aster, Wild buckwheat, Wild carrot, Wild garlic, Wild geranium, Wild lettuce, Wild parsnip, Wild radish, Wild rape, Wild strawberry, Wild sweet potato, Wild violet, Witchweed, Wormseed, Wormsood, Woodsorrell, Yarrow, Yellow rocket, Yellow starthistle, and other broadleaf weeds.

After applying this product, many broadleaf weeds will begin to show visible signs of leaf curl within a few days. One application should be sufficient. Some hard-to-kill (or control) broadleaf weeds may require a second (or an additional) treatment in 3 to 4 weeks.

HOW TO USE: Trigger Spray -Adjust spray nozzle to give coarse spray. Aim at center of weed and spray to wet. Applicator Cap - Hold applicator end about 6 inches from surface to be treated and thoroughly wet. To obtain wider coverage, raise container.

TO FFEFARE REFILL: Add 1.7 ozs. of Riverdale Millennium Ultra Lawn Weed Killer or 2.1 ozs. of Millennium Ultra 8000 Lawn Weed Killer to this empty container. Then add 30 oz. tap water and use according to directions in this label.

## STORAGE AND DISPOSAL

STOFLAGE: Keep from freezing. To be stored in original container and placed in an area inaccessible to children. PESTICIDE (OR PRODUCT) DISPOSAL: Product remaining in original container should be disposed of by securely wrapping original container in several layers of newspaper and distard in trash. CONTAINER DISPOSAL: Do not reuse empty container except as specified in directions to prepare refill. Discard empty container in trash.

NOTICE: Buyer assumes all risks of use, storage and handling of this product not in strict accordance with directions given herewith. (ERP 061594)(PR938 042194)

Alternate Statements

'Other\*

\* Please note, some states still require the term Inert.