Please read instructions on re	3-350 verse before completing	9 to	28-200		ed. OMB No. 20	70-00€	xpires 05-31-98	
United States Environmental Protection A Washington, DC 20460			on Agency		Registration Amendme Other		OPP Identifier Number	
Application for Pesticide - Section I								
1. Company/Product Number 228-350			2. EPA Product Manager J. I. Miller		)/	3. Proposed Classification		
4. Company/Product (Name) Riverdale MCDA 8000 Lawn Weed Killer			PM#	PM# 23			None Restricted	
<ul> <li>5. Name and Address of Applicant (Include ZIP Code) Nufarm Americas, Inc. Riverdale - A Nufarm Company 1333 Burr Ridge Parkway, Suite 125A Burr Ridge, IL 60527-0866</li> <li>Check If this is a new address</li> </ul>			<ul> <li>6. Expedited Review. In accordance with FIFRA Section 3(c)(3)</li> <li>(b)(i), my product is similar or identical in composition and labeling to:</li> <li>EPA File Symbol</li> </ul>					
Section - II								
Amendment - Explain below.  Resubmission in response to Agency letter dated				Final printed labels in response Agency letter dated "Me Too" Application.			** NOTIFICATION OCT 2 8 2003	
Notification - Explain	below.			Other - Explain	n below.		-	
Confidential Statement of Form that if this notification is not con action and penalties under sectio	sistent with the terms of I			his product may be				
1. Material This Product Wil	I Be Packaged In:							
Child-Resistant Packaging Yes * No * Certification must be submitted	Unit Packaging Yes No If "Yes" No. per Unit Packaging wgt. container		Water Soluble Packaging Yes No If "Yes" No. per Package wgt container		2. Type of C	2. Type of Container Metal Plastic Glass Paper Other (Specify)		
3. Location of Net Contents Information 4. Size(s) Retai			tail Container	On Label			I Directions	
6. Manner in Which Label is Affixed to Product			glued	Other				
Section - IV								
1. Contact Point (Complete	items directly below fo	or identificatio	n of individual to t	e contacted, if r	necessary, to proc	ess this	application.)	
Name Russell F. Sawyer			Title Te Regulatory Affairs Manager			-	lephone No. (Include Area Code) 708/754-3336	
	ation I all attachments thereto are true, accurate and complete. tement may be punishable by fine or imprisonment or				6. Date Application Received (Stamped)			
2. Signature			3. Title Regulatory Affairs Manager				60 <b>00000000000000000000000000000000000</b>	
4. Typed Name			5. Date				a ter de la con-	
Russell F. Sawyer			October 10, 2003					

EPA Form 8570-1 IRev. 8-94) Previous editions are obsolete.

•

# RIVERDALE

## MCDA™ 8000 LAWN WEED KILLER

# FOR SELECTIVE BROADLEAF WEED CONTROL IN ORNAMENTAL LAWNS AND TURF GRASSES

## CONTAINS MCPA, CLOPYRALID AND DICAMBA

# KILLS(OR CONTROLS): Dandelion, Chickweed, Black medic, Knotweed, Plantain, Oxalis, Clover, Cocklebur, Thistle and many other species of broadleaf weeds; some of which are listed on this label. One Quart covers 8,000 Sq. Ft.

ACTIVE INGREDIENTS: Dimethylamine Salt of 2-Methyl-4-Chlorophenoxyacetic Acid*	168
INERT INGREDIENTS:	008
TOTAL 100.0	)08
By Isomer Specific AOAC Method, Equivalent to:	
*2-Methyl-4-Chlorophenoxyacetic Acid 8.80%, 0.760 lbs./ga	11.
**3,6-Dichloro-2-Pyridinecarboxylic Acid 0.88%, 0.076 lbs./ga	al.
***3,6-Dichloro-o-Anisic Acid 0.88%, 0.076 lbs./ga	11.
MCDA is a Trademark of Riverdale - A Nufarm Company	

Riverdale is a Registered Trademark of Riverdale - A Nufarm Company

IN OREGON, THE USE OF THIS PRODUCT IS LIMITED TO THE SITES STATED ON THIS LABEL WHICH ARE AGRICULTURAL, FOREST, RIGHT-OF-WAY, GOLF COURSE OR CEMETERY SITES. IN CALIFORNIA AND WASHINGTON, TURFGRASS AND LAWN USES ARE RESTRICTED TO GOLF COURSES ONLY.

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE PANEL FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

E PA REG. NO. 228-350

NET CONTENTS

GALS.

EPA EST. NO. 228-IL-1

MANUFACTURED BY NUFARM AMERICAS INC., BURR RIDGE, ILLINOIS 60527-0866

Revised 4/18/03 Changed First Aid Statement per PR 2001-1 via Amendment. 10/10/03 Changed per Agency's letter dated 6/5/03, added State Restrictions and added more weeds all via Notification.

# PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### CAUTION

Harmful if swallow or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

### FIRST AID STATEMENT

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

- **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
- **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
- **IF ON SKIN** Take off contaminated clothing. Rinse skin immediately with plenty of **OR CLOTHING:** water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

#### ENVIRONMENTAL HAZARDS

Drift or runoff may adversely affect nontarget plants. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. When cleaning equipment, do not pour washwater on the ground; spray or drain over a large area away from wells and other water sources.

Most cases of ground water contamination involving herbicides such as MCPA and Clopyralid have been associated with mixing/loading and disposal sites. Additionally, using Clopyralid where soils are permeable, particularly where the water table is shallow, may also result in leaching to groundwater. Caution should be exercised when handling this product at mixing, loading and disposal sites to prevent contamination of groundwater supplies. Use of closed systems for mixing and transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

MCDA<sup>m</sup> 8000 LAWN WEED KILLER is for use on Non-Residential, Ornamental Turf Lawns (Industrial and Institutional) Athletic/Recreational Fields (Parks, Playgrounds and Sports Fields) Cemeteries, Golf Courses (Fairways, Aprons, Tees\* and Roughs), Industrial Sites, Non-Cropland, Rights-of-Way and Roadsides, except as noted on the front cover. \*Excluding Bentgrass Tees.

Do not use on residential turfgrass. Do not collect grass clippings for mulch or compost. Do not send clippings to a compost facility. Applicator must give notice to landowners/property managers to not use grass clippings for mulching or composting.

Page 2

#### USE PRECAUTIONS

Avoid drift of spray mist to vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants. Do not pour spray solutions near desirable plants. Do not use on Centipede, St. Augustine, Dichondra, nor on lawns or turf where desirable clovers are present. Avoid fine mists. Use lawn type sprayer with coarse spray as wind drift is less likely. Avoid contact with exposed feeder roots of ornamentals and trees. Maximum killing (control) of weeds will be obtained from Spring or early Fall applications when weeds are actively growing. The degree of weed control and duration of effect will vary with weed size and density, spray rate and coverage, and growing conditions before, during, and after the time of treatment. Do not exceed specified dosages for any area; be particularly careful within the dripline of tree and other ornamental species. Do not apply to newly seeded grasses until well established.Avoid broadcast applications when air temperature exceeds 90°F.

The suitable use of MCDA<sup>TM</sup> 8000 Lawn Weed Killer on non-recommended turf species may be determined by treating a small area at any rate/acre which does not exceed 3 pints/15,000 square feet. The treated area should be observed for any sign of turf injury for a period of 30 days of normal growing conditions to determine the phytotoxicity and efficacy to the treated area.

For optimum results: (1) avoid applying during excessively dry or hot periods unless irrigation is used; (2) avoid applying if rainfall is expected within 24 hours, nor should lawns be irrigated (watered) for 24 hours following application. If lawn needs watering, water thoroughly before application. (3) turf should not be mowed 1 to 2 days before and following application; (4) reseed no sooner than 3 to 4 weeks after application of this product. Clean and rinse spray equipment using soap or detergent and water, and rinse thoroughly before reuse for other sprays.

## WEEDS CONTROLLED BY MCDATH 8000 LAWN WEED KILLER

This product is designed to control many broadleaf weeds such as: Alder, Annual yellow sweet clover, Artichoke, Aster, Austrian fieldcress, Bedstraw, Beggartick, Biden, Bindweed, Bird vetch, Bitterweed, Bitter wintercress, Black-eyed Susan, Black medic, Black mustard, Blackseed pantain, Blackseed plantain, Blessed thistle, Blue lettuce, Blue vervain, Box elder, Bracted plantain, Brassbuttons, Bristly oxtongue, Broadleaf dock, Broadleaf plantain, Broomweed, Buckhorn, Buckhorn plantain, Bulbous buttercup, Bull nettle, Bull thistle, Burdock, Burning nettle, Bur ragweed, Burweed, Buttercup, Canada thistle, Carolina geranium, Carpetweed, Catchweed bedstraw, Catsear, Catnip, Chickweed, Chicory, Cinquefoil, Clover, Cockle, Cocklebur, Coffeebean, Coffeeweed, Common chickweed, Common mullein, Common sowthistle, Corn Chamomile, Creeping jenny, Crimson clover, Croton, Cudweed, Curly dock, Curly indigo, Dandelion, Dead nettle, Dock, Dogbane, Dogfennel, Elderberry, English daisy, Fall dandelion, False dandelion, False flax, False sunflower, Fiddleneck, Field bindweed, Field pansy, Flea bane (daisy), Flixweed, Florida betony, Florida pusley, Frenchweed, Galinsoga, Garlic mustard, Goathead, Goatsbeard, Goldenrod, Ground ivy, Gumweed, Hairy bittercress, Hairy fleabane, Hawkweed, Healall, Heartleaf drymary, Hedge bindweed, Hedge mustard, Hemp, Henbit, Hoary cress, Hoary plantain, Hoary vervain, Honeysuckle, Hop clover, Horsenettle, Horsetail, Indiana mallow, Ironweed, Jewelweed, Jimsonweed, Kochia, Knawel, Knotweed, Lambsquarter, Lespedeza, Locoweed, Lupine, Mallow, Marshelder, Matchweed, Mexicanweed, Milk vetch, Milkweed bloodflower, Mugwort, Morningglory, Mousear chickweed, Musk thistle, Mustard, Narrowleaf plantain, Narrowleaf vetch, Nettle, Orange hawkweed, Oxalis, Oxeye daisy, Parsley-piert, Parsnip, Pearlwort, Pennycress, Pennywort, Peppergrass, Pepperweed, Pigweed, Pineywoods bedstraw, Plains coreopsis, Plantain, Poison hemlock, Poison ivy, Poison oak, Pokeweed, Poorjoe, Povertyweed, Prairie, Prickly lettuce, Prickly sida, Primrose, Prostrate knotweed, Prostrate pigweed, Prostrate spurge, Prostrate vervain, Puncture vine, Purslane, Ragweed, Red clover, Redroot pigweed, Red sorrel, Redstem filaree, Rough cinquefoil, Rough fleabane, Roundleafed marigold, Rush, Russian pigweed, Russian thistle, St. Johnswort, Scarlet pimpernel, Scotch thistle, Sheep sorrel, Shepherdspurse, Slender plantain, Smallflower galinsoga, Smartweed, Smooth dock, Smooth pigweed, Sneezeweed, Southern wild rose, Sowthistle, Spanishneedle, Spatterdock, Speedwell, Spiny, Spiny Amaranth, Spiny cocklebur, Spotted catsear, Spotted knapweed, Spotted spurge, Spurge, Spurweed, Stinging nettle, Stinkweed, Stitchwort, Strawberry clover, Sumac, Sunflower, Sweet clover, Tall nettle, Tall vervain, Tansy mustard, Tansy ragwort, Tanweed, Tarweed, Thistle, Tick trefoil, Toadflax, Trailing Crownvetch, Tumble mustard, Tumble pigweed, Tumbleweed, Velvet leaf, Venice mallow, Veronica, Vervain, Vetch, Virginia buttonweed, Virginia creeper,

# Riverdale MCDA<sup>TH</sup> 8000 Lawn Weed Killer (Commercial Label Only)

Virginia pepperweed, Wavyleaf bullthistle, Western clematis, Western salsify, White clover, White mustard, Wild mustard, Wild aster, Wild buckwheat, Wild carrot, Wild fouro'-clock, Wild garlic, Wild geranium, Wild lettuce, Wild marigold, Wild onion, Wild parsnip, Wild radish, Wild rape, Wild strawberry, Wild sweet potato, Wild vetch, Willow, Witchweed, Wooly morningglory, Woodsorrel, Wooly croton, Wooly plantain, Wormseed, Yarrow, Yellow rocket, Yellowflower pepperweed, and other broadleaf weeds.

Some hard-to-kill (control) weeds may require a second (or additional) broadcast application or repeated spot applications even under ideal conditions for application.

### ORNAMENTAL TURF

Apply MCDA™ 8000 Lawn Weed Killer at the rate of 2 pints in 4 to 50 gallons of water per 8,000 square feet (4 fluid ounces in 1/2 to 5 gallons of water per 1,000 square feet) to control weeds growing in turf planted to Bluegrass, Fescue, Rye, Bent (excluding golf course greens and tees), Bahia, Bermuda and Zoysia.

### STORAGE AND DISPOSAL

**STORAGE:** Always use original container to store pesticides in a secured warehouse or storage building Store at temperatures above 32°F. If allowed to freeze, remix before using. This does not alter this product. Containers should be opened in well<sup>1</sup> ventilated areas. Keep container tightly sealed when not in use. Do not stack cardboard cases more than two pallets high. Do not store near open containers of fertilizer, seed or other pesticides. Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE DISPOSAL:** If container is damaged or if pesticide has leaked, contain all spillage. Absorb and clean up all spilled material with granules or sand. Place in a closed labeled container for proper disposal. Improper disposal of excess pesticide, spray mixtures, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL**: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other procedures approved by State and local authorities. Plastic containers are also disposable by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

**NOTICE:** Buyer assumes all risks of use, storage and handling of this product not in strict accordance with directions given herewith. (RV 101003)

Editor's Note:

<sup>1</sup>The State Sale and Use Prohibitions of this product must be part of printed label text for any product which might possibly enter the channels of trade in the states of California, Oregon and/or Washington. The label prohibitions are optional for all other states.



Regulatory Affairs Department 1333 Burr Ridge Parkway, Suite 125A Burr Ridge IL 60527-0866 Office Ph: 708 754 3330 Facsimile: 708 754 0314

UPS - Overnight October 10, 2003

Document Processing Desk (NOTIF) Registration Division (7505C) Office of Pesticide Programs U.S. Environmental Protection Agency Crystal Mall Building, #2 1921 Jefferson Davis Arlington, VA 22202

Dear Sir/Madam:

Subject: Riverdale MCDA 8000 Lawn Weed Killer EPA Registration No. 228-350 Application For Pesticide: Other OPP Identifier No. 292569

The states of California, Oregon and Washington have requested we modify our labels to include their restrictions regarding the use of Clopyralid. We also added more weed names. Finally, we made revisions per the Agency's 6-5-03 letter.

We have also enclosed an extra copy of each label highlighted to show just the changes contained in this submission.

If there is anything else we should do at this time please contact us immediately.

Thank you for your continuing assistance.

Sincerely yours,

RIVERDALE - A NUFARM COMPANY

R4 Aug-

By Russell F. Sawyer Regulatory Affairs Manager

RFS:jb

Enclosures