



228-372

01/23/2008

1/12

 <p>U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505P) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460</p> <p>NOTICE OF PESTICIDE: <input type="checkbox"/> Registration <input checked="" type="checkbox"/> Reregistration</p> <p>(under FIFRA, as amended)</p>	EPA Reg. Number: 228-372	Date of Issuance: 1-23-08
	Term of Issuance:	
	Name of Pesticide Product: Eclipse Selective Herbicide	
Name and Address of Registrant (include ZIP Code): Mr. George Meindl Nufarm Americas, Inc. 150 Harvester Drive, Suite 200 Burr Ridge, IL 60527		
<p><small>Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.</small></p>		
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.</p> <p>Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is reregistered in accordance with FIFRA section 4(g)(2)(C) provided that you :</p> <ol style="list-style-type: none"> 1. Submit and/or cite all data required for registration/reregistration of your product when the Agency requires all registrants of similar products to submit such data. 		
Signature of Approving Official:  Erik Kraft, Acting Product Manager 23 Herbicide Branch, Registration Division (7505P)	Date: 1-23-08	

2/12

EPA Reg # 228-372

2. Make all of the changes detailed in the attached document "Summary of Comments on 000228-00372.epacomments.pdf.
3. To the Label add "Aerial Application is Prohibited".
4. On pg. 3 remove "In New York State: ...acre per year."
3. Submit final labeling for this product **within 30 days** of the date of this letter.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). If you have any questions you call Tobi Colvin-Snyder at 703-305-7801.

 1-23-07

3/12

Summary of Comments on 000228-00372. epacomments.pdf

Page: 1

Author: tsnyder
Subject: Cross-Out
Date: 10/1/2007 1:31:44 PM -04'00'
Ⓢ Too vague; use sites must be specifically stated.

Author: tsnyder
Subject: Cross-Out
Date: 10/1/2007 2:03:10 PM -04'00'
Ⓢ The stated use sites are not on this label. Also, use is only allowed on labeled use sites.

Handwritten:
C. W.
1-23-07

Page: 2

Author: tsnyder
Subject: Cross-Out
Date: 10/1/2007 1:33:31 PM -04'00'

⌘

Author: tsnyder
Subject: Inserted Text
Date: 10/1/2007 1:37:34 PM -04'00'

⌘ made of any waterproof material, and protective eyewear (goggles, faceshield, or safety glasses)

Author: tsnyder
Subject: Inserted Text
Date: 10/1/2007 1:33:02 PM -04'00'

⌘ after handling and

Author: tsnyder
Subject: Cross-Out
Date: 10/1/2007 1:42:01 PM -04'00'

⌘

Author: tsnyder
Subject: Inserted Text
Date: 10/1/2007 1:43:12 PM -04'00'

⌘ Do not contaminate water when disposing of equipment washwater or rinsate.

Author: tsnyder
Subject: Cross-Out
Date: 10/1/2007 1:45:57 PM -04'00'

⌘

tsnyder
1-23-08

5/12

Author: tsnyder
Subject: Cross-Out
Date: 10/1/2007 1:47:13 PM -04'00'
Use sites must be specifically stated.

Author: tsnyder
Subject: Inserted Text
Date: 10/1/2007 1:57:57 PM -04'00'
Do not apply this product in a way that will contact workers or other persons either directly or through drift. Only protected handlers may be in the area during application. Do not enter or allow others to enter the treated area until sprays have dried.

Author: tsnyder
Subject: Cross-Out
Date: 10/1/2007 1:59:17 PM -04'00'
the label prohibits use on residential turf.

Author: tsnyder
Subject: Note
Date: 10/1/2007 1:53:03 PM -04'00'
Add the following text:

SPRAY DRIFT MANAGEMENT

Avoiding spray drift at the application site is the responsibility of the applicator. The interaction of many equipment and weather related factors determine the potential for spray drift. The applicator and the grower are responsible for considering all these factors when making decisions.

Apply only as a medium or coarser spray (ASAE standard 572) or a volume mean diameter or 300 microns or greater for spinning atomizer nozzles.

Apply only when the wind speed is 2-10 mph at the application site.

Handwritten signature and date: 1-23-08

Page: 6

Author: tsnyder
Subject: Inserted Text
Date: 10/2/2007 9:40:56 PM -04'00'
T_A To the extent allowable by applicable law,

Author: tsnyder
Subject: Inserted Text
Date: 10/2/2007 9:40:27 PM -04'00'
T_A To the extent allowable by applicable law,

Author: tsnyder
Subject: Inserted Text
Date: 10/2/2007 9:41:33 PM -04'00'
T_A To the extent allowable by applicable law,

C. W.
1-23-00

7/12

ECLIPSE™

Selective Herbicide

A PREMIUM THREE-WAY POST-EMERGENT SELECTIVE BROADLEAF HERBICIDE CONTAINING THE AMINES OF MCPA, CLOPYRALID AND DICHLORPROP-p. FOR USE ON GOLF COURSES, PARKS, ORNAMENTAL TURF LAWNS AND SIMILAR TURF AREAS. CONTROLS DANDELIONS, CHICKWEEDS, PLANTAINS, OXALIS, SPURGE AND MANY OTHER BROADLEAF WEEDS, SOME OF WHICH ARE LISTED ON THIS LABEL.

ACTIVE INGREDIENT:

Dimethylamine Salt of 2-Methyl-4-Chlorophenoxyacetic Acid*	47.77%
Monoethanolamine Salt of 3,6-Dichloro-2-Pyridinecarboxylic Acid**	2.53%
Dimethylamine Salt of (+)-R-2-(2,4-Dichlorophenoxy)propionic Acid***‡	9.54%

OTHER INGREDIENTS:

TOTAL 40.16%
100.0%

By Isomer Specific Method, Equivalent to:

*2-Methyl-4-Chlorophenoxyacetic Acid	39.00%, 3.74 lbs./gal.
**3,6-Dichloro-2-Pyridinecarboxylic Acid	1.92%, 0.18 lbs./gal.
***(+)-R-2-(2,4-Dichlorophenoxy)propionic Acid	8.00%, 0.76 lbs./gal.

‡CONTAINS THE SINGLE ISOMER FORM OF DICHLORPROP-p.

**FOR USE BY PROFESSIONAL TURF MAINTENANCE PERSONNEL,
LANDSCAPING OR COMMERCIAL APPLICATORS ONLY.
NOT FOR SALE TO OR USE BY HOMEOWNERS.**

**NOT FOR SALE OR USE IN NASSAU AND SUFFOLK COUNTIES IN N.Y. STATE.
IN CALIFORNIA AND WASHINGTON, TURFGRASS AND LAWN USES ARE RESTRICTED TO GOLF COURSES ONLY. IN
OREGON, THE USE OF THIS PRODUCT IS LIMITED TO THE SITES STATED ON THIS LABEL WHICH ARE AGRICULTURAL*,
FOREST*, RIGHT-OF-WAY*, GOLF COURSE OR CEMETERY SITES.**

*This product cannot be used on Agricultural, Forest sites or Rights-of-Way.

NOTE: Spanish language is optional

**KEEP OUT OF REACH OF CHILDREN
DANGER - PELIGRO**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

SEE INSIDE BOOKLET FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300
For Medical Emergencies Only, Call (877) 325-1840

EPA REG. NO. 228-372
EPA EST. NO. 228-IL-1

MANUFACTURED BY
NUFARM AMERICAS INC.
BURR RIDGE, IL 60527



NET CONTENTS GALLONS

000228-00372.20061026.pendingRED

ACCEPTED
with COMMENTS
in EPA Letter Dated

13-08

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

228-372

8/12

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER-PELIGRO**

Corrosive, causes irreversible eye damage. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Wear protective eyewear (goggles, face shield, or safety glasses). ~~Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.~~

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category A on the EPA chemical resistant category selection chart.

Mixers, loaders, applicators and other handlers must wear: long sleeved shirt and long pants, shoes plus socks and chemical resistant gloves when mixing, loading or using any hand-held equipment.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washable exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS	
Users Should:	
<ul style="list-style-type: none"> • Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. • Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. • Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing. 	

FIRST AID	
IF IN EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment information.	
NOTE TO PHYSICIAN	
Probable mucosal damage may contraindicate the use of gastric lavage.	

ENVIRONMENTAL HAZARDS

Drift or runoff may adversely affect non-target plants and may be hazardous to aquatic organisms in water adjacent to treated areas. ~~MCPA may be toxic to fish, aquatic invertebrates and aquatic plants.~~ Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark.

MCPA has properties and characteristics associated with chemicals detected in groundwater. The use of this product in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollution Discharge Elimination (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

~~**COMBUSTIBLE.** Do not use or store near heat or open flame.~~

~~Agricultural Chemical. Do not ship or store with food, feeds, drugs or clothing.~~

9/12

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

This product is for use on Ornamental Turf Lawns (Industrial and Institutional), Parks, Cemeteries, Athletic and Recreational Sports Fields, Golf Courses (Fairways, Aprons, Tees* and Roughs) ~~and similar turf areas~~. Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production or for research purposes. *Excluding Bentgrass Tees.

USE PRECAUTIONS

Avoid drift of spray mist to vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants. Do not pour spray solutions near desirable plants. Do not use on Carpetgrass, Centipede, St. Augustine, Dichondra, nor on lawns or turf where desirable clovers are present. Avoid fine mists. Use lawn type sprayer with coarse spray as wind drift is less likely. Avoid contact with exposed feeder roots of ornamentals and trees. Maximum control of weeds will be obtained from Spring or early Fall applications when weeds are actively growing. The degree of weed control and duration of effect will vary with weed size and density, spray rate and coverage, and growing conditions before, during, and after the time of treatment. Use the higher rate for hard-to-control weeds. Do not exceed specified dosages for any area; be particularly careful within the dripline of tree and other ornamental species. Do not apply to newly seeded grasses until well established. Avoid broadcast applications when air temperature exceeds 90°F. When using in small, spot treatment applications in temperatures over 90°F, turf injury may occur.

Do not use on residential turf. Do not collect grass clippings for mulch or compost. Do not send clippings to a compost facility. Applicator must give notice to landowners/property managers to not use grass clippings for mulching or composting.

The suitable use of this product on non-recommended turf species may be determined by treating a small area at any rate/acre which does not exceed 3 pints/acre. The treated area should be observed for any sign of turf injury for a period of 30 days of normal growing conditions to determine the phytotoxicity and efficacy to the treated area.

For ~~residential turf and~~ golf course use, do not apply more than 1.5 lb ae/acre per year. Do not apply more than 2 broadcast applications per year with a minimum retreatment interval of 21 days.

In New York State: Do not apply more than 12.4 pints (0.28 pounds of clopyralid acid) of this product per acre per year.

For optimum results:

- (1) avoid applying during excessively dry or hot periods unless irrigation is used;
- (2) turf should not be mowed 1 to 2 days before and following application;
- (3) reseed no sooner than 3 to 4 weeks after application of this product. Adding oil, wetting agent, or other surfactant to the spray may be used to increase effectiveness on weeds but doing so may reduce selectivity to turf resulting in turf damage. Clean and rinse spray equipment using soap or detergent and water, and rinse thoroughly before reuse for other sprays.



10/12

WEEDS CONTROLLED

Alder
 Annual yellow sweet clover
 Artichoke
 Aster
 Austrian fieldcress
 Bedstraw
 Beggartick
 Bidden
 Bindweed
 Bird vetch
 Bitterweed
 Bitter-wintercress
 Black-eyed Susan
 Black medic
 Black mustard
 Blackseed plantain
 Blessed thistle
 Blue lettuce
 Blue vervain
 Box elder
 Bracted plantain
 Brassbuttons
 Bristly oxtongue
 Broadleaf dock
 Broadleaf plantain
 Broomweed
 Buckhorn
 Buckhorn plantain
 Bulbous buttercup
 Bull nettle
 Bull thistle
 Burdock
 Burning nettle
 Bur ragweed
 Burweed
 Buttercup
 Canada thistle
 Carolina geranium
 Carpetweed
 Catchweed bedstraw
 Catsear
 Catnip
 Chickweed
 Chicory
 Cinquefoil
 Clover
 Cockle
 Cocklebur
 Coffeebean
 Coffeeweed
 Common chickweed
 Common mullein
 Common sowthistle
 Corn Chamomile
 Creeping jenny
 Crimson clover
 Croton
 Cudweed
 Curly dock
 Curly indigo
 Dandelion
 Dead nettle
 Dock

Dogbane
 Dogfennel
 Elderberry
 English daisy
 Fall dandelion
 False dandelion
 False flax
 False sunflower
 Fiddleneck
 Field bindweed
 Field pansy
 Flea bane (daisy)
 Flixweed
 Florida betony
 Florida pusley
 Frenchweed
 Galinsoga
 Garlic mustard
 Goathead
 Goatsbeard
 Goldenrod
 Ground ivy
 Gumweed
 Hairy bittercress
 Hairy fleabane
 Hawkweed
 Healall
 Heartleaf drymary
 Hedge bindweed
 Hedge mustard
 Hemp
 Henbit
 Hoary cress
 Hoary plantain
 Hoary vervain
 Honeysuckle
 Hop clover
 Horsenettle
 Horsetail
 Indiana mallow
 Ironweed
 Jewelweed
 Jimsonweed
 Kochia
 Knawel
 Knotweed
 Lambsquarter
 Lespedeza
 Locoweed
 Lupine
 Mallow
 Marshelder
 Matchweed
 Mexicanweed
 Milk vetch
 Milkweed bloodflower
 Mugwort
 Morningglory
 Mousear chickweed
 Musk thistle
 Mustard
 Narrowleaf plantain
 Narrowleaf vetch

Nettle
 Orange hawkweed
 Oxalis
 Oxeye daisy
 Parsley-piert
 Parsnip
 Pearlwort
 Pennycress
 Pennywort
 Peppergrass
 Pepperweed
 Pigweed
 Pineywoods bedstraw
 Plains coreopsis
 Plantain
 Poison hemlock
 Poison ivy
 Poison oak
 Pokeweed
 Poorjoe
 Povertyweed
 Prickly lettuce
 Prickly sida
 Primrose
 Prostrate knotweed
 Prostrate pigweed
 Prostrate spurge
 Prostrate vervain
 Puncture vine
 Purslane
 Ragweed
 Red clover
 Redroot pigweed
 Red sorrel
 Redstem filaree
 Rough cinquefoil
 Rough fleabane
 Roundleafed marigold
 Rush
 Russian pigweed
 Russian thistle
 St. Johnswort
 Scarlet pimpernel
 Scotch thistle
 Sheep sorrel
 Shepherdspurse
 Slender plantain
 Smallflower galinsoga
 Smartweed
 Smooth dock
 Smooth pigweed
 Sneezeweed
 Southern wild rose
 Sowthistle
 Spanishneedle
 Spatterdock
 Speedwell
 Spiny Amaranth
 Spiny cocklebur
 Spotted catsear
 Spotted knapweed
 Spotted spurge
 Spurge

Spurweed
 Stinging nettle
 Stinkweed
 Stitchwort
 Strawberry clover
 Sumac
 Sunflower
 Sweet clover
 Tall nettle
 Tall vervain
 Tansy mustard
 Tansy ragwort
 Tanweed
 Tarweed
 Thistle
 Tick trefoil
 Toadflax
 Trailing Crownvetch
 Tumble mustard
 Tumble pigweed
 Tumbleweed
 Velvet leaf
 Venice mallow
 Veronica
 Vervain
 Vetch
 Virginia buttonweed
 Virginia creeper
 Virginia pepperweed
 Wavyleaf bullthistle
 Western clematis
 Western salsify
 White clover
 White mustard
 Wild mustard
 Wild aster
 Wild buckwheat
 Wild carrot
 Wild four-o'clock
 Wild garlic
 Wild geranium
 Wild lettuce
 Wild marigold
 Wild onion
 Wild parsnip
 Wild radish
 Wild rape
 Wild strawberry
 Wild sweet potato
 Wild vetch
 Willow
 Witchweed
 Woolly morningglory
 Woodsorrel
 Woolly croton
 Woolly plantain
 Wormseed
 Yarrow
 Yellow rocket
 Yellowflower pepperweed
 and other broadleaf weeds.

11/12

ORNAMENTAL LAWNS AND TURF

Apply this product at the rate of 2 to 3 pints in 20 to 240 gallons of water per acre (0.73 to 1.10 fl. oz. in 0.5 to 5.5 gallons of water per 1,000 square feet) to control weeds growing in turf planted to Bluegrass, Fescue, Rye, Bent (excluding golf course greens and tees), Bahia, Bermuda and Zoysia.

Controlled Droplet Applicators - (CDA), Atomizers, and Spinning Disk Applicators: Use this product at the rate of 2 to 3 pints per acre (0.73 to 1.10 fluid ounces per 1,000 square feet) in sufficient water to assure coverage (1 to 4 gallons of water per acre is normal for this type of equipment).

Lower Volume Equipment: Use as little as 5 gallons of water per acre. Use only application equipment that is capable of spreading a uniform droplet, wetting each weed surface.

NOTE: For all grasses (1) Avoid double coverage resulting from overlap unless temporary turf injury can be tolerated. (2) Use reduced rates if grass is stressed from heat, drought, etc.; and (3) Follow CDA equipment spray instructions.

COMPATIBILITY

This product can be mixed with some liquid fertilizers or liquid iron materials. Because liquid fertilizers and liquid iron differ in pH, free ammonia content, density, salt concentration and percentage of water, a compatibility test (given below) is recommended prior to mixing in the application equipment. All regulations, either State or Federal, relating to the application of liquid fertilizers or liquid iron and this product must be strictly followed. The following compatibility test should always be performed prior to full-scale mixing.

1. Pour 18 ounces of water into a quart jar.
2. Add 1 ounce of either the liquid fertilizer or liquid iron to be used.
3. Add 1 ounce of this product.
4. Close jar and shake well.
5. Watch the mixture for several seconds after shaking and check again after 30 minutes.
6. If the mixture does not show signs of separating, the combination may be used. If the mixture foams excessively, gels, separates or gets very thick, do not combine for field application.
7. Compatibility may be improved by the use of a compatibility agent. Some suggested compatibility agents to try are Kalo Laboratories Complex, HACO Inc.'s Unite, Farm Chemicals Inc.'s Compat, Harcros Chemicals' T-Mulz 734-2, Rigo Company's Rigo Compatibility Agent, Witco Chemical's Sponto 168D, Amoco Oil's Amoco Spray Mate, Universal Coop's Chem-Link and Loveland Industries, Inc.'s E-Z Mix. These agents are all used in the same manner. Follow the previously outlined test procedures and add 1/6 ounce of the compatibility agent between steps (the compatibility agent must be added to the fertilizer or iron before adding this product.)
8. If the mixture does not separate, gel, foam or get very thick, it may be used for field application. Mix only the amount to be sprayed. Do not allow to stand overnight.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Always use original container to store pesticides in a secured warehouse or storage building. Store at temperatures above 32°F. If allowed to freeze, remix before using. This does not alter this product. Containers should be opened in well ventilated areas. Keep container tightly sealed when not in use. Do not stack cardboard cases more than two pallets high. Do not store near open containers of fertilizer, seed or other pesticides. Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. If container is damaged or if pesticide has leaked, contain all spillage. Absorb and clean up all spilled material with granules or sand. Place in a closed labeled container for proper disposal. Improper disposal of excess pesticide, spray mixtures, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent), adding rinsate to spray tank. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers are also disposable by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

CONTAINER DISPOSAL FOR REFILLABLE CONTAINERS: Close all openings and replace all caps. Contact Nufarm's Customer Service Department at 1-800-345-3330, to arrange for return of the empty refillable container.

12/12

WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR ARISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER, ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS, BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

(RV102606)

Eclipse is a Trademark of Nufarm Americas Inc.

Editor's Note:

The State Sale and Use Prohibitions of this product must be part of printed label text for any product which might possibly enter the channels of trade in the states of New York, California, Oregon and/or Washington. The label prohibitions are optional for all other states.