

# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

NOV 2 0 2008

Lizbeth Rea Registration Manager Nufarm Americas Inc. 150 Harvester Drive, Suite 200 Burr Ridge, IL 60527

Subject: Label Notification(s) for Pesticide Registration Notices 2007-4 and 98-10

Primary Brand Name Change – Manor

Change to Warranty Disclaimer and Limitation of Liability

Dear Ms. Rea:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notices (PRN) 2007-4 and 98-10 dated October 2, 2008 for:

# EPA Registration #228-373 Manor

The Registration Division (RD) has conducted a review of this request for applicability under PR Notices 2007-4 and 98-10 and finds that the label changes requested falls within the scope of PR Notices 2007-4 and 98-10. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please call me directly at 703-305-6249 or Nicole Williams of my staff at 703-308-5551.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P)

Office of Pesticide Programs

Please read instructions on reverse before completing form.	Form Ar	proved. OMB No.	2070-0060, Approvel expires 2-28-9	
SEPA Environmental Protection, DC 2	tion Agency	Registra Amenda Other		
Applica	tion for Pesticide - Sec	ction I	· · · · · · · · · · · · · · · · · · ·	
1. Company/Product Number 228-373	2. EPA Product Ma Jim Tompkins	nager	3. Proposed Classification  None Restricted	
4. Company/Product (Name) Riverdale Manor Selective Herbicide	PM#	25	The state of the s	
5. Name and Address of Applicant (Include ZIP Code)  Nufarm Americas, Inc.  150 Harvester Drive Suite 200  Burr Ridge, IL 60527	(b)(i), my product to:	is similar or iden	ance with FIFRA Section 3(c)(3) tical in co <b>NOTIFICATION</b> 9  NOV 2 0 2008	
Check if this is a new address	Product Name			
	Section - II			
Amendment - Explain below.  Resubmission in response to Agency letter dated				
Explanation: Use additional page(s) if necessary. (For sec Via PR Notice 98-10, change in primary brand name, add Notice 2007-4), change in Warranty Disclaimer and Limit	lition of FIRST AID statements,	change in the Sto	rage and Disposal statements (PR	
1 Manual This Deadons Mill De Dealeand Inc.	OCOLIOII III			
1. Material This Product Will Be Packaged In:  Child-Resistant Packaging  Yes  No  * Certification must be submitted  Unit Packaging  Yes  No. per Unit Packaging wgt.		er	Metal Plastic Glass Paper Other (Specify)	
3. Location of Net Contents Information 4. Size(s)	Retail Container	5. Location of Label On Labeling	bel Directions g accompanying product	
6. Manner in Which Label is Affixed to Product Lithograph Other Paper glued Stenciled				
	Section - IV			
1. Contact Point (Complete items directly below for identification)	ntion of individual to be contacted	, if necessary, to pi	rocess this application.)	
Title Lizbeth Rea Registration Manager		Telephone No. (Include Area Code) 919/655-0701		
Certifi I certify that the statements I have made on this form a I acknowledge that any knowlingly false or misleading both-under applicable law.	ind all attachments thereto are tru	fine or imprisonmen		
2. Signature	3. Title  Registration Manager		,	
4. Typed Name Lizbeth Rea	5. Date 10/2/2008			



Nufarm Americas, Inc. Lizbeth Rea Registration Manager 150 Harvester Drive, Suite 200 Burr Ridge, IL 60527 Phone: 919.655.0701 Fax: 919.342.5176 liz.rea@us.nufarm.com

Via Overnight Courier

October 2, 2008

Jim Tompkins (PM-25)
Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U. S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 S. Crystal Drive
Arlington, VA 22202-4501

Subject:

Riverdale Manor Selective Herbicide

EPA Reg. No. 228-373

Label Changes via PR Notice 98-10

Dear Mr. Tompkins:

The following documents are attached in support of the change in primary brand name, changes made to the Container Disposal statements under PR Notice 2007-4, changes to the Warranty Disclaimer and Limitation of Liability, as well as the addition of a FIRST AID table. All of these changes are being made via notification under PR Notice 98-10.

- Application for a New Product Registration (EPA Form 8570-1)
- One (1) copy of the Manor label with changes tracked.
- Five (5) copies of the Manor label with changes incorporated.

Please call me at 919/655-0701 if you have any questions and/or comments regarding this submission.

Sincerely,

Lizbeth Rea

Registration Manager Nufarm Americas Inc.

#### MANOR

### A Water Dispersible Granule

Selectively controls annual and perennial weedy grasses and broadleaf weeds, including rosette and wining type dicots. Also controls Bahiagrass in Bermudagrass areas.

Recommended for use by professional turf grass Managers

# ACTIVE INGREDIENT: Metsulfuron Methyl Methyl 2-[[[(4-methoxv-6-methyl-1,3,5-triazin-2-y1) -amino]carbonyllaminc]sulfonyllbenzoat'- 64.0% INERT INGREDIENTS 40.0% TOTAL 100.0%

MANOR™ IS A TRADEMARK OF Nufarm Americas, Inc.

#### KEEP OUT OF REACH OF CHILDREN

#### CAUTION

SEE INSIDE BOOKLET FOR ADDITIONAL PRECAUTIONARY STATEMENTS

	FIRST AID
IF ON SKIN OR CLOTHING	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
IF IN EYES	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
	HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-424-9300 for emergency medical treatment information.

EPA REG. NO. 228-373

EPA Est. NO. 352-WV-1

NET CONTENTS 2 OZS.

Manufactured by Nufarm Americas, Inc. 150 Harvester Drive, Suite 200 Burr Ridge, IL 60527

NOTIFICATION

NOV 2 0 2008

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### CAUTION

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing.

#### PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear: Long-sleeved shirt and long pants, shoes, socks and chemical resistant (Category A) gloves. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

#### ENGINEERING CONTROL STATEMENTS:

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard(WPS) for agricultural pesticides (40 CFR 170.240(d)(4-6), the handler PPE requirements may be reduced or modified as specified in the WPS.

IMPORTANT: When reduced PPE is worn because a closed system is being used, handlers must be provided all PPE specified above for "applicators and other handlers" and have such PPE immediately available for use in an emergency, such as a spill or equipment break-down.

#### USER SAFETY RECOMMENDATIONS

USERS SHOULD: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

#### ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply where runoff water may flow, during periods of intense rainfall or to water saturated soils as off-target movement and injury may occur. Do not contaminate water when disposing of equipment washwaters. Do not apply this product through any type of irrigation system.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

For any requirements specific to your State or Tribe, consult the Agency responsible for pesticide regulation.

#### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Workers Protection Standard, 40 *CFR* part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions, and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restrictedentry interval (REI) of 4 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: coveralls, shoes, socks and chemical resistant (Category A) gloves.

#### NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170 The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses. Do not enter treated areas without protective clothing until sprays have dried.

Manor is for use on Ornamental Turf, such as Lawns, Parks, Cemeteries, Golf Courses (Fairways, Aprons, Tees and Roughs) and similar non-crop areas. This product may also be used on Sod Farms.

Controls the following perennial and annual weedy grasses:

Bahiagrass Foxtail Ryegrass

Controls the following broadleaf (dicot) weeds:

Henbit. Annual sowthistle Hoary cress (whitetop) Aster Bittercress Kochia Lambs quarters Blue mustard Miners lettuce Buckhorn Pennsylvania smartweed Bur buttercup Plantain Canada thistle Prickly lettuce Carolina geranium Prostrate knotweed Chicory Redroot pigweed Clover (white) Redstem filaree Common chickweed Shepherdspurse Common groundsel Smallseed flaxweed Common mullein Smooth pigweed Common purslane Spurge (prostrate) Common sunflower Sweet clover Common yarrow Tansy mustard Conical catchfly Treacle mustard Cow cockle Tumble mustard Crown vetch Virginia buttonweed Curly dock Wild carrot Dandelion Wild celery Dog fennel Wild garlic False chamomile Wild lettuce Fiddleneck tarweed Wild mustard Field pennycress Wild onion Flixweed Wood sorrel (oxalis) Goldenrod

For use only on Kentucky Bluegrass, fine Fescue, Bermudagrass and St. Augustine grass turf areas.

#### USE PRECAUTIONS

Use lower rates for minimum chlorosis of the turf.

Do not apply Manor to turf under stress from drought, insects, disease, cold temperatures, high temperatures of above 85'F on cool season grasses, or poor fertility as injury may result.

Do not apply to turf less than 1 year old.

Do not use on Bahiagrass where it is the desired turf, as severe injury may result.

Do not plant ornamentals such as shrubs, and trees in treated areas for at least 1 year after the last application or bedding plants for at least 2 years.

#### IMPORTANT

Addition of a nonionic surfactant of at least 80% active ingredient at 0.25 percent by volume (1 qt/gal) provides maximum performance, but may temporarily increase chlorosis of the turf.

Allow one week between the application of Manor and other control (pesticide containing) products. (This guideline can be relaxed where severe insect or disease attack requires immediate treatment).

DO NOT USE ON FOOD OR FEED CROPS. Injury to or loss of desirable trees or ether pants may result from failure to observe the following: Do not apply Manor except as recommended) or drain or flush equipment on or near desirable trees or other plants, or on areas where their roots may extend or in locations where the chemical may he washed or moved into contact with their roots.

When overseeding, wait 2 months (8 weeks) after application. Do not apply to any body of water, including streams, irrigation water or wells. Do not apply where runoff water may flow onto agricultural land, as injury to crops may result.

Do not allow spray drift onto adjacent crops or other desirable plants or trees as injury may occur.

Follow these practices to minimize drift:

Stop spraying if wind speed becomes excessive. Spray drift can occur at wind speeds less than 10 MPH. If sensitive plants are downwind, extreme caution must be used. Do not spray if winds are qusty.

High temperatures, brought and low relative humidity increase the possibility of harmful spray drift. Caution must be used when these conditions are present and sensitive plants are nearby.

Use large droplet size sprays to minimize drift.

Use spray pressures of 35 psi or less when applying this product. HOW TO USE

Use spray volumes of 20 to 80 gal/acre and pressures of 25 to 35 psi at the following rates of Manor for the weeds listed below:

#### 0.125 to 0.25 OZ. PRODUCT/ACRE

ryegrass (greens)
-------------------

## 0.25 to 0.33 OZ. PRODUCT/ACRE

Bittercress Blue mustard	Ground ivy (Fall)
Bur buttercup	Parsley-piert
Chickweed Chicory	Prostrate spurge
Clover (white)	Redstem filaree
Creeping beggarweed	Spurweed
Dandelion	Wild carrot
Field pennycress	

## 0.33 to 0.5 OZ. PRODUCT/ACRE

Annual sowthistle Ryegrass (fairways) Aster Seedling dogfennel Carolina geranium Shepherdspurse Common varrow Smooth pigweed Crown vetch Smallseed falseflax Florida betony Sweet clover Ground ivy (Spring\*) Tansy mustard Henbit Treacle mustard Lambsquarters Tumble mustard Lespedeza Wild celery Miners lettuce Wild garlic Wild lettuce Plantain Wild Onion Prickly lettuce Woodsorrel Ragweed Redroot pigweed

#### 0.25 to 0.75 0Z. PRODUCT/ACRE

Bahiagrass\*

# 0.5 to 1 OZ. PRODUCT/ACRE

Brazil pusley Buckhorn plantain Canada thistle**	Florida pusley Foxtail Hoarycress (whitetop) Kochia
Curly dock Common groundsel Common purslane	Pennsylvania smartweed Plantain
Common sunflower Crabgrass Dogfennel	Prostrate knctweed Sida (southern) Virginia buttonweed***
Dollarweed*	Wild mustard

- \*A repeat application may be required in 4 to 6 weeks.
- \*\*Suppression only involving a visual reduction in competition compared to an untreated area.
- \*\*\*Controls seedling Virginia buttonweed. Suppression only of more mature plants. Repeat application may be required in 4 to 6 weeks.

The required amount of Manor should be added when the spray tank is half full of water and, with agitator running, add the proper amount of product. Finish adding the required amount of water. Continuous agitation is required to keep the product in suspension.

Spray preparations of this product may degrade in acid solutions if not used in 24 hours; it is stable in alkaline solutions. Thoroughly reagitate before using.

Tank mixes with other registered herbicides should be tested for compatibility before full scale mixing. Use mechanical or bypass agitation to thoroughly mix the spray suspension. It is not necessary to premix this product with water in a separate container prior to adding it to the spray tank. This product should always be added to the tank first, before any other herbicides or adjuvants.

<u>Use on Kentucky Bluegrass and Pine Fescue:</u> Apply 0.25 to 0.5 oz of Manor per acre for control of the listed weeds: Do not exceed 0.5 oz per acre within a 9-month period.

Use on St. Augustinegrass, Bermudagrass and Zoysiagrass (Meyers and Emerald): Apply 0.25 to 1.0 oz of Manor per acre for weed control. Some chlorosis or stunting of the turfgrass may occur following application.

<u>Bahiagrass Control</u>: For the selective control of Bahiagrass in Bermudagrass turf, use 0.25 to 0.75 oz of Manor per acre. Use the higher rates of the range on Argentine, Common and Paraguayan Bahiagrass. Apply a repeat treatment in 4 to 6 weeks if necessary. Some chlorosis or stunting of the Bermudagrass may occur following the application.

<u>Use on Centipedegrass</u>: Apply 0.25 to 0.5 oz. of this product per acre for weed control. Some chlorosis or stating of the turfgrass may occur following the application.

<u>IMPORTANT:</u> Addition of a nonionic surfactant of at least 80% active ingredient at 0.25 percent by volume (1 qt/100 gal) provides maximum performance, but may temporarily increase chlorosis of the turf.

Allow one week between the application of Manor and other control (pesticide-containing) products. (This guideline can be relaxed where a severe insect or disease attack requires immediate treatment.)

#### RECOMMENDED SPRAYER CLEANUP

Immediately after spraying thoroughly remove all traces of Manor from mixing and spray equipment as follows:

- Drain tank, rinse interior surface of tank, then flush tank, boom and hoses with clean water for a minimum of 5 minutes.
- Fill the tank with clean water, then add an ammonia cleaning solution. Use on gallon ammonia (containing 3% active) per 100 gallons of water. Turn on sprayer long enough to flush through boom, hoses and nozzles. Stop spraying, but keep agitator working in the tank for 15 minutes, then drain.
- 3) Repeat Step 2.
- 4) Repeat Step 1.
- 5) Nozzles and screens should then be removed and cleaned separately.

  To remove traces of cleaning solution, rinse the tank thoroughly with clean water and flush through hoses and boom.

6) Flush boom and hoses with clean water for 5 minutes just prior to using the sprayer for the first time after the Manor application.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

**PESTICIDE STORAGE:** Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or mix tank. Fill the container half full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

#### WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

#### LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR RISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL

WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

NOTIFICATION NUV 2 0 2008