



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

20 JUN 2008

OFFICE OF
PREVENTION, PESTICIDES
AND
TOXIC SUBSTANCES

Nufarm Americas, Inc.
150 Harvester Drive, Suite 200
Burr Ridge, IL 60527

Subject: EPA Reg. 228-405 (DTDA 10000 Lawn Weed Killer) 2, 4-D Reregistration Label Amendment

The labeling referred to above is in compliance with the 2, 4-D RED provided that you:

1. Submit and/or cite all data required for registration/reregistration review of your product when the Agency requires all registrants of similar products to submit data.

Commercial Sub Label

2. Change the Hazards to Humans and Domestic Animals section to "Harmful if swallowed. Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. This product may cause skin sensitization reactions in some people."

3. The mechanical transfer engineering control text may be deleted from the label. If this product is not intended to be applied by air add a statement prohibiting aerial application and delete all reference to aerial application including reference to "flaggers" and "pilots." Otherwise, the following text must be added to the label:

"Pilots must use an enclosed cockpit that meets the requirements listed in the WPS for agricultural pesticides [40CFR 170.240 (d)(6)."

4. To the label add "Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes."

5. The spray drift text currently on the label must be revised to read as stated below and any conflicting text must be deleted:

"Spray Drift Management

A variety of factors including weather conditions (e.g., wind directions, wind speed, temperature, relative humidity) and method of application (e.g., ground, aerial, airblast, chemigation) can influence pesticide drift. The applicator must evaluate all factors and make appropriate adjustments when applying this product.

Droplet Size

When applying sprays that contain 2,4-D as the sole active ingredient, or when applying sprays that contain 2,4-D mixed with active ingredients that require a coarse or coarser spray, apply only as a coarse or coarser spray (ASAE standard 572) or a volume mean diameter of 385 microns or greater for spinning atomizer nozzles.

When apply sprays that contain 2,4-D mixed with other active ingredients that require a medium or more fine spray, apply only as a medium or coarser spray (ASAE standard 572) or a volume mean diameter of 300 microns or greater for spinning atomizer nozzles.

Wind Speed

Do not apply at wind speeds greater than 15 mph. Only apply this product if the wind direction favors on-target deposition and there are not sensitive areas (including, but not limited to, residential areas, bodies of water, known habitat for nontarget species, nontarget crops) within 250 feet downwind. If applying a medium spray, leave one swath unsprayed at the downwind edge of the treated field.

Temperature Inversions

If applying at wind speeds less than 3 mph, the applicator must determine if: a) conditions of temperature inversion exist, or b) stable atmospheric conditions exist at or below nozzle height. Do not make applications into areas of temperature inversions or stable atmospheric conditions.

Susceptible Plants

Do not apply under circumstances where spray drift may occur to food, forage, or other plantings that might be damaged or crops thereof rendered unfit for sale, use or consumption. Susceptible crops include, but are not limited to, cotton, okra, flowers, grapes (in growing stage), fruit trees (foliage), soybeans (vegetative stage), ornamentals, sunflowers, tomatoes, beans, and other vegetables, or tobacco. Small amounts of spray drift that might not be visible may injure susceptible broadleaf plants.

Other State and Local Requirements

Applicators must follow all state and local pesticide drift requirements regarding application of 2,4-D herbicides. Where states have more stringent regulations, they must be observed.

Equipment

All application equipment must be properly maintained and calibrated using appropriate carriers or surrogates.”

- 6. To the Rights of Way section add “Only one application per growing season, a restriction against grazing lactating dairy cattle until the next growing season, a pre-slaughter interval of 3 days” and remove any contradictory language to comply with the Triclopyr RED.
- 7. To the label add Non Agricultural Use Requirements Box. "NON-AGRICULTURAL USE

page 3
EPA Reg. No. 228-405

REQUIREMENTS The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to product agricultural plants on farms, forests, nurseries, or greenhouses. Do not enter or allow people (or pets) to enter the treated area until dusts have settled.”

8. Delete “and similar turf areas” from page 3 and “similar non-crop areas” from page 4. Delete “excluding spot treatments” from page 4.

Homeowner Sub Label


9. Change the Hazards to Humans and Domestic Animals section to “Harmful if swallowed. Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. This product may cause skin sensitization reactions in some people. Wear long sleeved shirt, long pants, shoes, socks, chemical resistant gloves.”

10. Remove the engineering control and PPE text from the label. Delete “excluding spot treatments” from page 4.

To both labels add “Use of this product in certain portions of California, Oregon, and Washington is subject to the January 22, 2004 Order for injunctive relief in Washington Toxics Coalition, et al. v. EPA, C0132C, (W.D. WA). For further information, please refer to EPA Web Site: <http://www.epa.gov/espp>.”

Submit 1 copy of the revised label for the record. If you have any questions please call Erik Kraft at 703-308-9358 or email at Kraft.Erik@epa.gov.

Sincerely,



Joanne I. Miller
Product Manager 23
Herbicide Branch
Registration Division (7505P)

4/8

(COMMERCIAL LABEL)

DTDA™ 10000 LAWN WEED KILLER

ACCEPTED
with COMMENTS
In EPA Letter Dated:
20 JUN 2008
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

228-405

FOR SELECTIVE BROADLEAF WEED CONTROL IN ORNAMENTAL LAWNS,
TURF GRASSES AND OTHER LISTED SITES.
CONTAINS 2,4-D, TRICLOPYR, AND DICAMBA

KILLS (OR CONTROLS): DANDELION, CHICKWEED, BLACK MEDIC, KNOTWEED, PLAINTAIN,
OXALIS, CLOVER, COCKLEBUR, THISTLE AND MANY OTHER SPECIES OF BROADLEAF WEEDS.

ONE QUART TREATS (COVERS) 10,000 SQUARE FEET

ACTIVE INGREDIENTS:

Triisopropanolamine Salt of 2,4-D Acid*	16.19%
Triethylamine Salt of Triclopyr Acid**	1.51%
Dicamba Acid***	1.08%

OTHER INGREDIENTS:

.....	81.22%
TOTAL:	100.00%

Isomer Specific Method, Equivalent to:

*2,4-D Acid	8.68%, 0.764 lbs./gal.
**Triclopyr Acid	1.08%, 0.095 lbs./gal.
***Dicamba Acid	1.08%, 0.095 lbs./gal.

KEEP OUT OF REACH OF CHILDREN
CAUTION
SEE INSIDE BOOKLET FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300
For Medical Emergencies Only, Call (877) 325-1840

EPA REG. NO. 228-405
EPA EST. NO. 228-IL-1

MANUFACTURED BY
NUFARM AMERICAS INC.
150 HARVESTER DRIVE
BURR RIDGE, IL 60527



NET CONTENTS GALS.

000228-00405.20071030.Pending RED

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Causes moderate eye irritation. Harmful if swallowed or absorbed through skin. Prolonged or frequently repeated contact may cause allergic reactions in some individuals. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

PERSONAL PROTECTIVE EQUIPMENT (PPE):

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category A on an EPA chemical-resistance category selection chart.

All mixers, loaders, applicators, flaggers, and other handlers must wear:

- long-sleeved shirt and long pants,
- shoes and socks, plus
- chemical resistant gloves, when applying with any handheld nozzle or equipment, mixing or loading, cleaning up spills or equipment, or otherwise exposed to the concentrate.
- chemical resistant apron when mixing or loading, cleaning up spills or equipment, or otherwise exposed to the concentrate.

See engineering controls for additional requirements.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering Control Statements:

If this container is over one gallon and less than five gallons, then persons engaged in open pouring of this product must also wear coveralls or a chemical-resistant apron. If this container is five gallons or more in capacity, do not open pour product from this container. A mechanical system (such as a probe and pump or spigot) must be used for transferring the contents of this container. If the contents of a non-refillable pesticide container are emptied, the probe must be rinsed before removal. If the mechanical system is used in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS	
Users Should:	
<ul style="list-style-type: none"> • Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. • Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. If pesticide gets on skin, wash immediately with soap and water. • Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing. 	

FIRST AID	
IF IN EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment information.	

ENVIRONMENTAL HAZARDS

This pesticide may be toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark except as noted on appropriate labels. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash waters or rinsate.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

Do not enter or allow people (or pets) to enter the treated area until sprays have dried. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

This product is for use on ornamental turf lawns (residential, industrial and institutional), parks, cemeteries, athletic fields and golf courses (fairways, aprons, tees* and roughs) and similar turf areas. *Excluding Bentgrass tees.

USE PRECAUTIONS

Do not use this product for controlling weeds in flower or vegetable beds or around shrubs or ornamental plantings. Avoid drift of spray mist to vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants. Do not pour spray solutions near desirable plants.

Do not use on Centipedegrass, St. Augustinegrass, Dichondragrass, nor on lawns or turf where desirable clovers are present. Avoid fine mists. Use lawn type sprayer with coarse spray as wind drift is less likely. Avoid contact with exposed feeder roots of ornamentals and trees. Maximum control of weeds will be obtained from spring or early fall applications when weeds are actively growing. Use the higher rate for hard-to-control weeds. Do not exceed specified dosages for any area; be particularly careful within the dripline of tree and other ornamental species. Do not apply to newly seeded grasses until well established. Do not spray when air temperature exceeds 90° F. Do not exceed recommended rates because damage to turf may occur. Shake well before using.

For optimum results: (1) avoid applying during excessively dry or hot periods unless irrigation is used; (2) avoid applying if rainfall is expected within 24 hours, nor should lawns be irrigated (watered) for 24 hours following application. If lawn needs watering, water thoroughly before application; (3) turf should not be mowed 1 to 2 days before and following application; (4) reseed no sooner than 3 to 4 weeks after application of this product. Adding oil, wetting agent, or other surfactant to the spray may be used to increase effectiveness on weeds but doing so may reduce selectivity to turf resulting in turf damage. Clean and rinse spray equipment using soap or detergent and water, and rinse thoroughly before reuse for other sprays.

WEEDS CONTROLLED

This product is designed to control many broadleaf weeds such as:

Alder	Chickweed, Common	Dogfennel	Ironweed
Artichoke	Chickweed, Mouseear	Elderberry	Ivy, Poison
Aster	Chicory	Fiddleneck	Jewelweed
Aster, Wild	Cinquefoil	Fieldcress, Austrian	Jimsonweed
Bedstraw	Cinquefoil, Rough	Filaree, Redstem	Knawweed, Spotted
Bedstraw, Pineywoods	Clematis, Western	Flax, False	Knawel
Beggartick	Clover	Flea bane (daisy)	Knotweed
Betony, Florida	Clover, Annual Yellow	Fleabane, Hairy	Knotweed, Prostrate
Biden	Sweet	Fleabane, Rough	Kochia
Bindweed	Clover, Crimson	Flixweed	Lambsquarter
Bindweed, Field	Clover, Hop	Florida pusley	Lespedeza
Bindweed, Hedge	Clover, Red	Four-O'-Clock, Wild	Lettuce, Blue
Bitter wintercress	Clover, Strawberry	Frenchweed	Lettuce, Prickly
Bittercress, Hairy	Clover, Sweet	Galinsoga	Lettuce, Wild
Bitterweed	Clover, White	Galinsoga, Smallflower	Locoweed
Black-eyed Susan	Cockle	Garlic, Wild	Lupine
Bloodflower, Milkweed	Cocklebur	Geranium, Carolina	Mallow
Boxelder	Cocklebur, Spiny	Geranium, Wild	Mallow, Indiana
Brassbuttons	Coffeebean	Goathead	Mallow, Venice
Bristly Oxtongue	Coffeeweed	Goatsbeard	Marigold, Roundleafed
Broomweed	Coreopsis, Plains	Goldenrod	Marigold, Wild
Buckhorn	Creeping jenny	Ground-ivy	Marshelder
Buckwheat, Wild	Croton	Groundsel	Matchweed
Bur ragweed	Croton, Wooly	Gumweed	Medic, Black
Burdock	Cudweed	Hawkweed	Mexicanweed
Burweed	Curly indigo	Hawkweed, Orange	Morningglory
Buttercup	Daisy, English	Healall	Morningglory, Woolly
Buttercup, Bulbous	Daisy, Oxeye	Heartleaf drymary	Mugwort
Carpetweed	Dandelion	Heathaster	Mullein, Common
Carrot, Wild	Dandelion, Fall	Hemlock, Poison	Mustard
Catchweed Bedstraw	Dandelion, False	Hemp	Mustard, Black
Catnip	Dock	Henbit	Mustard, Garlic
Catsear	Dock, Broadleaf	Hoary cress	Mustard, Hedge
Catsear, Spotted	Dock, Curly	Honeysuckle	Mustard, Tansy
Chamomile, Corn	Dock, Smooth	Horsenettle	Mustard, Tumble
Chickweed	Dogbane	Horsetail	Mustard, White

Mustard, Wild	Pigweed, Russian	Rose, Southern Wild	Sunflower	Vervain, Tall
Nettle	Pigweed, Smooth	Rush	Sunflower, False	Vetch
Nettle, Bull	Pigweed, Tumble	Salsify, Western	Sweet Potato, Wild	Vetch, Bird
Nettle, Burning	Scarlet Pimpernel	Shepherdspurse	Tansy Ragwort	Vetch, Milk
Nettle, Dead	Plantain	Smartweed	Tanweed	Vetch, Narrowleaf
Nettle, Stinging	Plantain, Black-seed	Sneezeweed	Tarweed	Vetch, Wild
Nettle, Tall	Plantain, Bracted	Sorrel, Red	Thistle	Virginia Buttonweed
Oak, Poison	Plantain, Broadleaf	Sorrel, Sheep	Thistle, Blessed	Virginia Creeper
Onion, Wild	Plantain, Buckhorn	Sowthistle	Thistle, Bull	Wavyleaf Bullthistle
Oxalis	Plantain, Hoary	Sowthistle, Common	Thistle, Canada	Willow
Pansy, Field	Plantain, Narrowleaf	Spanishneedle	Thistle, Musk	Witchweed
Parsley-piert	Plantain, Slender	Spatterdock	Thistle, Russian	Woodsorrel
Parsnip	Plantain, Woolly	Speedwell	Thistle, Scotch	Wormseed
Parsnip, Wild	Pokeweed	Spiny Amaranth	Toadflax	Yarrow
Pearlwort	Poorjoe	Spurge	Trailing Crownvetch	Yellow rocket
Pennycress	Povertyweed	Spurge, Prostrate	Trefoil, Tick	Yellowflower
Pennywort	Prickly Sida	Spurge, Spotted	Tumbleweed	Pepperweed
Peppergrass	Primrose	Spurweed	Velvet leaf	and other broadleaf
Pepperweed	Puncture vine	St. Johnswort	Veronica	weeds
Pepperweed, Virginia	Purslane	Stinkweed	Vervain	
Pigweed	Radish, Wild	Stitchwort	Vervain, Blue	
Pigweed, Prostrate	Ragweed	Strawberry, Wild	Vervain, Hoary	
Pigweed, Redroot	Rape, Wild	Sumac	Vervain, Prostrate	

After applying this product, many broadleaf weeds will begin to show visible signs of leaf curl within a few days. Some hard-to-kill (or control) broadleaf weeds may require a second broadcast treatment in 3 to 4 weeks. In the event further applications are needed, use as a spot treatment.

Apply this product at the rate of 1.6 to 2.4 pints in 4 to 50 gallons of water per 10,000 square feet (2 to 3 fluid ounces in 1/2 to 5 gallons of water per 1,000 square feet) to control weeds growing in turf planted to Bluegrass, Fescue, Rye, Bent (excluding golf course greens and tees), Bahia, Bermuda and Zoysia.

Note: Some hybrid Bermudagrasses may be sensitive to this product. Contact your local Extension Service weed control specialist.

Disposable Sprayer and Bottle Instructions: Determine area to be sprayed. Apply at a rate of 32 ounces (1 quart) per 10,000 square feet. Remove bottle cap and screw bottle into nozzle. Connect spray nozzle to hose while holding sprayer at waist level, point in direction away from face and body. Turn on the water at the tap. Place finger over hole on right side of nozzle (or turn on/off lever to the "ON" position) and this product will mix automatically at the proper ratio. Walk back and forth at steady pace.

- 2,000 Square Feet
 - 4,000 Square Feet
 - 6,000 Square Feet
 - 8,000 Square Feet
- (Optional marks on left for 1 quart disposable bottle. Not to scale.)

Limitations: The maximum rate per application is 3.6 pints per 10,000 square feet, limited to 2 applications per year. The maximum seasonal rate is 7.2 pints per 10,000 square feet, excluding spot treatments.

Roadsides (including aprons and guard rails), rights-of-way, drainage ditchbanks and other similar non-crop areas: For control of broadleaf weeds, mix at a rate of 0.8 to 2.1 pints of this product per 5 to 30 gallons of water. This mixture will cover 4,350 square feet. Thoroughly saturate all weeds with spray mixture. Apply when plants come into full leaf (spring) to the time plants begin to go dormant. Best results are obtained when weeds are young and actively growing. Do not cut weeds until herbicide has translocated throughout the plant causing root death. For small broadleaf weeds, use the lower rate. Heavy, dense stands require the higher rate with high water volume.

Limitations: The maximum rate per application is 2.1 pints per 4,350 square feet, limited to 2 applications per year. Minimum of 30 days between applications.

Applications to non-cropland areas are not applicable to treatment of commercial timber or other plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes.

For Refill of DTDA Spot Weed Killer: Put 2.4 ounces of this product into the labeled empty quart container. Then add 29.6 ounces of tap water. Trigger Sprayer - adjust spray nozzle to give coarse spray. Aim at center of weed and spray to wet. Applicator Cap - Hold applicator end about 6 inches from surface to be treated and thoroughly wet. To obtain wider coverage raise container. One application should be sufficient. Effects begin to show after a few days and weeds gradually die. Repeat as necessary.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Always use original container to store pesticides in a secured warehouse or storage building. Store at temperatures above 32°F. If allowed to freeze, remix before using. This does not alter this product. Containers should be opened in well-ventilated area. Keep container tightly sealed when not in use. Do not stack cardboard cases more than two pallets high. Do not store near open containers of fertilizer, seed or other pesticides.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. If container is damaged or if pesticide has leaked, contain all spillage. Absorb and clean up all spilled material with granules or sand. Place in a closed labeled container for proper disposal. Improper disposal of excess pesticide, spray mixtures, or rinsate is a violation of Federal law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for Guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers are also disposable by incineration, or if allowed by State and local authorities by burning. If burned, stay out of smoke.

WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR ARISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS. BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

(RV103007A)

DTDA is a Trademark of Nufarm Americas Inc.