228-413



Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060

⇒EPA	United States Environmental Protection Agency Washington, DC 20460				x	Registra Amendr Other	OPP Id	OPP Identifier Number			
Application for Pesticide - Section I											
1. Company/Product Number			2. EPA Product Man			iger 3. f		Proposed Classification			
228-413	228-413		Joanne Miller					None	[Restricted	
4. Company/Product (Name) Viper Weed and Feed (20#/5M)			PM# 23					L	, 		
5. Name and Address of Applicant <i>(Include ZIP Code)</i> Nufarm Americas, Inc. 150 Harvester Drive, Suite 200 Burr Ridge, IL 60527 X <i>Chack if this is a new address</i>			6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No Product Name								
			Sectio	n - li							
Amendment - Explain	below.			[]	Final printed	label	ls in repsonse	to		<u></u>	
		datat		[]	Agency lette	er dat	ba	+	NOTIFICATION		
Resubmission in response to Agency letter dated X Notification - Explain below.				Me Too" Application. Other - Explain below.				MAY 2	52	2006	
confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. sec 1001 to willfully make any false statement to the EPA. I further understand that if this notification is not consistent with the terms of PR Notice 97-4 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under section 12 and 14 of FIFRA. Section - III											
Child-Resistent Packaging Unit Packaging			Water Soluble Packaging 2. Type of Container								
Yes			Yes				Metel				
No	No		No	No			Plastic Glass				
* Certification must be submitted	lf "Yes" Unit Packaging wgt.	No. per conteiner	lt "Yes" Package w	a" No. per Paper							
3. Location of Not Contents I	nformetion	4. Sizo(s) Rota	il Conteiner			5, Lo	cation of Lab	el Directi	ons		
LabelC	ontainer		<u> </u>			Ł	<u> </u>				· <u></u>
6. Manner in Which Label is Affixed to Product Lithograph Other Other											
Section - IV											
1. Contect Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)											
Name George Meindl george.meindl@us.nufarm.comTitle Registration ManagerTelephone No. 630.455.20					lude A	Area Code)					
Certification b. Date Application B. Date Appl											
2. Signat			a. Titte Registration Manager								
4. Typed Name George Meindl			5. Dete 05/08/06								

EPA Form 8570-1 (Rev. 3-94) Previous editions are obsolete.



(Commercial) lean RIVERDALE® (

VIPER[™] WEED AND FEED (20#/5M)

THIS PRODUCT IS A PREMIUM GRADE HERBICIDE AND TURF FOOD COMBINATION WHICH CONTROLS A WIDE SPECTRUM OF BROADLEAF WEEDS WHILE PROVIDING BOTH FAST AND LONG FEEDING ACTION.

CONTAINS 2,4-D, MECOPROP-p AND DICAMBA

Weeds contacted by this product gradually die and disappear from the lawn.

Treats (or covers) 5,000 Square Feet (50' x 100')

GET THE OPTICAL ADVANTAGE®

Isocctyl (2-ethylhexyl) Ester of 2,4-Dichlorophenoxyacetic Acid* 1.077% 2,4-Dichlorophenoxyacetic Acid* 0.146%
(+)-R-2-(2-Methyl-4-Chlorophenoxy)propionic Acid**‡. 0.287% Dicamba (3,6-Dichloro-o-Anisic Acid)*** 0.070% DTHER INGREDIENTS: 98.420%
TOTAL:
somer Specific Method, Equivalent to: *2,4-Dichlorophenoxyacetic Acid (Total)
GUARANTEED ANALYSIS: ^a X% Total Nitrogen (N)
Available Phosphate (P2O5)
Primary Plant Foods derived from Ammonium Phosphate, Sulfur Coated Urea, Urea, Triple Super Phosphate, and Muriate of Potash. Chlorine (Cl) Maximum
The urea nitrogen in this product has been coated to provide X% coated slow release urea nitrogen. Fertilizer guaranteed by (Name of fertilizer registrant)

KEEP OUT OF REACH OF CHILDREN CAUTION

SEE BACK PANEL FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

EPA REG. NO. 228-413 EPA EST. NO. 228-IL-1

۰.

MANUFACTURED BY NUFARM AMERICAS INC. BURR RIDGE, IL 60527-0866



NET WEIGHT 20 LBS. 000228-00413.20060508.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wear long pants, long-sleeved shirt, socks and shoes when applying this product. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. The maximum number of broadcast applications per treatment site is 2 per year. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until dust has settled.

Have the product	FIRST AID container or label with you when calling a poison control center or doctor, or going for treatment.
IF IN EYES	 Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
	HOT LINE NUMBER container or label with you when calling a poison control center or doctor, or going for treatment. You may also 5-1840 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

Drift or runoff may adversely affect nontarget plants. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters nor pour the washwater on the ground; spray or drain over a large area away from wells and other water sources.

Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-D and MCPP-p have been associated with mixing/loading and disposal sites. Caution should be exercised when handling these phenoxy pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing or transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

VIPERTM WEED AND FEED is a stable mixture of four herbicides. It is for use on Ornamental Turf lawns (Residential, Industrial and Institutional), Parks, Cemeteries, Athletic Fields and Golf Courses (Fairways, Aprons, Tees and Roughs) and similar turf areas.

This product may be used on Bahia, common Bermuda, Blue Grass, Centipede, Fescue, Rye, St. Augustine, and Zoysia grass. DO NOT USE on Dichondra and Carpet grass. DO NOT USE this product where desirable clovers are present or allow the product to "wind drift" onto flowers, vegetables, ornamentals, shrubs, trees or other desirable plants.

This product is designed to promote lush green growth in lawns and controls many broadleaf weeds such as:

Alder	Broadleaf dock	Coffeebean	Field bindweed	Hoary vervain
Annual yellow	Broadleaf plantain	Coffeeweed	Field pansy	Honeysuckle
sweet clover	Broomweed	Common chickweed	Flea bane (daisy)	Hop clover
Artichoke	Buckhorn	Common mullein	Flixweed	Horsenettle
Aster	Buckhorn plantain	Common sowthistle	Florida betony	Horsetail
Austrian fieldcress	Bulbous buttercup	Corn	Florida pusley	Indiana mallow
Bedstraw	Bull nettle	Chamomile	Frenchweed	Ironweed
Beggartick	Bull thistle	Creeping jenny	Galinsoga	Jewelweed
Biden	Burdock	Crimson clover	Garlic mustard	Jimsonweed
Bindweed	Burning nettle	Croton	Goathead	Kochia
Bird vetch	Bur ragweed	Cudweed	Goatsbeard	Knawel
Bitterweed	Burweed	Curly dock	Goldenrod	Knotweed
Bitter wintercress	Buttercup	Curly indigo	Ground ivy	Lambsquarter
Black-eyed Susan	Canada thistle	Dandelion	Gumweed	Lespedeza
Black medic	Carolina geranium	Dead nettle	Hairy bittercress	Locoweed
Black mustard	Carpetweed	Dock	Hairy fleabane	Lupine
Blackseed pantain	Catchweed bedstraw	Dogbane	Hawkweed	Mallow
Blackseed plantain	Catsear	Dogfennel	Healall	Marshelder
Blessed thistle	Catnip	Elderberry	Heartleaf drymary	Matchweed
Blue lettuce	Chickweed	English daisy	Hedge bindweed	Mexicanweed
Blue vervain	Chicory	Fall dandelion	Hedge mustard	Milk vetch.
Box elder	Cinquefoil	False dandelion	Hemp	Milkweed bloodflower
Bracted plantain	Clover	False flax	Henbit	Mugwort
Brassbuttons	Cockle	False sunflower	Hoary cress	Morningplory
Bristly oxtongue	Cocklebur	Fiddleneck	Hoary plantain	Mouseer chickweed
··· 2 3···-	-			

4/4

Musk thistle Mustard Narrowleaf plantain Narrowleaf vetch Nettle Orange hawkweed Oxalis Oxeye daisy Parsley-piert Parsnip Pearlwort Pennycress Pennywort Peppergrass Pepperweed Pigweed Pineywoods bedstraw Plains coreopsis Plantain Poison hemlock Poison ivy Poison oak Pokeweed Poorjoe Povertyweed Prickly lettuce

Prickly sida Primrose Prostrate knotweed Prostrate pigweed Prostrate spurge Prostrate vervain Puncture vine Purslane Ragweed Red clover Redroot pigweed Red sorrel Redstern filaree Rough cinquefoil Rough fleabane Roundleated marigold Rush Russian pigweed Russian thistle St. Johnswort Scarlet pimpernel Scotch thistle Sheep sorrel Shepherdspurse Slender plantain Smallflower galinsoga Smartweed Smooth dock Smooth pigweed Sneezeweed Southern wild rose Sowthistle Spanishneedle Spatterdock Speedwell Spiny Amaranth Spiny cocklebur Spotted catsear Spotted knapweed Spotted spurge Spurge Spurweed Stinging nettle Stinkweed Stitchwort Strawberry clover Sumac Sunflower Sweet clover Tall nettle Tall vervain Tansy mustard

Tansy ragwort Tanweed Tarweed Thistle Tick trefoil Toadflax Trailing Crownvetch Tumble mustard Tumble pigweed Tumbleweed Velvet leaf Venice mallow Veronica Vervain Vetch Virginia buttonweed Virginia creeper Virginia pepperweed Wavyleaf bullthistle Western clematis Western salsify White clover White mustard Wild mustard Wild aster Wild buckwheat

Wild carrot Wild four-o'-clock Wild garlic Wild geranium Wild lettuce Wild marigold Wild onion Wild parsnip Wild radish Wild rape Wild strawberry Wild sweet potato Wild vetch Willow Witchweed Woolly morningglory Woodsorrel Woolly croton Woolly plantain Wormseed Yarrow Yellow rocket Yellowflower pepperweed, and other broadleaf weeds

WHEN TO APPLY: Best results are obtained when weeds are growing actively in spring or early fall. Avoid contact with desirable shrubs, plants, vegetables, or flowers; especially when applying with a rotary (spinner) type spreader. Do not reseed for at least 3 to 4 weeks after application. Do not apply to newly seeded or sodded lawn until after 3 mowings. For optimum results (1) Avoid mowing 1 to 2 days before and after application; (2) Apply when grass is moist (after a rain sprinkling or dew); (3) Avoid unnecessary disturbances, including watering of treated areas for 48 hours after application. Watering will wash off weed killing material; and (4) Avoid applying if rainfall is expected within 48 hours following treatment. Possible retreatment in approximately 30 days may be necessary if lawn is heavily overrun with weeds or if adverse low moisture conditions prevail and weeds are in a state of poor growth. Do not exceed recommended rates because damage to turf may occur.

NOTE: When applying to Southern Grasses - under conditions of inadequate moisture, high temperature and high humidity, overapplication may cause minor transitory discoloration on Centipede and St. Augustine grasses. It is recommended that during hot, dry conditions, application rates should be reduced 50% to avoid possible dehydration or browning of grass.

HOW TO APPLY: This 20 pound bag should be used on 5,000 square feet. Apply evenly with a lawn spreader as a one pass application. A two pass application, criss-crossing the area at half the rate each time is equal to one application.

The following settings are <u>approximate</u> for applying contents of this package at a suggested rate of 4 pounds per 1,000 square feet. Settings are based on an average walking speed. Reduce setting for slower speed; raise setting for higher speed. Check your spreader on 250 square feet and adjust to apply at the rate of 1 pound per 250 square feet.

SPREADER SETTINGS ONE PASS APPLICATION[®]

MAKE	SETTING
Central Calibrated	5
Cyclone Broadcast	3-3/4
Jackson	5
Sears Broadcast	3
Sears	5
Scotts Calibrated	4

Sweep (do not wash) all fertilizer materials from surfaces immediately after application, because certain fertilizer ingredients can cause permanent stains. Wash out spreader after each use and allow it to dry thoroughly. Treat any exposed metal spreader areas with oil to reduce corrosion.

(The following paragraph is mandatory in Kentucky when the nitrogen analysis does not provide 1 pound of nitrogen/1,000 square feet; otherwise, this information is optional.)

A lawn typically will utilize 1 to 4 pounds of nitrogen per 1,000 square feet per growing season. When used as directed, this product will supplement your regular fertilizer program by providing $(N_0, of | b_5)$ pounds of nitrogen per 1,000 square feet (optional P_2O_3 and K₂O levels) and herbicide to control listed weeds. Please consult your local extension office for questions regarding a regular fertilizer program.

*Based on Inert fertilizer claimed.

Environmental Benefits

(Grasscycling Logo)

Besides increasing property values, did you know a well-maintained lawn provides the following benefits to your home and environment:

Grass clippings and yard waste are approximately 20% of the volume in our nation's landfills. To do your part to reduce this amount, leave grass clippings on your lawn. Increased mowing height and frequency will produce smaller grass clippings that will decompose more readily so nutrients go back into your lawn.

Grass clippings and yard waste are \sqrt{A} 50' x 50' lawn produces enough oxygen approximately 20% of the volume in our for a family of 4 every day

√Reduces Glare & Reduces Noise

√Traps Dust, Smoke Particles & Other Pollutants

√Purifies Water & Modifies Temperature

√Improves Soil Condition & Controls Erosion

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Always use original container to store pesticides in a secured warehouse or storage building. Do not stack more than two pallets high. Do not store near open containers of fertilizer, seed or other pesticides.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. If container is damaged or if pesticide has leaked, clean up all spilled material. Improper disposal of excess pesticide, spray mixtures or rinsate is a violation of Federal law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned, stay away from smoke.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

(RV050806N)

Riverdale and The Optical Advantage are Registered Trademarks of Nufarm Americas Inc. Viper is a Trademark of Nufarm Americas Inc.

Patent Pending

OPTIONAL SPREADER INSTRUCTIONS:

- (Illustration) For Drop Spreaders: First apply two strips at ends. Then apply product along the length of the lawn, overlapping very slightly and shutting off spreader when turning.
- (Illustration) For Rotary Spreaders: Apply in a circular path, starting on the outside and working toward the center, overlapping very slightly.

The following note will not be part of the actual label copy.

- INOTE: Guaranteed (fertilizer) Analysis and Spreader Settings will vary amount various commercial fertilizer manufacturers. Chlorine declaration and fertilizer guarantee are optional except where manufacted by State fertilizer regulation.
- Editor's notes: 1. Subregistrant Warranty Statements previously accepted by U.S. EPA for use on their own registered products are not included on this label.

2. Subregistrant's trademark name acknowledgments are not included on this label.



Nufarm Americas, Inc. 150 Harvester Drive, Suite 200 Burr Ridge, IL 60527 Phone: 630.455.2000 Fax: 630.455.2001 www.us.nufarm.com



May 08, 2006

Via Overnight Courier

U. S. Environmental Protection Agency (7504P) Document Processing Desk (NOTIF) Room S4900, One Potomac Yard 2777 S. Crystal Drive Arlington, VA 22202

Subject: Viper Weed and Feed (20#/5M) EPA REG. No. 228-413 Label Notification per PR 97-4

Dear Ms. Hobgood:

Nufarm Americas, Inc would like to add optional language to subject product's label. The proposed language is consistent with PR Notice 97-4, Section III, Part A (POLICY). We have added the following header and sentence respectively "HOT LINE NUMBER" and "You may also contact 1-877-325-1840 for emergency medical treatment information."

To process this request please find enclosed the following:

- Application for Pesticide Registration EPA form 8570-1
- Revised labeling with areas of change clearly identified (1 copy)
- Revised labeling clean (1 copy)

If you should have any questions regarding this matter, please feel free to contact me at 630.455.2017 or e-mail at george.meiindl@us.nufarm.com.

Sincerely,

George Meindl Registration Manager Nufarm Americas, Inc.