		0-710	/400			
Piease read instructions on reverse before completin	ng form.				Form Appi	roved. OMB No. 2070-0060
<b>EPA</b> Environmenta	Inited States  I Protection of 20	•	X	Registra Amendr Other		OPP Identifier Number
	<b>A</b> pplication	on for Pestici	de - Section	1		
1. Company/Product Number 228-420	2. EPA Product Manager Joanne I. Miller		r -	oposed Classification		
Company/Product (Name)     Riverdale Chaser Ultra 2 Selective Herbi	cide	PM# 23				
5. Name and Address of Applicant (Include ZIP Co	ode)					FIFRA Section 3(c)(3)
Nufarm Americas Inc. 1333 Burr Ridge Parkway, Suite 125A Burr Ridge, IL 60527		to:	ny product is sir Reg. No			mposition and labeling
Check if this is a new address		Produ	ıct Name			
		Section -	11			
Amendment - Explain below.  Resubmission in response to Agency letter		Final printed labels in repsonse to Agency letter dated "Me Too" Application.  **NOTIFICATION**				
X Notification - Explain below.		Other - Explain below.		M.	AY 1 8 2005	
Explanation: Use additional page(s) if necessar	v. (For sectio	n I and Section II.)				
Revised Pesticide Storage statement in Storage & Dispe			tructions.			
This notification is consistent with the provisions of PR is confidential statement of formula of this product. I unde understand that if this notification is not consistent with to enforcement action and penalties under Sections 12 and penalties under Sections 2 and penalties	rstand that it is he terms of PR	a violation of 18 U.S.0 Notice 98-10 and 40	C. Sec. 1001 to wilful	ly make any fals	se statemer	nt to EPA. I further
		Section - I	il			
1. Material Thie Product Will Be Peckaged In:				· · · · · · · · · · · · · · · · · · ·		
Child-Resistant Packaging Unit Packaging		Water Salubie F	ackaging	2. Type of		
No Yes		Yes No			Metel Plastic	
H *Yeo*	No. per	If "Yes"	No. per	-	Glass Paper	
* Certification must Unit Packaging wgt.	container	Package wgt	container		Other (S	pecify)
3. Location of Net Contents Information	4. Size(s) Re	tail Container	5. Le	ocation of Lab	eł Directio	ns
Label Container						
6. Manner in Which Label is Affixed to Product	Lithor Paper Stenc	raph glued iled	Other			
		Section - I'	V			
1. Contact Point (Complete items directly below f	or identification	on of individual to b	e contacted, if nec	cessary, to pro	cess this	application.,
Name Jeannie Smith		Titte VP Registrations	& Regulatory Affa	1	Telephone 708 75	No, (Includu Area Code) 5-7332
I certify that the statements I have made on I acknowledge that any knowlingily false or both under applicable law.	Certifica this form and misleading sta	all attachments the	ereto are true, acc rishable by fine or	urate and con imprisonment	or	u. Date Application Received (Stairped)
2. Signature		3. Titte VP Registrations	& Regulatory Affa	airs	* . 4 *	9 4 1 4 4 . 9 4
4. Typod Name		5. Date	<del></del>			•
Jeannie Smith		April 25, 2005				

## **RIVERDALE®**

# CHASER® ULTRA<sup>2</sup> SELECTIVE HERBICIDE

A PREMIUM THREE-WAY POST-EMERGENT SELECTIVE BROADLEAF HERBICIDE CONTAINING MCPA, FLUROXYPYR AND DICHLORPROP-p. FOR USE ON GOLF COURSES, PARKS, ORNAMENTAL TURF LAWNS AND SIMILAR TURF AREAS, ALSO FOR USE ON SOD FARMS. CONTROLS DANDELIONS, CHICKWEEDS, PLANTAINS, OXALIS, SPURGE AND MANY OTHER BROADLEAF WEEDS, SOME OF WHICH ARE LISTED ON THIS LABEL.

#### **ACTIVE INGREDIENTS:**

Dimethylamine Salt of 2-Methyl-4-Chlorophenoxyacetic Acid*	41.60%
1-Methylheptyl Ester of Fluroxypyr:((4-amino-3-5-dichloro-6-fluoro-2-pyridinyl)oxy)acetic Acid,1-methylheptyl Es	ster** 9.78%
Dimethylamine Salt of (+)-R-2-(2,4-Dichlorophenoxy)propionic Acid***‡	
OTHER INGREDIENTS:	
TOTAL:	
Isomer Specific Method, Equivalent to:	
*2-Methyl-4-Chlorophenoxyacetic Acid	7%, 3.20 lbs./gal.
**((4-amino-3-5-dichloro-6-fluoro-2-pyridinyl)oxy)acetic Acid	
***(+)-R-2-(2,4-Dichlorophenoxy)propionic Acid	79%, 0.64 lbs./gal.
‡CONTAINS THE SINGLE ISOMER FORM OF DICHLORPROP-p.	

INTENDED FOR USE BY PROFESSIONAL TURF MAINTENANCE PERSONNEL, LANDSCAPING OR COMMERCIAL APPLICATORS ONLY. NOT INTENDED FOR SALE TO OR USE BY HOMEOWNERS.

#### KEEP OUT OF REACH OF CHILDREN

# **DANGER - PELIGRO**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

SEE INSIDE BOOKLET FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300 For Medical Emergencies Only, call (877) 325-1840

EPA REG. NO. 228-420 EPA EST. NO. 228-IL-1 MANUFACTURED BY NUFARM AMERICAS INC. BURR RIDGE, IL 60527-0866



**NET CONTENTS** 

GALS.

000228-00420.20050420.coldstorage

NOTIFICATION

MAY 1 8 2005

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER - PELIGRO

Corrosive, causes irreversible eye damage. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Avoid contact with skin. Wear protective eyewear (goggles, face shield, or safety glasses). Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

NON-WPS TURF USES: Applicators and other handlers who handle this pesticide for any use NOT covered by the Worker Protection Standard (40 CFR Part 170)-in general only agricultural plant uses are covered by the WPS-must wear face shield, goggles, or safety glasses and long pants, long-sleeved shirt, socks, shoes and chemical-resistant gloves when mixing, loading or applying this product. It is recommended that safety glasses include front, brow, and temple protection. In addition to the clothing and eye protection listed above, commercial mixer/loaders must wear chemical-resistant in place of rubber gloves except when the product is to be applied to a golf course. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.

NON-WPS INDUSTRIAL USES: When mixing, loading or applying this product or repairing or cleaning equipment used with this product, wear face shield, goggles, or safety glasses and chemical-resistant gloves, long-sleeved shirt, long pants, socks and shoes. It is recommended that safety glasses include front, brow, and temple protection. For aerial applicators in an enclosed cockpit and applicators applying this product from a tractor that has a completely enclosed cab, eye protection is not required. Wash hands, face and arms with soap and water as soon as possible after mixing, loading or applying this product. After work, remove all clothing and shower using soap and water. Do not reuse clothing worn during the previous day's mixing and loading or application of this product without cleaning first. Clothing must be kept and washed separately from other household laundry. Remove saturated clothing as soon as possible and shower.

WPS USES: Applicators and other handlers who handle this pesticide for any use covered by the Worker Protection Standard (40 CFR Part 170)--in general, agricultural plant uses are covered--must wear: long-sleeved shirt and long pants, chemical-resistant gloves made of any waterproof material, shoes plus socks, and protective eyewear, when cleaning equipment, mixing or loading. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining Personal Protective Equipment (PPE). If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. After each day of use, clothing or PPE must not be reused until it has been cleaned.

Engineering Controls Statements: If the mechanical system is used in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

#### **USER SAFETY RECOMMENDATIONS**

#### **Users Should:**

- · Wash hands, face and arms with soap and water before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- · Remove PPE immediately after handling this product.
- · Wash the outside of gloves before removing.
- As soon as possible, wash thoroughly and change into clean clothing.

FIRST AID
<ul> <li>Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
<ul> <li>Call a poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER  Intainer or label with you when calling a poison control center or doctor, or going for treatment.  1-877-325-1840 for emergency medical treatment information.

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Drift or runoff from treated areas may be hazardous to aquatic organisms and non-target plants. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate nor pour washwater on the ground; spray or drain over a large area away from wells and other water sources. Do not apply this product through any type of irrigation system. Do not contaminate water used for irrigation or domestic purposes.

Most cases of groundwater contamination involving phenoxy herbicides such as MCPA and 2,4-DP-p have been associated with mixing/loading and disposal sites. Caution should be exercised when handling this product at mixing, loading, and disposal sites to prevent contamination of groundwater supplies. Use of closed systems for mixing or transferring this product will reduce the probability of spills. Placement of mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

This product should be used strictly in accordance with the drift and runoff precautions on this label in order to minimize off-site exposure.

Under some conditions, this product may have a potential to runoff to surface water or adjacent land. Where possible, use methods which reduce soil erosion, such as no-till, limited till and contour plowing; these methods also reduce pesticide runoff. Where feasible, use application techniques such as T-banding, and in-furrow techniques which incorporate the pesticide into the soil. Use of vegetaion filter strips is recommended along rivers, creeks, streams, wetlands, etc. or on the downhill side of fields where runoff could occur to minimize water runoff.

Low humidity and high temperatures increase the evaporation rate of spray droplets and therefore the likelihood of increased spray drift. Avoid spraying during conditions of low humidity and for high temperatures.

#### **AGRICULTURAL USE REQUIREMENTS**

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about Personal Protective Equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 48 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: Coveralls, chemical-resistant gloves made of any waterproof material, shoes plus socks, and protective eyewear.

#### NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, torests, nurseries, or greenhouses.

Do not allow people (other than applicator) or pets on treatment area during application Do not enter treatment areas until spray has dried

This product is for use on Ornamental Turf Lawns (Residential, Industrial and Institutional), Parks, Cemeteries, Athletic Fields and Golf Courses (Fairways, Aprons, Tees\* and Roughs) and similar turf areas. Also for use on Sod Farms. \*Excluding Bentgrass Tees.

#### **USE PRECAUTIONS**

Avoid drift of spray mist to vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants. Do not pour spray solutions near desirable plants. Do not use on Carpetgrass, Centipede, St. Augustine, Dichondra, nor on lawns or turt where desirable clovers are present. Avoid fine mists. Use lawn type sprayer with coarse spray as wind drift is less likely. Avoid contact with exposed feeder roots of ornamentals and trees. Maximum control of weeds will be obtained from spring or early fall applications when weeds are actively growing. The degree of weed control and duration of effect will vary with weed size and density, spray rate and coverage, and growing conditions before, during, and after the time of treatment. Use the higher rate for hard-to-control weeds. Do not exceed specified dosages for any area; be particularly careful within the dripline of tree and other ornamental species. Do not apply to newly seeded grasses until well established. Avoid broadcast applications when air temperature exceeds 90°F. When using in small, spot treatment applications in temperatures over 90°F, turf injury may occur.

The suitable use of this product on non-recommended turf species may be determined by treating a small area at any rate/acre which does not exceed 3 pints/acre. The treated area should be observed for any sign of turf injury for a period of 30 days of normal growing conditions to determine the phytotoxicity and efficacy to the treated area.

For optimum results: (1) avoid applying during excessively dry or hot periods unless irrigation is used; (2) turf should not be mowed 1 to 2 days before and following application; (3) reseed no sooner than 3 to 4 weeks after application of this product. Adding oil, wetting agent, or other surfactant to the spray may be used to increase effectiveness on weeds but doing so may reduce selectivity to turi resulting in turi damage. Clean and rinse spray equipment using soap or detergent and water, and rinse thoroughly before reuse for other sprays.

#### **WEEDS CONTROLLED**

This product is designed to control many broadleaf weeds such as:

Creeping jenny Crimson clover Annual yellow sweet clover Artichoke Croton Cudweed Aster Austrian fieldcress Curly dock **Bedstraw** Curly indiao Beggartick Dandelion Dead nettle Biden Dock Bindweed Dogbane Bird vetch Dogfennel Bitterweed Elderberry Bitter wintercress English daisy Black-eyed Susan Black medic Fall dandelion Black mustard False dandelion Black-seed plantain False flax Blessed thistle False sunflower Blue lettuce Fiddleneck Field bindweed Blue vervain Box elder Field pansy Flea bane (daisy) Bracted plantain Brassbuttons Elixweed Florida betony Bristly oxtongue Florida pusley Broadleaf dock Broadleaf plantain Frenchweed Galinsoga Broomweed Buckhorn Garlic mustard Goathead Buckhorn plantain **Bulbous buttercup** Goatsbeard Goldenrod Bull nettle **Bull thistle** Ground ivy Burdock Gumweed Hairy bittercress Burning nettle Hairy fleabane Bur ragweed Hawkweed Burweed Buttercup Healall Canada thistle Heartleaf drymary Hedge bindweed Carolina geranium Carpetweed Hedge mustard Hemp Catchweed bedstraw Catsear Henbit Hoary cress Catnip Chickweed Hoary plantain Chicory Hoary vervain

Horsetail

Ironweed

Kochia

Knawel

Jewelweed

Jimsonweed

Indiana mallow

Cinquefoil

Cocklebur

Coffeebean

Coffeeweed Common chickweed

Common mullein

Corn Chamomile

Common sowthistle

Clover

Cockle

Knotweed Lambsquarter Lespedeza Locoweed Lupine Mallow Marshelder Matchweed Mexicanweed Milk vetch Milkweed bloodflower Muawort Morningglory Mousear chickweed Musk thistle Mustard Narrowleaf plantain Narrowleaf vetch Nettle Orange hawkweed Oxalis Oxeye daisy Parsley-piert Parsnip Pearlwort Pennycress Pennywort Peppergrass Pepperweed Pigweed Pineywoods bedstraw Plains coreopsis Plantain Poison hemlock Poison ivv Poison oak Pokeweed Poorjoe Povertyweed Prickly lettuce Prickly sida Primrose Prostrate knotweed Prostrate pigweed Honeysuckle Prostrate spurge Hop clover Prostrate vervain Puncture vine Horsenettle

Rough fleabane Roundleafed marigold Rush Russian pigweed Russian thistle St. Johnswort Scarlet pimpernel Scotch thistle Sheep sorrel Shepherdspurse Slender plantain Smallflower galinsoga Smartweed Smooth dock Smooth pigweed Sneezeweed Southern wild rose Sowthistle Spanishneedle Spatterdock Speedwell Spiny Amaranth Spiny cocklebur Spotted catsear Spotted knapweed Spotted spurge Spurge Spurweed Stinging nettle Stinkweed Stitchwort Strawberry clover Sumac Sunflower Sweet clover Tall nettle Tall vervain Tansy mustard Tansy ragwort Tanweed Tarweed Thistle Tick trefoil Toadflax Trailing Crownvetch Tumble mustard Tumble pigweed Tumbleweed Velvet leaf Venice mallow Veronica

Vervain

(continued)

Vetch

Purslane

Ragweed

Red clover

Red sorrel

Redroot pigweed

Redstem filaree

Rough cinquefoil

Virginia buttonweed
Virginia creeper
Virginia pepperweed
Wavyleaf bullthistle
Western clematis
Western salsify
White clover
White mustard

Wild mustard

Wild aster
Wild buckwheat
Wild carrot
Wild four-o'-clock
Wild garlic
Wild geranium
Wild lettuce
Wild marigold

Wild onion

Wild parsnip
Wild radish
Wild rape
Wild strawberry
Wild sweet potato
Wild vetch
Willow
Witchweed
Wooly morningglory

Woodsorrel Wooly croton Wooly plantain Wormseed Yarrow Yellow rocket Yellowflower pep

Yellowflower pepperweed and other broadleaf weeds.

#### **ORNAMENTAL LAWNS AND TURF**

Apply this product at the rate of 2 to 3 pints in 20 to 240 gallons of water per acre (0.73 to 1.10 fl. oz. in 0.5 to 5.5 gallons of water per 1,000 square feet) to control weeds growing in turf planted to Bluegrass, Fescue, Ryegrass, Bentgrass (excluding golf course greens and tees), Bahia, Bermudagrass and Zoysia grass.

Controlled Droplet Applicators (CDA), Atomizers, and Spinning Disk Applicators: Use this product at the rate of 2 to 3 pints per acre (0.73 to 1.10 fluid ounces per 1,000 square feet) in sufficient water to assure coverage (1 to 4 gallons of water per acre is normal for this type of equipment).

Lower Volume Equipment: Use as little as 5 gallons of water per acre. Use only application equipment that is capable of spreading a uniform droplet, wetting each weed surface.

NOTE: For all grasses (1) Avoid double coverage resulting from overlap unless temporary turf injury can be tolerated. (2) Use reduced rates if grass is stressed from heat, drought, etc.; and (3) Follow CDA equipment spray instructions.

#### COMPATIBILITY

This product can be mixed with some liquid fertilizers or liquid iron materials. Because liquid fertilizers and liquid iron differ in pH, free ammonia content, density, salt concentration and percentage of water, a compatibility test (given below) is recommended prior to mixing in the application equipment. All regulations, either State or Federal, relating to the application of liquid fertilizers or liquid iron and this product must be strictly followed. The following compatibility test should always be performed prior to full-scale mixing.

- 1. Pour 18 ounces of water into a quart jar.
- 2. Add 1 ounce of either the liquid fertilizer or liquid iron to be used.
- 3. Add 1 ounce of this product.
- 4. Close jar and shake well.
- 5. Watch the mixture for several seconds after shaking and check again after 30 minutes.
- If the mixture does not show signs of separating, the combination may be used. If the mixture foams excessively, gels, separates or gets very thick, do not combine for field application.
- 7. Compatibility may be improved by the use of a compatibility agent. Some suggested compatibility agents to try are Kalo Laboratories Complex, HACO Inc.'s Unite, Farm Chemicals Inc.'s Compat, Harcros Chemicals' T-Mulz 734-2, Rigo Company's Rigo Compatibility Agent, Witco Chemical's Sponto 168D, Amoco Oil's Amoco Spray Mate, Universal Coop.'s Chem-Link and Loveland Industries, Inc.'s E-Z Mix. These agents are all used in the same manner. Follow the previously outlined test procedures and add 1/6 ounce of the compatibility agent between steps (the compatibility agent must be added to the fertilizer or iron before adding this product).
- If the mixture does not separate, gel, foam or get very thick, it may be used for field application. Mix only the amount to be sprayed. Do not allow to stand overnight.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Always use original container to store pesticides in a secured warehouse or storage building. Protect from freezing. Store at temperatures above 25°F. If allowed to freeze, remix before using; this does not alter the product. Containers should be opened in well ventilated areas. Keep container tightly sealed when not in use. Do not stack cardboard cases more than two pallets high. Do not store near open containers of fertilizer, seed or other pesticides.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. If container is damaged or if pesticide has leaked, contain all spillage. Absorb and clean up all spilled material with granules or sand. Place in a closed, labeled container for proper disposal. Improper disposal of excess pesticide, spray mixtures, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL FOR NON-REFILLABLE CONTAINERS: Triple rinse (or equivalent), adding rinsate to spray tank. Then ofter for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers are also disposable by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

CONTAINÉR DISPOSAL FOR REFILLABLE CONTAINERS: Close all openings and replace all caps. Contact Nufarm Customer Service at 1-800-345-3330, to arrange for return of the empty refillable container.

#### WARRANTY

Seller warrants that this herbicide conforms to the chemical description on its label. When used in accordance with label directions under normal conditions, this herbicide is reasonably fit for its intended purposes. Since timing, method of application, weather, plant and soil conditions, mixtures with other chemicals and factors affecting the use of this product are beyond our control, no warranty is given concerning the use of this product contrary to label directions or under conditions which are abnormal or not reasonably foreseeable. The user assumes all risks of any such use, including the use of this product on turf species not recommended on this label.

(RV042005)

Riverdale is a Registered Trademark of Nufarm Amercias Inc. Chaser is a Registered Trademark of Platte Chemical Company



Nufarm Americas Inc. Jeannie K. Smith Vice President Registrations & Regulatory Affairs 1333 Burr Ridge Parkway, Suite 125A Burr Ridge, IL 60527 Phone: 708.755-7332 Fax: 708.754.0314 jeannie.smith@us.nufarm.com

April 25, 2005

Via Overnight Courier

Document Processing Desk (NOTIF) Office of Pesticide Programs 7504C **US Environmental Protection Agency** 1801 South Bell Street Arlington, VA 22202-4501

Subject:

Riverdale® Chaser® Ultra 2 Selective Herbicide

EPA Reg. No.: 228-420

Enclosed are the following items to support a notification amendment.

1. EPA Application Form 8570-1

2. Two (2) Copies of Amended Labeling

The pesticide storage statement in the storage and disposal section was updated to reflect cold storage.

Let me know if you have any questions or concerns. Thank you.

Regards,

Canne Snith Jeannie K. Smith Vice President

Registrations & Regulatory Affairs