

	United States <b>Environmental Protection Agency</b> Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number
	<b>Application for Pesticide - Section I</b>		

1. Company/Product Number 228-428	2. EPA Product Manager Joanne Miller	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Riverdale ® Lazer ® Weed and Feed - Formula Five	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) Nufarm Americas, Inc. 150 Harvester Drive, Suite 200 Burr Ridge, IL 60527 <input checked="" type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____  Product Name _____	

<b>Section - II</b>		<b>NOTIFICATION</b>  SEP 13 2006
<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____	
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.	
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.	

**Explanation:** Use additional page(s) if necessary. (For section I and Section II.)

RE: Added Optional Text to Allow Different Bag Sizes.  
 Label Notification per PR Notice 98-10, Section II. Amended labeling with label claims as highlighted. This notification is consistent with the provisions of PR notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. sec 1001 to willfully make any false statement to the EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under section 12 and 14 of FIFRA.

<b>Section - III</b>					
1. Material This Product Will Be Packaged In:					
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* Certification must be submitted		if "Yes" Unit Packaging wgt.	No. per container	if "Yes" Package wgt	No. per container
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/>	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

<b>Section - IV</b>		
1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name George Meindl george.meindl@us.nufarm.com	Title Registration Manager	Telephone No. (Include Area Code) 630.455.2017
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received  <b>(Stamped)</b>
2. Signature 	3. Title Registration Manager	
4. Typed Name George Meindl	5. Date 08/18/06	

Clean

(Residential Label)  
**Riverdale®**  
**LAZER®**  
**WEED AND FEED X-X-X**  
**- FORMULA FIVE**

THIS PRODUCT IS A PREMIUM GRADE HERBICIDE AND TURF FOOD COMBINATION WHICH CONTROLS A WIDE SPECTRUM OF BROADLEAF WEEDS WHILE PROVIDING BOTH FAST AND LONG FEEDING ACTION.

WEEDS CONTACTED BY THIS PRODUCT GRADUALLY DIE AND DISAPPEAR FROM THE LAWN.

CONTAINS 2,4-D, MCPP-P AND DICAMBA

TREATS (OR COVERS) 5,000 SQUARE FEET (50' X 100')

**ACTIVE INGREDIENTS\*:**

Dimethylamine Salt of 2,4-D Acid* .....	1.101%
Dimethylamine Salt of Mecoprop-p Acid**† .....	0.271%
Dicamba Acid*** .....	0.047%

<b>OTHER INGREDIENTS:</b> .....	98.581%
<b>TOTAL:</b> .....	100.000%

Isomer Specific Method, Equivalent to:

*2,4-D Acid .....	0.915%
**Mecoprop-p Acid .....	0.223%
***Dicamba Acid .....	0.047%

†CONTAINS THE SINGLE ISOMER FORM OF MECOPROP-p

**GUARANTEED ANALYSIS:†**

Total Nitrogen (N) .....	X%
X% Ammoniacal Nitrogen	
X% Urea Nitrogen	
Available Phosphate (P <sub>2</sub> O <sub>5</sub> ) .....	X%
Soluble Potash (K <sub>2</sub> O) .....	X%
Primary Plant Foods derived (List Sources)	
Chlorine (Cl) Maximum .....	X%

The urea nitrogen in this product has been coated to provide X% coated slow release urea nitrogen.  
Fertilizer guaranteed by (Name of Fertilizer registrant)

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**  
**SEE BACK PANEL FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS**

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300  
For Medical Emergencies Only, Call (877) 325-1840

EPA REG. NO. 228-428  
EPA EST. NO. 228-IL-1

MANUFACTURED BY  
NUFARM AMERICAS INC.  
BURR RIDGE, IL 60527



NET WEIGHT 16 POUNDS

000228-00428.20060818.

3/8

Residential

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
CAUTION**

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear long pants, long-sleeved shirt, socks and shoes when applying this product. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water; also before eating, drinking, chewing gum or using tobacco. The maximum number of broadcast applications per treatment site is 2 per year. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until dust has settled.

<b>FIRST AID</b>	
<b>IF IN EYES</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>HOT LINE NUMBER</b>	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment information.	

**ENVIRONMENTAL HAZARDS**

Drift or runoff may adversely affect nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

This product is a stable mixture of three herbicides. It is for use on residential turf.

This product may be used on Bahia, common Bermuda, Blue Grass, Centipede, Fescue, Rye, St. Augustine, and Zoysia grass. DO NOT USE on Dichondra and Carpet grass. DO NOT USE this product where desirable clovers are present or allow the product to "wind drift" onto flowers, vegetables, ornamentals, shrubs, trees or other desirable plants.

**WEEDS CONTROLLED**

This product is designed to promote lush green growth in lawns and control many broadleaf weeds such as:

- |                            |                    |                   |                   |                      |
|----------------------------|--------------------|-------------------|-------------------|----------------------|
| Alder                      | Buckhorn           | Creeping jenny    | Goatsbeard        | Locoweed             |
| Annual yellow sweet clover | Buckhorn plantain  | Crimson clover    | Goldenrod         | Lupine               |
| Artichoke                  | Bulbous buttercup  | Croton            | Ground ivy        | Mallow               |
| Aster                      | Bull nettle        | Cudweed           | Gumweed           | Marshelder           |
| Austrian fieldcress        | Bull thistle       | Curly dock        | Hairy bittercress | Matchweed            |
| Bedstraw                   | Burdock            | Curly indigo      | Hairy fleabane    | Mexicanweed          |
| Beggartick                 | Burning nettle     | Dandelion         | Hawkweed          | Milk vetch           |
| Biden                      | Bur ragweed        | Dead nettle       | Healall           | Milkweed bloodflower |
| Bindweed                   | Burweed            | Dock              | Heartleaf drymary | Mugwort              |
| Bird vetch                 | Buttercup          | Dogbane           | Hedge bindweed    | Morningglory         |
| Bitterweed                 | Canada thistle     | Dogfennel         | Hedge mustard     | Mouseear chickweed   |
| Bitter wintercress         | Carolina geranium  | Elderberry        | Hemp              | Musk thistle         |
| Black-eyed Susan           | Carpetweed         | English daisy     | Henbit            | Mustard              |
| Black medic                | Catchweed bedstraw | Fall dandelion    | Hoary cress       | Narrowleaf plantain  |
| Black mustard              | Catsear            | False dandelion   | Hoary plantain    | Narrowleaf vetch     |
| Blackseed pantain          | Catnip             | False flax        | Hoary vervain     | Nettle               |
| Blackseed plantain         | Chickweed          | False sunflower   | Honeysuckle       | Orange hawkweed      |
| Blessed thistle            | Chicory            | Fiddleneck        | Hop clover        | Oxalis               |
| Blue lettuce               | Cinquefoil         | Field bindweed    | Horsenettle       | Oxeye daisy          |
| Blue vervain               | Clover             | Field pansy       | Horsetail         | Parsley-piert        |
| Box elder                  | Cockle             | Flea bane (daisy) | Indiana mallow    | Parsnip              |
| Bracted plantain           | Cocklebur          | Flixweed          | Ironweed          | Pearlwort            |
| Brassbuttons               | Coffeebean         | Florida betony    | Jewelweed         | Pennycress           |
| Bristly oxtongue           | Coffeeweed         | Florida pusley    | Jimsonweed        | Pennywort            |
| Broadleaf dock             | Common chickweed   | Frenchweed        | Kochia, Knawel    | Peppergrass          |
| Broadleaf plantain         | Common mullein     | Galinsoga         | Knotweed          | Pepperweed           |
| Broomweed                  | Common sowthistle  | Garlic mustard    | Lambsquarter      | Pigweed              |
|                            | Corn Chamomile     | Goathead          | Lespedeza         |                      |

(continued)

4/8

**Residential**

This product is designed to promote lush green growth in lawns and control many broadleaf weeds such as *(continued)*:

Pineywoods bedstraw	Rough cinquefoil	Spiny cocklebur	Tumble pigweed	Wild onion
Plains coreopsis	Rough fleabane	Spotted catsear	Tumbleweed	Wild parsnip
Plantain	Roundleaved marigold	Spotted knapweed	Velvet leaf	Wild radish
Poison hemlock	Rush	Spotted spurge	Venice mallow	Wild rape
Poison ivy	Russian pigweed	Spurge	Veronica	Wild strawberry
Poison oak	Russian thistle	Spurweed	Vervain	Wild sweet potato
Pokeweed	St. Johnswort	Stinging nettle	Vetch	Wild vetch
Poorjoe	Scarlet pimpernel	Stinkweed	Virginia buttonweed	Willow
Povertyweed	Scotch thistle	Stitchwort	Virginia creeper	Witchweed
Prairie	Sheep sorrel	Strawberry clover	Virginia pepperweed	Woolly morningglory
Prickly lettuce	Shepherdspurse	Sumac	Wavyleaf bullthistle	Woodsorrel
Prickly sida	Slender plantain	Sunflower	Western clematis	Woolly croton
Primrose	Smallflower galinsoga	Sweet clover	Western salsify	Woolly plantain
Prostrate knotweed	Smartweed	Tall nettle	White clover	Wormseed
Prostrate pigweed	Smooth dock	Tall vervain	White mustard	Yarrow
Prostrate spurge	Smooth pigweed	Tansy mustard	Wild mustard	Yellow rocket
Prostrate vervain	Sneezeweed	Tansy ragwort	Wild aster	Yellowflower
Puncture vine	Southern wild rose	Tanweed	Wild buckwheat	pepperweed
Purslane	Sowthistle	Tarweed	Wild carrot	and other broadleaf
Ragweed	Spanishneedle	Thistle	Wild four-o'clock	weeds.
Red clover	Spatterdock	Tick trefoil	Wild garlic	
Redroot pigweed	Speedwell	Toadflax	Wild geranium	
Red sorrel	Spiny	Trailing Crownvetch	Wild lettuce	
Redstem filaree	Spiny Amaranth	Tumble mustard	Wild marigold	

**WHEN TO APPLY:** Best results are obtained when weeds are growing actively in spring or early fall. Avoid contact with desirable shrubs, plants, vegetables, or flowers; especially when applying with a rotary (spinner) type spreader. Do not reseed for at least 3 to 4 weeks after application. Do not apply to newly seeded or sodded lawn until after 3 mowings. For optimum results (1) Avoid mowing 1 to 2 days before and after application; (2) Apply when grass is moist (after a rain, sprinkling or dew); (3) Avoid unnecessary disturbances, including water of treated areas for 48 hours after application. Watering will wash off weed killing material; and (4) Avoid applying if rainfall is expected within 48 hours following treatment. Possible retreatment in approximately 30 days may be necessary if lawn is heavily overrun with weeds or if adverse low moisture conditions prevail and weeds are in a state of poor growth. Do not exceed recommended rates because damage to turf may occur.

**NOTE:** When applying to Southern Grasses - under conditions of inadequate moisture, high temperature and high humidity, over-application may cause minor transitory discoloration on Centipede and St. Augustinegrasses. It is recommended that during hot, dry conditions, application rates should be reduced 50% to avoid possible dehydration or browning of grass.

**HOW TO APPLY:** This 16 pound bag should be used on 5,000 square feet. Apply evenly with a lawn spreader as a one pass application. A two pass application, criss-crossing the area at half the rate each time is also acceptable.

The following settings are approximate for applying contents of this package at a suggested rate of 3.2 pounds per 1,000 square feet. These settings are furnished only as a guide. Age, spreader condition, operating speed, and unevenness of terrain can cause variation in applied rates. Settings are based on an average walking speed. Reduce setting for slower speed; raise setting for higher speed. Check your spreader on 250 square feet and adjust to apply at the rate of .8 pound per 250 square feet.

**SPREADER SETTINGS**

ONE PASS APPLICATION: <sup>9</sup>	<u>MAKE</u>	<u>SETTING</u>
	Central Calibrated	5
	Cyclone Broadcast	3-3/4
	Jackson	5
	Sears Broadcast	3
	Sears	5
	Scotts Calibrated	4

Sweep (do not wash) all fertilizer materials from surfaces immediately after application, because certain fertilizer ingredients can cause permanent stains. Wash out spreader after each use and allow it to dry thoroughly. Treat any exposed metal spreader areas with oil to reduce corrosion.

(The following paragraph is mandatory in Kentucky when the nitrogen analysis does not provide 1 pound of nitrogen/1,000 square feet; otherwise, this information is optional.)

A lawn typically will utilize 1 to 4 pounds of nitrogen per 1,000 square feet per growing season. When used as directed, this product will supplement your regular fertilizer program by providing \*(No. of lbs.) pounds of nitrogen per 1,000 square feet (optional P<sub>2</sub>O<sub>5</sub> and K<sub>2</sub>O levels) and herbicide to control listed weeds. Please consult your local extension office for questions regarding a regular fertilizer program.

\*Based on Inert fertilizer claimed.

5/8

Residential

# Environmental Benefits

(Grasscycling Logo)

Besides increasing property values, did you know a well-maintained lawn provides the following benefits to your home and environment:

- Grass clippings and yard waste are approximately 20% of the volume in our nation's landfills. To do your part to reduce this amount, leave grass clippings on your lawn.
- Increased mowing height and frequency will produce smaller grass clippings that will decompose more readily so nutrients go back into your lawn.
- A 50' x 50' lawn produces enough oxygen for a family of 4 every day
- Reduces Glare & Reduces Noise
- Traps Dust, Smoke Particles & other Pollutants
- Purifies Water & Modifies Temperature
- Improves Soil Condition & Controls Erosion

## STORAGE AND DISPOSAL

**STORAGE:** Always use original container to store pesticides and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals. To prevent cross-contamination, do not store near open containers of fertilizer, seed or other pesticides. Do not stack more than two pallets high.

**DISPOSAL:** If empty - Do not reuse this container. Place in trash or offer for recycling if available. If partly filled - If product cannot be used as directed, call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

**NOTICE:** Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

(RV081806N)

### OPTIONAL SPREADER INSTRUCTIONS:

(Illustration) For Drop Spreaders: First apply two strips at ends. Then apply product along the length of the lawn, overlapping very slightly and shutting off spreader when turning.

(Illustration) For Rotary Spreaders: Apply in a circular path, starting on the outside and working toward the center, overlapping very slightly.

### OPTIONAL LANGUAGE FOR DIFFERENT BAG SIZES:

XX pound bag should treat up to XX,XXX square feet.

The following note will not be part of the actual label copy.

**NOTE:** Guaranteed (fertilizer) Analysis and Spreader Settings will vary among various commercial fertilizer manufacturers. Chlorine declaration is optional except where mandated by State fertilizer regulation.

Riverdale and Lazer are Registered Trademarks of Nufarm Americas Inc.

# Riverdale®

# LAZER®

# WEED AND FEED X-X-X

## - FORMULA FIVE

THIS PRODUCT IS A PREMIUM GRADE HERBICIDE AND TURF FOOD COMBINATION WHICH CONTROLS A WIDE SPECTRUM OF BROADLEAF WEEDS WHILE PROVIDING BOTH FAST AND LONG FEEDING ACTION.

WEEDS CONTACTED BY THIS PRODUCT GRADUALLY DIE AND DISAPPEAR FROM THE LAWN.

CONTAINS 2,4-D, MCPP-p AND DICAMBA

TREATS (OR COVERS) 5,000 SQUARE FEET (50' X 100')

**ACTIVE INGREDIENTS\*:**

Dimethylamine Salt of 2,4-D Acid* .....	1.101%
Dimethylamine Salt of Mecoprop-p Acid**† .....	0.271%
Dicamba Acid*** .....	0.047%

OTHER INGREDIENTS: .....	98.581%
<b>TOTAL:</b> .....	<b>100.000%</b>

Isomer Specific Method, Equivalent to:

*2,4-D Acid .....	0.915%
**Mecoprop-p Acid .....	0.223%
***Dicamba Acid .....	0.047%

†CONTAINS THE SINGLE ISOMER FORM OF MECOPROP-p

**GUARANTEED ANALYSIS:‡**

Total Nitrogen (N) .....	X%
X% Ammoniacal Nitrogen	
X% Urea Nitrogen	
Available Phosphate (P <sub>2</sub> O <sub>5</sub> ) .....	X%
Soluble Potash (K <sub>2</sub> O) .....	X%
Primary Plant Foods derived (List Sources)	
Chlorine (Cl) Maximum .....	X%
The urea nitrogen in this product has been coated to provide X% coated slow release urea nitrogen.	
Fertilizer guaranteed by (Name of Fertilizer registrant)	

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

SEE BACK PANEL FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300  
For Medical Emergencies Only, Call (877) 325-1840

EPA REG. NO. 228-428  
EPA EST. NO. 228-IL-1

MANUFACTURED BY  
NUFARM AMERICAS INC.  
BURR RIDGE, IL 60527



NET WEIGHT 16 POUNDS

000228-00428.102704.ATW&FXXXXF5c

7/8

Commercial

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
CAUTION**

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear long pants, long-sleeved shirt, socks and shoes when applying this product. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water; also before eating, drinking, chewing gum or using tobacco. The maximum number of broadcast applications per treatment site is 2 per year. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until dust has settled.

<b>FIRST AID</b>	
<b>IF IN EYES</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>HOT LINE NUMBER</b>	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment information.	

**ENVIRONMENTAL HAZARDS**

Drift or runoff may adversely affect nontarget plants. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

Most cases of groundwater contamination involving a phenoxy herbicide such as 2,4-D have been associated with mixing/loading and disposal sites. Caution should be exercised when handling this phenoxy pesticide at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing or transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.**

This product is a stable mixture of three herbicides. It is for use on Ornamental Turf Lawns (Residential, Industrial and Institutional), Parks, Cemeteries, Athletic Fields and Golf Courses (Fairways, Aprons, Tees and Roughs) and similar turf areas.

This product may be used on Bahia, common Bermuda, Blue Grass, Centipede, Fescue, Rye, St. Augustine, and Zoysia grass. **DO NOT USE** on Dichondra and Carpet grass. **DO NOT USE** this product where desirable clovers are present or allow the product to "wind drift" onto flowers, vegetables, ornamentals, shrubs, trees or other desirable plants.

This product is designed to promote lush green growth in lawns and control many broadleaf weeds such as:

Alder	Broadleaf dock	Coffeebean	Field pansy	Honeysuckle
Annual yellow sweet clover	Broadleaf plantain	Coffeeweed	Flea bane (daisy)	Hop clover
Artichoke	Broomweed	Common chickweed	Flixweed	Horsenettle
Aster	Buckhorn	Common mullein	Florida betony	Horsetail
Austrian fieldcress	Buckhorn plantain	Common sowthistle	Florida pusley	Indiana mallow
Bedstraw	Bulbous buttercup	Corn Chamomile	Frenchweed	Ironweed
Beggartick	Bull nettle	Creeping jenny	Galinsoga	Jewelweed
Biden	Bull thistle	Crimson clover	Garlic mustard	Jimsonweed
Bindweed	Burdock	Croton	Goathead	Kochia, Knawel
Bird vetch	Burning nettle	Cudweed	Goatsbeard	Knotweed
Bitterweed	Bur ragweed	Curly dock	Goldenrod	Lambsquarter
Bitter wintercress	Burweed	Curly indigo	Ground ivy	Lespedeza
Black-eyed Susan	Buttercup	Dandelion	Gumweed	Locoweed
Black medic	Canada thistle	Dead nettle	Hairy bittercress	Lupine
Black mustard	Carolina geranium	Dock	Hairy fleabane	Mallow
Blackseed plantain	Carpetweed	Dogbane	Hawkweed	Marshelder
Blackseed plantain	Catchweed bedstraw	Dogfennel	Healall	Matchweed
Blessed thistle	Catsear	Elderberry	Heartleaf drymary	Mexicanweed
Blue lettuce	Catnip	English daisy	Hedge bindweed	Milk vetch
Blue vervain	Chickweed	Fall dandelion	Hedge mustard	Milkweed bloodflower
Box elder	Chicory	False dandelion	Hemp	Mugwort
Bracted plantain	Cinquefoil	False flax	Henbit	Morningglory
Brassbuttons	Clover	False sunflower	Hoary cress	Mouseear chickweed
Bristly oxtongue	Cockle	Fiddleneck	Hoary plantain	Muls: Tr:Et:Et
	Cocklebur	Field bindweed	Hoary vervain	<i>(continues)</i>



8/8  
Nufarm Americas, Inc.  
150 Harvester Drive, Suite 200  
Burr Ridge, IL 60527  
Telephone: (630) 455.2000 Facsimile: (630) 455.2001  
www.us.nufarm.com

August 18, 2006

Via Overnight Courier

Document Processing Desk (NOTIF)  
Office of Pesticide Programs (7504P)  
U. S. Environmental Protection Agency  
Room S4900, One Potomac Yard  
2777 S. Crystal Drive  
Arlington, VA 22202

Subject: Riverdale ® Lazer ® Weed and Feed X-X-X – Formula Five  
EPA REG. No. 228-428  
Label Notification per PR 98-10

Dear Ms. Hobgood:

Nufarm Americas, Inc would like to add optional language to allow for a different bag size. The language is consistent with PRN98-10 section II (Labeling notifications) part E (changes in packaging and related labeling statements) and section IV (Non-notifications) part B (Changes in packaging size and net contents).

If you should have any questions regarding this matter, please feel free to contact me at (630) 455-2048 or [matthewgranahan@us.nufarm.com](mailto:matthewgranahan@us.nufarm.com) or contact George Meindl at (630) 455-2017 or e-mail at [george.meindl@us.nufarm.com](mailto:george.meindl@us.nufarm.com).

Sincerely,

A handwritten signature in black ink, appearing to read 'Matthew P. Granahan'.

Matt Granahan  
Regulatory Specialist  
Nufarm Americas, Inc.