

# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Mr. George Meindl Product Registration Nufarm Americas, Inc., 150 Harvester Drive, Suite 200 Burr Ridge, IL 60527 JUL 2 0 2007

SUBJECT:

Application for Pesticide Notification (PRN 98-10)

Request Deletion of Self-Limiting statement

EPA Reg. No. 228-454

Application Dated May 29, 2007

Dear Mr. Meindl:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated 05/29/07 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Owen F. Beeder of my staff at 703-308-8899.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader

Registration Division (7505P)

Office of Pesticide Programs



Nufarm Americas, Inc. George Meindl Registration Manager 150 Harvester Drive, Suite 200 Burr Ridge, IL 60527 Phone: 630.455-2017 Fax: 630.455.2030 george.meindl@us.nufarm.com

May 29, 2007

Via Overnight Courier

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U. S. Environmental Protection Agency
Room S4900, One Potomac Yard
2777 S. Crystal Drive
Arlington, VA 22202

Subject:

Menace Nursery Granular Insecticide

EPA Reg. No. 228-454

Label notification – Modification of Self-Limiting statement per PR98-10

Dear Ms. Hobgood:

Nufarm Americas, Inc is modifying a self-limiting statement on the subject product's labeling, where the phrase "For Agricultural and Commercial Use Only" has been modified to read "For Agricultural Use Only".

We are modifying the self-imposed phrase as per the North Dakota Department of Agriculture who states such phrases on pesticide labels are difficult to enforce. Without the modification mentioned above, North Dakota will not register the product. We believe this notification is consistent with PRN98-10 section II (Labeling notifications). The change is highlighted for ease in review. Nufarm Americas certifies that no other changes to the label have been made.

To process this request please find enclosed the following:

- Application for Pesticide Registration (EPA form 8570-1)
- Revised labeling with areas of change clearly identified (1 copy)
- Revised labeling clean (1 copy)

If you should have any questions regarding this matter, please feel free to contact me at 630.455.2017 or email at george meindl@us.nufarm.com.

Sindelely,

George Meindl

Registration Manager Nufarm Americas, Inc.

H:\228-454\PRN98-10 notification modifying for Ag use only statement submitted 5.29.2007.doc

L <b>P</b>	se read	instruct	ions on I	reverse	bef

<b>⇔EPA</b> Env	United States vironmental Protecti Washington, DC 20	_	ncy		Registration Amendme Other		OPP Iden	tifier Number
	Applicati	on for F	Pesticide	- Section I				
1. Company/Product Number				luct Manager		3. Prop	osed Clas	ssification
228-454			George L	aRocca			None	Restricted
4. Company/Product (Name) Menace Nursery Granular Inse		·	PM# 13					
5. Name and Address of Applicant Nufarm Americas, Inc. 150 Harvester Drive Suite 20 Burr Ridge, IL 60527  Check if this is a n			(b)(i), my p to: EPA Reg	ted Reveiw. product is simi	lar or identical	in com	position	and labeling
CHECK II (IIIS IS A II	## ###################################	0	Product	Name				
		Sect	tion - II	-		•		
Amendment - Explain below  Resubmission in response t  X Notification - Explain below	to Agency letter dated	P-94-	- 🖺 😘	al printed labels ency letter date le Too" Applica her - Explain bel	d <u> </u>			
Explanation: Use additional page Label notification per PR notice 9 with the provisions of PR Notice 9 statement of formula of this produ understand that if this notification of FIFRA and I may be subject to	8-10, revising of self-limiting 98-10 and EPA regulations a uct. I understand that it is a v is not consistent with the ter	statements at 40 CFR 1 violation of rms of PR N nalties unde	s, see cover 52.46, and r 18 U.S.C. So Notice 95-2 a er sections 12	o other change ec. 1001 to willf and 98-10 and 4	s have been ma ully make any fa 0 CFR 152.46,	ade to thats	ne labeling tements to	g or confidential o EPA. I further
		Secti	ion - III					
1. Material This Product Will Be Pa				1				
Child-Resistant Packaging Unit Yes No	Packaging   Yes   No		Soluble Packa Yes No	eging	PI PI	teiner etal estic ess		
Certification must be submitted	es" No. per Packaging wgt. container	if "Yes" Packag		No. per container	<del></del>	iper ther (Sp	ecify)	
3. Location of Net Contents Inform Label Contains	1	otail Contain	oor	5. Loc	ation of Label D	irection	3	
6. Manner in Which Lebel is Affixed		graph r glued ciled		Other				
		Secti	on - IV					
1. Contact Point (Complete items	directly below for identificati	on of individ	dual to be co	ntected, if nece	ssary, to proces	s this a	pplication.	.)
Name George Meindl (george.me	indl@us.nufarm.com)	Title Registr	ration Ma	nager				de Area Code)
· ·	I have made on this form and	d all attachr			nprisonment or	ta; C	Receive (Sta	d emped)
2. Signature	$\sim \mathcal{U}$		stratio	n Manaç	ger 🗮		( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( (	· ( . ( (
4. Typed Name V George Memdl	Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complication acknowledge that any knowlingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.  Signature  3. Title  Registration Manager  5. Date							

hish lishted

# MENACE™ NURSERY GRANULAR

# INSECTICIDE

FOR AGRICULTURAL OR COMMERCIAL USE ONLY

FOR USE AS A QUARANTINE TREATMENT AGAINST IMPORTED FIRE ANTS AND FOR BALLED AND CONTAINERIZED NURSERY STOCKS.

ACTIVE INGREDIENT:	•	By Weight
Bifenthrin*		0.2%
OTHER INGREDIENTS:		<u>99.8%</u>
	TOTAL	100.0%

\*Cis isomers 97% minimum, trans isomers 3% maximum.

# CAUTION

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300 For Medical Emergencies Only, Call (877) 325-1840

EPA REG. NO. 228-454 EPA EST. NO. 228MANUFACTURED BY NUFARM AMERICAS INC. BURR RIDGE, IL 60527-0866



**NET CONTENTS** 

LBS.

000228-00454.20050913.

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing.

#### PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear:

- · Long-sleeved shirt and long pants.
- · Chemical resistant gloves made of any waterproof material.
- · Shoes and socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

FIRST AID						
Take off contaminated clothing.     Rinse skin immediately with plenty of water for 15 to 20 minutes.     Call a poison control center or doctor for treatment advice.						
	HOT LINE NUMBER  Intainer or label with you when calling a poison control center or doctor, or going for treatment.  It 1-877-325-1840 for emergency medical treatment information.					
	NOTE TO PHYSICIAN					
This product is a py absorption and so s	rethroid. If large amounts have been ingested, milk, cream and other digestible fats and oils may increase nould be avoided.					

#### **USER SAFETY RECOMMENDATIONS**

#### **Users Should:**

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

#### **ENVIRONMENTAL HAZARDS**

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and run-off from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters or rinsate.

#### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

#### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry to treated areas during the restricted entry interval (REI) of 12 hours. **EXCEPTION: If the product is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.** 

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water, is:

- Coveralls
- · Chemical-resistant gloves made of any waterproof material,
- · Shoes and socks.

#### **ORNAMENTAL USE**

(For soil incorporation into potting media used in containerized plantings of ornamental trees, shrubs, plants, flowers, conifers, Christmas trees, and nonbearing fruit and nut trees, and bushes.)

**APPLICATION INSTRUCTIONS FOR POTTING MEDIA:** Determine bulk density of the potting media by measuring the dry weight of a unit volume of the mix. Based on the length of control required, thoroughly mix the appropriate quantity of this product with equipment suitable to give uniform distribution in the potting media. This product may be pre-mixed with an appropriate amount of sand (1:10) to ensure adequate distribution of the product of the mix.

Menace" Nursery Granular is approved under the USDA Plant Protection Imported Fire Ant Quarantine Certification program when used in accordance with USDA guidelines. Use the recommended application rates given in the table below to determine the length of control required for certification.

Pest	USDA IFA Certification	App. Rate	Potting Media Bulk Density* (Ibs. Menace Nursery Granular Per Cubic Yard)				
	Period (mo)	(ppm)	200	300	400	500	3.0 3.6 4.5
Imported	0-6	10	1.0	1.5	2.0	2.5	3.0
Fire Ant	7-12	12	1.2	1.8	2.4	3.0	3.6
	13-24	15	1.5	2.25	3.0	3.75	4.5
	Continuous	25	2.5	3.75	5.0	6.25	7.5

Comments: Incorporate appropriate amount of Menace Nursery Granular in one cubic yard of potting media based on the known bulk density.

#### FOR GENERAL USE ON ORNAMENTAL PLANTS OUTSIDE THE SCOPE OF USDA GUIDELINES

For Fungus Gnat larvae & Mealybugs use 5 to 10 ppm. For Black Vine Weevil larvae, Root Weevil larvae, White Grubs (including Japanese Beetle, oriental beetle and European chafer larvae), & Imported Fire Ants use 10 to 25 ppm. Use the higher rates for extended residual control.

Pest	App. Rate			g Media Bulk D ursery Granular	ensity* Per Cubic Yard)	
	(ppm)	200	300	400	500	600
Fungus Gnat Larvae Mealybugs	5 10	0.5 1.0	0.75 1.5	1.0 2.0	1.25 2.5	1.5 3.0
Black Vine Weevil Root Weevil Larvae White Grubs Imported Fire Ants	10 15 25	1.0 .1.5 2.5	1.5 2.25 3.75	2.0 3.0 5.0	2.5 3.75 6.25	3.0 4.5 7.5

Comments: Incorporate appropriate amount of Menace Nursery Granular in one cubic yard of potting media based on the known bulk density.

= bulk density of potting media x ppm

2000

(bulk density = laboratory determined dry weight of a unit volume of potting media.)

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use close tightly.

In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills. Call Chemtrec 1-800-424-9300. To confine spill: Cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Paper and plastic bags: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

#### Conditions of Sale and Limitation of Warranty and Liability:

**NOTICE:** Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product should be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Desirable plant injury, ineffectiveness, or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions beyond the control of Nufarm or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Nufarm and Seller harmless for any claims relating to such factors.

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the Directions for Use when used in accordance with the directions under normal conditions of use. NUFARM MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, NOR ANY OTHER EXPRESS OR IMPLIED WARRANTIES WITH RESPECT TO THE SELECTION, PURCHASE OR USE OF THIS PRODUCT. Any warranties, express or implied, having been made are inapplicable if this product has been used contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to (or beyond the control of) seller or Nufarm, and buyer assumes the risk of any such use.

To the extent allowed by law, Nufarm or seller shall not be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF NUFARM AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR AT THE ELECTION OF NUFARM OR SELLER, THE REPLACEMENT OF PRODUCT.

This Conditions of Sale and Limitation of Warranty and Liability may not be amended by any oral or written agreement.

(RV082905)

....

Menace is a Trademark of Nufarm Americas Inc.

<sup>\*</sup>Pounds of Menace Nursery Granular per cubic yard

# MENACE® NURSERY GRANULAR

### INSECTICIDE

#### FOR AGRICULTURAL USE ONLY

FOR USE AS A QUARANTINE TREATMENT AGAINST IMPORTED FIRE ANTS AND FOR BALLED AND CONTAINERIZED NURSERY STOCKS.

ACTIVE INGREDIENT:	By Weight
Bifenthrin*	
OTHER INGREDIENTS:	<u>99,8%</u>
	TOTAL100.0%

\*Cis isomers 97% minimum, trans isomers 3% maximum.

# KEEP OUT OF REACH OF CHILDREN

### **CAUTION**

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300 For Medical Emergencies Only, Call (877) 325-1840

EPA REG. NO. 228-454 EPA EST. NO. 228MANUFACTURED FOR NUFARM AMERICAS INC. BURR RIDGE, IL 60527



**NET CONTENTS** 

LBS.

000228-00454.20070529.Notification

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing.

#### PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear:

- · Long-sleeved shirt and long pants.
- · Chemical resistant gloves made of any waterproof material.
- · Shoes and socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

FIRST AID						
IF ON SKIN OR CLOTHING	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15 to 20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>					
	HOT LINE NUMBER ontainer or label with you when calling a poison control center or doctor, or going for treatment. ct 1-877-325-1840 for emergency medical treatment information.					
This product is a py	NOTE TO PHYSICIAN  rethroid. If large amounts have been ingested, milk, cream and other digestible fats and oils may increase					
absorption and so s	hould be avoided.					

#### **USER SAFETY RECOMMENDATIONS**

#### **Users Should:**

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

#### **ENVIRONMENTAL HAZARDS**

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and run-off from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters or rinsate.

#### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

#### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry to treated areas during the restricted entry interval (REI) of 12 hours. **EXCEPTION:** If the product is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water, is:

- · Coveralls.
- . Chemical-resistant gloves made of any waterproof material,
- · Shoes and socks.

#### **ORNAMENTAL USE**

(For soil incorporation into potting media used in containerized plantings of ornamental trees, shrubs, plants, flowers, conifers, Christmas trees, and nonbearing fruit and nut trees, and bushes.)

APPLICATION INSTRUCTIONS FOR POTTING MEDIA: Determine bulk density of the potting media by measuring the dry weight of a unit volume of the mix. Based on the length of control required, thoroughly mix the appropriate quantity of this product with equipment suitable to give uniform distribution in the potting media. This product may be pre-mixed with an appropriate amount of sand (1:10) to ensure adequate distribution of the product of the mix.

Menace<sup>™</sup> Nursery Granular is approved under the USDA Plant Protection Imported Fire Ant Quarantine Certification program when used in accordance with USDA guidelines. Use the recommended application rates given in the table below to determine the length of control required for certification.

Pest	USDA IFA Certification	App. Rate	Potting Media Bulk Density* (Ibs. Menace Nursery Granular Per Cubic Yard)				)
	Period (mo)	(ppm)	200	300	400	500	600
Imported	0-6	10	1.0	1.5	2.0	2.5	3.0
Fire Ant	7-12	12	1.2	1.8	2.4	3.0	3.6
	13-24	15	1.5	2.25	3.0	3.75	4.5
	Continuous	25	2.5	3.75	5.0	6.25	7.5

Comments: Incorporate appropriate amount of Menace Nursery Granular in one cubic yard of potting media based on the known bulk density.

#### FOR GENERAL USE ON ORNAMENTAL PLANTS OUTSIDE THE SCOPE OF USDA GUIDELINES

For Fungus Gnat larvae & Mealybugs use 5 to 10 ppm. For Black Vine Weevil larvae, Root Weevil larvae, White Grubs (including Japanese Beetle, oriental beetle and European chafer larvae), & Imported Fire Ants use 10 to 25 ppm. Use the higher rates for extended residual control.

Pest	est App. Rate		Potting Media Bulk Density* ate (Ibs. Menace Nursery Granular Per Cubic Ya						
	(ppm)	200	300	400	500	600			
Fungus Gnat Larvae	5	0.5	0.75	1.0	1.25	1.5			
Mealybugs	· 10	1.0	1.5	2.0	2.5	3.0			
Black Vine Weevil	10	1.0	1.5	2.0	2.5	3.0			
Root Weevil Larvae	15	1.5	2.25	3.0	3.75	4.5			
White Grubs Imported Fire Ants	25	2.5	3.75	5.0	6.25	7.5			

Comments: Incorporate appropriate amount of Menace Nursery Granular in one cubic yard of potting media based on the known bulk density.

= bulk density of potting media x ppm

(bulk density = laboratory determined dry weight of a unit volume of potting media.)

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use close tightly.

In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills. Call Chemtrec 1-800-424-9300. To confine spill: Cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Paper and plastic bags: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

#### Conditions of Sale and Limitation of Warranty and Liability:

**NOTICE:** Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product should be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Desirable plant injury, ineffectiveness, or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions beyond the control of Nufarm or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Nufarm and Seller harmless for any claims relating to such factors.

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the Directions for Use when used in accordance with the directions under normal conditions of use. NUFARM MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, NOR ANY OTHER EXPRESS OR IMPLIED WARRANTIES WITH RESPECT TO THE SELECTION, PURCHASE OR USE OF THIS PRODUCT. Any warranties, express or implied, having been made are inapplicable if this product has been used contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to (or beyond the control of) seller or Nufarm, and buyer assumes the risk of any such use.

To the extent allowed by law, Nufarm or seller shall not be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF NUFARM AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASEDLER) BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR AT THE ELECTION OF NUFARM OR SELLER, THE REPLACEMENT OF PRODUCT.

This Conditions of Sale and Limitation of Warranty and Liability may not be amended by any oral or written agreement.

RV052907<sub>1</sub>1)

`... ...

Menace is a Registered Trademark of Nufarm Americas Inc.

<sup>\*</sup>Pounds of Menace Nursery Granular per cubic yard