



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

DEC 18 2007

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Mr. Mathew Granahan
Product Registration
Nufarm Americas, Inc.,
150 Harvester Drive, Suite 200
Burr Ridge, IL 60527

SUBJECT: Application for Pesticide Notification (PRN 98-10)
Request Addition of Marketing Language (Claims)
EPA Reg. No. 228-494
Application Dated November 12, 2007

Dear Registrant:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated 11/12/07 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Owen F. Beeder of my staff at 703-308-8899.

Sincerely,

A handwritten signature in cursive script that reads "Rachel C. Holloman".

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs



2/17

Nufarm Americas, Inc.
150 Harvester Drive, Suite 200
Burr Ridge, IL 60527
Telephone: (630) 455.2000 Facsimile: (630) 455.2001
www.us.nufarm.com

November 12, 2007


Via Overnight Courier

U. S. Environmental Protection Agency (7504P)
Document Processing Desk (NOTIF)
Room S4900, One Potomac Yard
2777 S. Crystal Drive
Arlington, VA 22202

Subject: Bifenthrin 0.1% Granule Insecticide
EPA REG. No. 228-494
Label Notification per PR 98-10

Dear Ms. Hobgood:

Nufarm Americas Inc. would like to add optional language to subject product's label. The proposed language is consistent with PR Notice 98-10, Section II (Labeling Notifications). We have added the following statement from "Kills Ants Outside so They Can't Come Inside!" and added the following picture to assist in conveying use instructions.



To process this request please find enclosed the following:

- Application for Pesticide Registration EPA form 8570-1
- Revised labeling with areas of change clearly identified (1 copy)
- Revised labeling – clean (1 copy)

If you should have any questions regarding this matter, please feel free to contact me at (630) 455-2048 or matthewgranahan@us.nufarm.com or contact George Meindl at (630) 455-2017 or e-mail at george.meindl@us.nufarm.com.

Sincerely,

Matthew Granahan
Regulatory Specialist
Nufarm Americas, Inc.

3/17



Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060

	United States Environmental Protection Agency Washington, DC 20460	<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="text-align: center;"><input type="checkbox"/></td> <td style="text-align: center;">Registration</td> </tr> <tr> <td style="text-align: center;"><input type="checkbox"/></td> <td style="text-align: center;">Amendment</td> </tr> <tr> <td style="text-align: center;"><input checked="" type="checkbox"/></td> <td style="text-align: center;">Other</td> </tr> </table>	<input type="checkbox"/>	Registration	<input type="checkbox"/>	Amendment	<input checked="" type="checkbox"/>	Other	OPP Identifier Number
<input type="checkbox"/>	Registration								
<input type="checkbox"/>	Amendment								
<input checked="" type="checkbox"/>	Other								

Application for Pesticide - Section I

1. Company/Product Number 228-494	2. EPA Product Manager George LaRocca	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Bifenthrin 0.1% Granule Insecticide	PM# 13	
5. Name and Address of Applicant (Include ZIP Code) Nufarm Americas, Inc. 150 Harvester Drive, Suite 200 Burr Ridge, IL 60527 <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____

Section - II

<input type="checkbox"/> Amendment - Explain below. <input type="checkbox"/> Resubmission in response to Agency letter dated _____ <input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____ <input type="checkbox"/> "Me Too" Application. <input type="checkbox"/> Other - Explain below.
--	---

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Label Notification per PR Notice 98-10, Section II. Amended labeling with label claims as highlighted. This notification is consistent with the provisions of PR notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. sec 1001 to willfully make any false statement to the EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under section 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No			<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted If "Yes" Unit Packaging wgt. No. per container		If "Yes" Package wgt No. per container			
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions	
6. Manner in Which Label is Affixed to Product			<input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled	<input type="checkbox"/> Other _____	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name George Meindl george.meindl@us.nufarm.com	Title Registration Manager	Telephone No. (Include Area Code) 630.455.2017
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		3. Date Application Received (Stamped)
2. Signature 		3. Title Registration Manager
4. Typed Name George Meindl		5. Date 11/12/07

4/17

BIFENTHRIN 0.1% GRANULE

FOR OUTDOOR RESIDENTIAL LAWN, HOME PERIMETER, ORNAMENTAL &
FLOWER GARDENS, AND HOME GARDEN USE ONLY

ACTIVE INGREDIENT:		By Wt.
Bifenthrin*		0.1%
OTHER INGREDIENTS:		99.9%
	TOTAL:	100.0%

*Cis isomers 97% minimum, trans isomers 3% maximum.

KEEP OUT OF REACH OF CHILDREN
CAUTION
 SEE ADDITIONAL PRECAUTIONARY STATEMENTS ON BACK OF BAG.
 OR
 SEE (BACK PANEL, BOOKLET, SIDE PANEL) FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300
 For Medical Emergencies Only, Call (877) 325-1840

EPA REG. NO. 228-494
EPA EST. NO.

MANUFACTURED BY
 NUFARM AMERICAS INC.
 150 HARVESTER DRIVE
 BURR RIDGE, IL 60527



NET WEIGHT

000228-00494.2007111207.Notification

5/17

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse.

FIRST AID	
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a poison control center or doctor for treatment advice.
IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment information.	
NOTE TO PHYSICIAN	
This product is a pyrethroid. If large amounts have been ingested, milk, cream or other digestible fats and oils may increase absorption and so should be avoided.	

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is a high-performance product and is:

- Virtually Odor-free.
- Fast Acting.
- Easy-to-Use.
- Broad Spectrum.
- Kills Ants, Fleas, Spiders, Ticks & Other Insects.
- Not harmful to grasses.
- For use on lawns, home perimeter, ornamental & flower gardens.
- For Outdoor Multi-insect control.
- Kills Lawn & Garden pests/insects/bugs.
- Kills/controls pests/insects/bugs in lawns & landscapes.

This product is designed for use as a ready-to-use granular insecticide to control various insects and spiders on lawns, home perimeter, ornamental & flower gardens. See specific pests for recommended level. Irrigating or watering by 0.1 to 0.5 inches immediately after application generally improves the effectiveness of this product. Please read the following "Directions for Use" carefully and fully before applying this product.

In New York State, this product may NOT be applied to any grass or turf area (lawns) within 100 feet of a water body (lake, pond, river, stream, wetland, or drainage ditch).

In New York State, do make a single repeat application of this product if there are signs of renewed insect activity, but not sooner than two weeks after the first application.

Do not allow children or pets to enter the area until dry.

**LAWN, HOME PERIMETER, ORNAMENTAL & FLOWER GARDENS
SURFACE-FEEDING INSECTS**

Use this product for the control of ants, including Carpenter, Red Harvester, Odorous Pyramid, Pharaoh (Sugar) and Fire Ants*, Foraging Fire Ants, Armyworms (including Fall Armyworms), Billbug (including Bluegrass Billbug), Chiggers, Chinch Bugs, Cockroaches, Crickets, Cutworms (including Black Cutworms), Earwigs, Grasshoppers, Mealybugs, Pillbugs, Silverfish, Sod Webworms (Lawn Moth), Sowbugs, and Weevils (including Hyperodes and Bluegrass). Uniformly apply 1.2 to 2.4 pounds over a 1,000 square feet area by using any hand- or power-operated gravity or rotary type spreader designed for the application of granular materials. A 12-pound bag will treat a 5,000 to 10,000 square feet area. *Optional language:* [XX pound bag should treat XX,XXX square feet. This would be used for a bag size other than 12 pounds. The rate of application i.e. 1.2 to 2.4 pounds of product over 1,000 square feet will remain the same.] Treat when insects first appear and retreat as necessary. Repeat application is necessary only if there are signs of renewed insect activity. Repeat application should be limited to no more than once per seven days.

*Aids in control

6/17

Argentine Ants, Black Turf Ants, Black Turfgrass Ataenius, Fleas (including Cat Fleas), Leafhoppers, Spiders (including Brown Recluse spiders) and Ticks (including Brown Dog Ticks)

Uniformly apply 2.4 pounds over a 1,000 sq. ft. area. Best results are obtained if the treated area is thoroughly watered immediately after application.

Centipedes, Millipedes, Pavement Ants

Uniformly apply 4.8 pounds over a 1,000 sq. ft. area. Best results are obtained if the treated area is thoroughly watered immediately after application.

Mole Crickets (including Tawny Mole Crickets)

Uniformly apply 2.4 to 4.8 pounds over a 1,000 sq. ft. area. For best results: treat in late spring, and water the treated area immediately after application.

For Fire Ant Mounds

To control Fire ants, uniformly apply 1 tablespoon or 3 teaspoons** of this product to the surface of each mound. For best results, 1) apply in cool weather, 65 to 80°F, or in early morning or late evening hours. 2) avoid disturbing ants, 3) treat new mounds as they appear and 4) thoroughly water the treated area immediately after application.

**Food utensils such as tablespoons/teaspoons must not be used for food purposes after use in measuring pesticides.

Home Vegetable Gardens

How to Apply

A single application may be applied just prior to planting or after plants emerge and worked into the top 4 to 6 inches of soil. Use 5 cups (1.2 lbs.) of product for a 500 sq. ft. area.

Vegetables	Days to wait to harvest	Pests
Green Peas, Edible Pods (Sugar Snap Peas, Snow Peas) Green Beans (Wax Beans, Snap Beans) Dry Beans (Black-eyed Peas, Cowpea)	3 Days	Ants, cutworms, crickets, earwigs, grasshoppers, grubs, seed maggots, weevils and wireworms.
Sweet Corn	1 Day	Ants, armyworm, cutworms, crickets, earwigs, European corn borer, fall armyworm, grasshoppers, southwestern corn borer and weevils.
Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Cavalo Broccoli, Chinese Broccoli, Chinese Cabbage, Kohlrabi	7 Days	Ants, cutworms, crickets, earwigs, grasshoppers, grubs, seed maggots, weevils and wireworms.
Cucurbit Vegetables Chayote, Citron melon, Cucumber, Edible Gourd Muskmelon (Cantaloupe, casaba, Crenshaw melon, Golden melon, Honeydew Melon, Pineapple melon, Santa Claus melon, Snake melon) Pumpkin, Summer squash (Crookneck, Scallop, Straightneck, Zucchini) Winter squash (Butternut, Calabaza, Hubbard including Acorn and Spaghetti) Watermelon	3 Days	Ants, cutworms, crickets, earwigs, grasshoppers, grubs, seed maggots, weevils and wireworms.
Peppers	7 Days	Ants, cutworms, crickets, earwigs, grasshoppers, grubs, seed maggots, weevils and wireworms.
Eggplant	7 Days	Ants, cutworms, crickets, earwigs, grasshoppers, grubs, seed maggots, weevils and wireworms.
Head Lettuce	7 Days	Ants, cutworms, crickets, earwigs, grasshoppers, grubs, seed maggots, weevils and wireworms.

7/17

Home Vegetable Garden Spreader Tips		
Spreader	5 cups (1.2 lbs.) of product for 500 sq. ft.	Directions
Scotts AccuGreen* Drop Spreader	3-1/4	Operate spreader the longest way of the garden area. Overlap wheel marks to ensure uniform feeding. Shut off spreader when you have reached the header strips or stopped.
Scotts SpeedyGreen* Rotary	2	Shut off spreader anytime you stop. For complete coverage make each pass about five feet from the previous one, so some overlapping occurs.

When using other spreaders, calibrate the spreader settings based on the manufacturer's recommendations.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use replace lids and close tightly. For bags after partial use, reseal open bag by folding top down and securing.

PESTICIDE CONTAINER DISPOSAL:
If empty: Do not reuse this container. Place in trash or offer for recycling if available.
If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR ARISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS. BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.


(111207N)

8/17

[Optional Text]

This product is a high-performance product and is:

- [Virtually Odor-free]
- [Fast Acting]
- [Easy-to-Use]
- [Not harmful to grasses]
- For use on lawns, ornamentals, home perimeter and flower gardens.
- For Outdoor Multi-insect control.
- Kills/controls pests/insects/bugs in lawns & landscapes.
- Kills Ants, Fleas, Ticks and other pests/insects/bugs.
- Controls/kills lawn-destroying/lawn-invading pests/insects/bugs.
- Covers/Treats up to 8,300 sq. ft. per 10 lbs.
- Covers up to 16,600 sq. ft. per 20 lbs.
- Covers up to 5,000 sq. ft. per 6 lbs.
- Creates a pest/insect/bug barrier around your home.
- Exceptional Value!
- Kills Chinch Bugs, Mole Crickets, Grubs and Cutworms, plus other listed insects.
- Kills surface and sub-surface pests/insects/bugs that ruin your lawn.
- Ready-to-use.
- Easy to spread.
- Soil-penetrating formula reaches deep below ground.
- Deep-reaching formula that kills lawn-destroying insects.
- Provides a barrier of protection around your home.
- Guaranteed to work or your money back.
- Satisfaction Guaranteed.
- The smart solutions to pest/insect/bug problems.
- Solves your pest/insect/bug problems fast.
- Outdoor use only (icon).
- Keeps [Lawn] Insects Away for Up to 2 Months [8 weeks].
- Kills Tough Lawn Insects [and Keeps Them Away for Up to 2 Months [8 weeks]].
- Kills insects/bugs on contact
- Kills in 24 hours
- Kills overnight
- Kills over 50 listed insects
- Kills Ants Outside so They Can't Come Inside!



Ornamental Flower Beds (Outdoors)

Pests Controlled: Ants, crickets, earwigs, grasshoppers, spiders and ticks.

How to Apply: Evenly apply 1.2 lb. of product for every 500 sq. ft. area. Repeat application as necessary only if there are signs of renewed insect activity. Repeat application should be limited to no more than once per seven days.

Home Invading Insects: Barrier Treatment Around House Foundation (Outdoors)

Pests Controlled: Ants, chiggers, crickets, earwigs, grasshoppers, spiders and ticks.

How to Apply: Evenly apply a 2-foot band of granules next to the house foundation. Use 1.2 lb. for each 500 sq. ft. (2 ft. X 250 ft.). If necessary, repeat applications every 2 weeks only if there are signs of renewed insect activity.

SPREADER TIPS		
Spreader	Spreader Settings covers x,xxx sq. ft.	Directions
Scotts Drop Spreaders	?	Mow lawn first if grass is tall enough to touch the bottom of the spreader. First apply two header strips. Operate spreader the longest way of the lawn. Overlap wheel marks to ensure uniform feeding. Shut off spreader when you have reached the header strips or stopped.
Scotts Easy Green* Rotary	??	Side shut-off lever to the right; application automatically starts and stops when you do. For complete coverage make each pass about 30 inches from the previous one so some overlapping occurs.
Scotts SpeedyGreen* Rotary	?	Shut off spreader anytime you stop. For complete coverage make each pass about five feet from the previous one, so some overlapping occurs. Avoid applying this product on flower, vegetable, and shrub plantings.

(Bag Size specific)

SPREADER TIPS				
Spreader	Spreader Settings Pounds of Product per 500/1,000 sq. ft.			Directions
	0.5/1.2	1.2/2.4	2.4/4.8	
Scotts AccuGreen* Drop Spreader	3-1/4	4-1/2	6	Mow lawn first if grass is tall enough to touch the bottom of the spreader. First apply two header strips. Operate spreader the longest way of the lawn. Overlap wheel marks to ensure uniform feeding. Shut off spreader when you have reached the header strips or stopped.
Scotts SpeedyGreen* Rotary	2	2-3/4	4-1/2	Shut off spreader anytime you stop. For complete coverage make each pass about five feet from the previous one, so some overlapping occurs. Avoid applying this product on flower, vegetable and shrub plantings.

When using other spreaders, calibrate the spreader settings based on the manufacturer's recommendations.

This product is a high-performance product, and is:

- The smart solutions to pest/insect/bug problems.
- Solves your pest/insect/bug problems fast.
- Keeps [Lawn] Insects Away for Up to 2 Months [8 weeks].
- Kills Tough Lawn Insects [and Keeps Them Away for Up to 2 Months [8 Weeks]].

Vegetable Garden Insect Control

How to Apply

A single application may be applied just prior to planting or after plants emerge and worked into the top 4 to 6 inches of soil. Use 5 cups (1.2 lbs.) of product for a 500 sq. ft. area.

Vegetables	Days to wait to harvest	Pests
Green Peas, Edible Pods (Sugar Snap Peas, Snow Peas) Green Beans (Wax Beans, Snap Beans) Dry Beans (Black-eyed Peas, Cowpea)	3 Days	Ants, cutworms, crickets, earwigs, grasshoppers, grubs, seed maggots, weevils and wireworms.
Sweet Corn	1 Day	Ants, armyworm, cutworms, crickets, earwigs, European corn borer, fall armyworm, grasshoppers, southwestern corn borer and weevils.
Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Cavalo Broccoli, Chinese Broccoli, Chinese Cabbage, Kohlrabi	7 Days	Ants, cutworms, crickets, earwigs, grasshoppers, grubs, seed maggots, weevils and wireworms.
Cucurbit Vegetables Chayote, Citron melon, Cucumber, Edible Gourd Muskmelon (Cantaloupe, casaba, Crenshaw melon, Golden melon, Honeydew Melon, Pineapple melon, Santa Claus melon, Snake melon) Pumpkin, Summer squash (Crookneck, Scallop, Straightneck, Zucchini) Winter squash (Butternut, Calabaza, Hubbard including Acorn and Spaghetti) Watermelon	3 Days	Ants, cutworms, crickets, earwigs, grasshoppers, grubs, seed maggots, weevils and wireworms.
Peppers	7 Days	Ants, cutworms, crickets, earwigs, grasshoppers, grubs, seed maggots, weevils and wireworms.
Eggplant	7 Days	Ants, cutworms, crickets, earwigs, grasshoppers, grubs, seed maggots, weevils and wireworms.
Head Lettuce	7 Days	Ants, cutworms, crickets, earwigs, grasshoppers, grubs, seed maggots, weevils and wireworms.

HOME VEGETABLE GARDEN SPREADER TIPS		
Spreader	5 cups (1.2 lbs.) of product for 500 sq. ft.	Directions
Scotts AccuGreen® Drop Spreader	3-1/4	Operate spreader the longest way of the garden area. Overlap wheel marks to ensure uniform feeding. Shut off spreader when you have reached the header strips or stopped.
Scotts SpeedyGreen® Rotary	2	Shut off spreader anytime you stop. For complete coverage make each pass about five feet from the previous one, so some overlapping occurs.

When using other spreaders, calibrate the spreader settings based on the manufacturer's recommendations.

7/17

BIFENTHRIN 0.1% GRANULE

FOR OUTDOOR RESIDENTIAL LAWN, HOME PERIMETER, ORNAMENTAL &
FLOWER GARDENS, AND HOME GARDEN USE ONLY

ACTIVE INGREDIENT:		By Wt.
Bifenthrin*		0.1%
OTHER INGREDIENTS:		99.9%
	TOTAL:	100.0%

*Cis isomers 97% minimum, trans isomers 3% maximum.

KEEP OUT OF REACH OF CHILDREN
CAUTION
SEE ADDITIONAL PRECAUTIONARY STATEMENTS ON BACK OF BAG.
OR
SEE (BACK PANEL, BOOKLET, SIDE PANEL) FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300
For Medical Emergencies Only, Call (877) 325-1840

EPA REG. NO. 228-494
EPA EST. NO.

MANUFACTURED BY
NUFARM AMERICAS INC.
150 HARVESTER DRIVE
BURR RIDGE, IL 60527



NET WEIGHT

000228-00494.2007111207.Notification

2/17

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse.

FIRST AID	
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a poison control center or doctor for treatment advice.
IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment information.	
NOTE TO PHYSICIAN	
This product is a pyrethroid. If large amounts have been ingested, milk, cream or other digestible fats and oils may increase absorption and so should be avoided.	

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is a high-performance product and is:

- Virtually Odor-free.
- Fast Acting.
- Easy-to-Use.
- Broad Spectrum.
- Kills Ants, Fleas, Spiders, Ticks & Other Insects.
- Not harmful to grasses.
- For use on lawns, home perimeter, ornamental & flower gardens.
- For Outdoor Multi-insect control.
- Kills Lawn & Garden pests/insects/bugs.
- Kills/controls pests/insects/bugs in lawns & landscapes.

This product is designed for use as a ready-to-use granular insecticide to control various insects and spiders on lawns, home perimeter, ornamental & flower gardens. See specific pests for recommended level. Irrigating or watering by 0.1 to 0.5 inches immediately after application generally improves the effectiveness of this product. Please read the following "Directions for Use" carefully and fully before applying this product.

In New York State, this product may NOT be applied to any grass or turf area (lawns) within 100 feet of a water body (lake, pond, river, stream, wetland, or drainage ditch).

In New York State, do make a single repeat application of this product if there are signs of renewed insect activity, but not sooner than two weeks after the first application.

Do not allow children or pets to enter the area until dry.

**LAWN, HOME PERIMETER, ORNAMENTAL & FLOWER GARDENS
SURFACE-FEEDING INSECTS**

Use this product for the control of ants, including Carpenter, Red Harvester, Odorous Pyramid, Pharaoh (Sugar) and Fire Ants*, Foraging Fire Ants, Armyworms (including Fall Armyworms), Billbug (including Bluegrass Billbug), Chiggers, Chinch Bugs, Cockroaches, Crickets, Cutworms (including Black Cutworms), Earwigs, Grasshoppers, Mealybugs, Pillbugs, Silverfish, Sod Webworms (Lawn Moth), Sowbugs, and Weevils (including Hyperodes and Bluegrass). Uniformly apply 1.2 to 2.4 pounds over a 1,000 square feet area by using any hand- or power-operated gravity or rotary type spreader designed for the application of granular materials. A 12-pound bag will treat a 5,000 to 10,000 square feet area. *Optional language:* [XX pound bag should treat XX,XXX square feet. This would be used for a bag size other than 12 pounds. The rate of application i.e. 1.2 to 2.4 pounds of product over 1,000 square feet will remain the same.] Treat when insects first appear and retreat as necessary. Repeat application is necessary only if there are signs of renewed insect activity. Repeat application should be limited to no more than once per seven days.

*Aids in control

Argentine Ants, Black Turf Ants, Black Turfgrass Ataenius, Fleas (including Cat Fleas), Leafhoppers, Spiders (including Brown Recluse spiders) and Ticks (including Brown Dog Ticks)

Uniformly apply 2.4 pounds over a 1,000 sq. ft. area. Best results are obtained if the treated area is thoroughly watered immediately after application.

Centipedes, Millipedes, Pavement Ants

Uniformly apply 4.8 pounds over a 1,000 sq. ft. area. Best results are obtained if the treated area is thoroughly watered immediately after application.

Mole Crickets (including Tawny Mole Crickets)

Uniformly apply 2.4 to 4.8 pounds over a 1,000 sq. ft. area. For best results: treat in late spring, and water the treated area immediately after application.

For Fire Ant Mounds

To control Fire ants, uniformly apply 1 tablespoon or 3 teaspoons** of this product to the surface of each mound. For best results, 1) apply in cool weather, 65 to 80°F, or in early morning or late evening hours. 2) avoid disturbing ants, 3) treat new mounds as they appear and 4) thoroughly water the treated area immediately after application.

**Food utensils such as tablespoons/teaspoons must not be used for food purposes after use in measuring pesticides.

Home Vegetable Gardens

How to Apply

A single application may be applied just prior to planting or after plants emerge and worked into the top 4 to 6 inches of soil. Use 5 cups (1.2 lbs.) of product for a 500 sq. ft. area.

Vegetables	Days to wait to harvest	Pests
Green Peas, Edible Pods (Sugar Snap Peas, Snow Peas) Green Beans (Wax Beans, Snap Beans) Dry Beans (Black-eyed Peas, Cowpea)	3 Days	Ants, cutworms, crickets, earwigs, grasshoppers, grubs, seed maggots, weevils and wireworms.
Sweet Corn	1 Day	Ants, armyworm, cutworms, crickets, earwigs, European corn borer, fall armyworm, grasshoppers, southwestern corn borer and weevils.
Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Cavalo Broccoli, Chinese Broccoli, Chinese Cabbage, Kohlrabi	7 Days	Ants, cutworms, crickets, earwigs, grasshoppers, grubs, seed maggots, weevils and wireworms.
Cucurbit Vegetables Chayote, Citron melon, Cucumber, Edible Gourd Muskmelon (Cantaloupe, casaba, Crenshaw melon, Golden melon, Honeydew Melon, Pineapple melon, Santa Claus melon, Snake melon) Pumpkin, Summer squash (Crookneck, Scallop, Straightneck, Zucchini) Winter squash (Butternut, Calabaza, Hubbard including Acorn and Spaghetti) Watermelon	3 Days	Ants, cutworms, crickets, earwigs, grasshoppers, grubs, seed maggots, weevils and wireworms.
Peppers	7 Days	Ants, cutworms, crickets, earwigs, grasshoppers, grubs, seed maggots, weevils and wireworms.
Eggplant	7 Days	Ants, cutworms, crickets, earwigs, grasshoppers, grubs, seed maggots, weevils and wireworms.
Head Lettuce	7 Days	Ants, cutworms, crickets, earwigs, grasshoppers, grubs, seed maggots, weevils and wireworms.

4/17

Home Vegetable Garden Spreader Tips		
Spreader	5 cups (1.2 lbs.) of product for 500 sq. ft.	Directions
Scotts AccuGreen® Drop Spreader	3-1/4	Operate spreader the longest way of the garden area. Overlap wheel marks to ensure uniform feeding. Shut off spreader when you have reached the header strips or stopped.
Scotts SpeedyGreen® Rotary	2	Shut off spreader anytime you stop. For complete coverage make each pass about five feet from the previous one, so some overlapping occurs.

When using other spreaders, calibrate the spreader settings based on the manufacturer's recommendations.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use replace lids and close tightly. For bags after partial use, reseal open bag by folding top down and securing.

PESTICIDE CONTAINER DISPOSAL:

If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR ARISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS. BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.


If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

(111207N)

[Optional Text]

This product is a high-performance product and is:

- [Virtually Odor-free]
- [Fast Acting]
- [Easy-to-Use]
- [Not harmful to grasses]
- For use on lawns, ornamentals, home perimeter and flower gardens.
- For Outdoor Multi-insect control.
- Kills/controls pests/insects/bugs in lawns & landscapes.
- Kills Ants, Fleas, Ticks and other pests/insects/bugs.
- Controls/kills lawn-destroying/lawn-invading pests/insects/bugs.
- Covers/Treats up to 8,300 sq. ft. per 10 lbs.
- Covers up to 16,600 sq. ft. per 20 lbs.
- Covers up to 5,000 sq. ft. per 6 lbs.
- Creates a pest/insect/bug barrier around your home.
- Exceptional Value!
- Kills Chinch Bugs, Mole Crickets, Grubs and Cutworms, plus other listed insects.
- Kills surface and sub-surface pests/insects/bugs that ruin your lawn.
- Ready-to-use.
- Easy to spread.
- Soil-penetrating formula reaches deep below ground.
- Deep-reaching formula that kills lawn-destroying insects.
- Provides a barrier of protection around your home.
- Guaranteed to work or your money back.
- Satisfaction Guaranteed.
- The smart solutions to pest/insect/bug problems.
- Solves your pest/insect/bug problems fast.
- Outdoor use only (icon).
- Keeps [Lawn] Insects Away for Up to 2 Months [8 weeks].
- Kills Tough Lawn Insects [and Keeps Them Away for Up to 2 Months [8 weeks]].
- Kills insects/bugs on contact
- Kills in 24 hours.
- Kills overnight
- Kills over 50 listed insects
- Kills Ants Outside so They Can't Come Inside!



Ornamental Flower Beds (Outdoors)

Pests Controlled: Ants, crickets, earwigs, grasshoppers, spiders and ticks.

How to Apply: Evenly apply 1.2 lb. of product for every 500 sq. ft. area. Repeat application as necessary only if there are signs of renewed insect activity. Repeat application should be limited to no more than once per seven days.

Home Invading Insects: Barrier Treatment Around House Foundation (Outdoors)

Pests Controlled: Ants, chiggers, crickets, earwigs, grasshoppers, spiders and ticks.

How to Apply: Evenly apply a 2-foot band of granules next to the house foundation. Use 1.2 lb. for each 500 sq. ft. (2 ft. X 250 ft.). If necessary, repeat applications every 2 weeks only if there are signs of renewed insect activity.

SPREADER TIPS		
Spreader	Spreader Settings covers x,xxx sq. ft.	Directions
Scotts Drop Spreaders	?	Mow lawn first if grass is tall enough to touch the bottom of the spreader. First apply two header strips. Operate spreader the longest way of the lawn. Overlap wheel marks to ensure uniform feeding. Shut off spreader when you have reached the header strips or stopped.
Scotts Easy Green® Rotary	??	Side shut-off lever to the right; application automatically starts and stops when you do. For complete coverage make each pass about 30 inches from the previous one so some overlapping occurs.
Scotts SpeedyGreen® Rotary	?	Shut off spreader anytime you stop. For complete coverage make each pass about five feet from the previous one, so some overlapping occurs. Avoid applying this product on flower, vegetable and shrub plantings.

(Bag Size specific)

SPREADER TIPS		
Spreader	Spreader Settings Pounds of Product per 500/1,000 sq. ft. 0.5/1.2 1.2/2.4 2.4/4.8	Directions
Scotts AccuGreen® Drop Spreader	3-1/4 4-1/2 6	Mow lawn first if grass is tall enough to touch the bottom of the spreader. First apply two header strips. Operate spreader the longest way of the lawn. Overlap wheel marks to ensure uniform feeding. Shut off spreader when you have reached the header strips or stopped.
Scotts SpeedyGreen® Rotary	2 2-3/4 4-1/2	Shut off spreader anytime you stop. For complete coverage make each pass about five feet from the previous one, so some overlapping occurs. Avoid applying this product on flower, vegetable and shrub plantings.

When using other spreaders, calibrate the spreader settings based on the manufacturer's recommendations.

This product is a high-performance product, and is:

- The smart solutions to pest/insect/bug problems.
- Solves your pest/insect/bug problems fast.
- Keeps [Lawn] Insects Away for Up to 2 Months [8 weeks].
- Kills Tough Lawn Insects [and Keeps Them Away for Up to 2 Months [8 Weeks]].

Vegetable Garden Insect Control.

How to Apply

A single application may be applied just prior to planting or after plants emerge and worked into the top 4 to 6 inches of soil. Use 5 cups (1.2 lbs.) of product for a 500 sq. ft. area.

14/17

Vegetables	Days to wait to harvest	Pests
Green Peas, Edible Pods (Sugar Snap Peas, Snow Peas) Green Beans (Wax Beans, Snap Beans) Dry Beans (Black-eyed Peas, Cowpea)	3 Days	Ants, cutworms, crickets, earwigs, grasshoppers, grubs, seed maggots, weevils and wireworms.
Sweet Corn	1 Day	Ants, armyworm, cutworms, crickets, earwigs, European corn borer, fall armyworm, grasshoppers, southwestern corn borer and weevils.
Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Cavalo Broccoli, Chinese Broccoli, Chinese Cabbage, Kohlrabi	7 Days	Ants, cutworms, crickets, earwigs, grasshoppers, grubs, seed maggots, weevils and wireworms.
Cucurbit Vegetables Chayote, Citron melon, Cucumber, Edible Gourd Muskmelon (Cantaloupe, casaba, Crenshaw melon, Golden melon, Honeydew Melon, Pineapple melon, Santa Claus melon, Snake melon) Pumpkin, Summer squash (Crookneck, Scallop, Straightneck, Zucchini) Winter squash (Butternut, Calabaza, Hubbard including Acorn and Spaghetti) Watermelon	3 Days	Ants, cutworms, crickets, earwigs, grasshoppers, grubs, seed maggots, weevils and wireworms.
Peppers	7 Days	Ants, cutworms, crickets, earwigs, grasshoppers, grubs, seed maggots, weevils and wireworms.
Eggplant	7 Days	Ants, cutworms, crickets, earwigs, grasshoppers, grubs, seed maggots, weevils and wireworms.
Head Lettuce	7 Days	Ants, cutworms, crickets, earwigs, grasshoppers, grubs, seed maggots, weevils and wireworms.

HOME VEGETABLE GARDEN SPREADER TIPS		
Spreader	5 cups (1.2 lbs.) of product for 500 sq. ft.	Directions
Scotts AccuGreen® Drop Spreader	3-1/4	Operate spreader the longest way of the garden area. Overlap wheel marks to ensure uniform feeding. Shut off spreader when you have reached the header strips or stopped.
Scotts SpeedyGreen® Rotary	2	Shut off spreader anytime you stop. For complete coverage make each pass about five feet from the previous one, so some overlapping occurs.

When using other spreaders, calibrate the spreader settings based on the manufacturer's recommendations.