

228-506

11-24-2010

1/10



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

Mr. George Meindl  
Regulatory Affairs Manager  
Nufarm Americas Inc.  
150 Harvester Drive, Suite 200  
Burr Ridge, IL 60527

NOV 24 2010

Dear Mr, Meindl:

Subject: Triplet® Low Odor L.A. Premium Weed and Feed (18/5)  
EPA Registration No. 228-506  
Your Application and Letter Dated November 19, 2009,  
Request to Amend Labeling as Described in Application  
and Letter

The subject request to amend the labeling of Triplet® Low Odor L.A Premium Weed and Feed (18/5) has been review and found acceptable under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, provide that you:

1. On page 3, correct the name St. John"s Wort and delete the word "recommended" in the last sentence.
2. On page 4, under "Note" delete the phrase "It is recommended that"; and under "How to Apply" revise sentence to read: "Apply this 18 pound bag of product to 5,000 square feet of lawn."
3. On page 5, delete the claim: "A 50´ X 50´ lawn produces enough oxygen for a family of 4 every day."
4. On page 2, under "Use Restrictions" replace the word "young" to read "ornamental"
5. On page 8, delete the following "Optional Marketing Hype - Front Panel claims: "Kills Over 250 Weed Types, Kills 250+ Weed Types, Kills All Major Broadleaf Weeds, Overnight Results, Works in 24 hours, Won't harm the Home Lawn, Three


Way Control, and (XXX bag covers up to XX,XXX square feet).

- 6. Submit one copy of the final printed labeling prior to shipping this pesticide product under the revised labeling.

If these conditions are not complied with, this registration will be subject to cancellation in accordance with FIFRA, section 6(e). Your release for shipment of this product under the revised labeling constitutes acceptance of these conditions. A stamped copy of the accepted labeling is enclosed for your records.

If you have any question, please call Eugene Wilson at 703-305-6103.

Sincerely yours,



Kathryn V. Montague  
 Product Manager (23)  
 Herbicide Branch  
 Registration Division (7505P)

Enclosure

3  
10

# TRIPLET® LOW ODOR L.A. PREMIUM WEED AND FEED (18/5)

THIS PRODUCT IS A PREMIUM GRADE HERBICIDE AND TURF FOOD COMBINATION WHICH CONTROLS A WIDE SPECTRUM OF BROADLEAF WEEDS WHILE PROVIDING BOTH FAST AND LONG FEEDING ACTION.

CONTAINS 2,4-D, MECOPROP-p AND DICAMBA

Weeds contacted by this product gradually die and disappear from the lawn.

Treats (or covers) up to 5,000 Square Feet (50' x 100')

GET THE OPTICAL ADVANTAGE®

**ACTIVE INGREDIENTS:**

Triisopropanolamine Salt of 2,4-D Acid*	1.1893%
Dimethylamine Salt of Mecoprop-p Acid**‡	0.1929%
Dicamba Acid***	0.0637%

**OTHER INGREDIENTS:**

TOTAL: .....	98.5541%
	100.0000%

Isomer Specific Method, Equivalent to:

*2,4-D Acid .....	0.6376%
**Mecoprop-p Acid .....	0.1594%
***Dicamba Acid .....	0.0637%

‡CONTAINS THE SINGLE ISOMER FORM OF MECOPROP-p.

**GUARANTEED ANALYSIS:**

Total Nitrogen (N) .....	X%
X% Ammoniacal Nitrogen	
X% Urea Nitrogen	
Available Phosphate (P <sub>2</sub> O <sub>5</sub> ) .....	X%
Soluble Potash (K <sub>2</sub> O) .....	X%
Primary Plant Foods derived from (List sources)	
Chlorine (Cl) Maximum .....	X%

The urea nitrogen in this product has been coated to provide X% coated slow release urea nitrogen.

Fertilizer guaranteed by (Name of fertilizer registrant)

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**  
 SEE INSIDE BOOKLET FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300  
For Medical Emergencies Only, Call (877) 325-1840

EPA REG. NO. 228-506  
EPA EST. NO. 228-IL-1

MANUFACTURED BY  
NUFARM AMERICAS INC.  
150 HARVESTER DRIVE  
BURR RIDGE, IL 60527

NET CONTENTS      18 LBS.

000228-00506.20100818.revised label

**ACCEPTED**  
**with COMMENTS**  
**In EPA Letter Dated:**  
 NOV 24 2010  
 Under the Federal Insecticide,  
 Fungicide, and Rodenticide Act  
 as amended, for the pesticide  
 registered under EPA Reg. No.

228-506

14  
12

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
CAUTION**

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear long-sleeved shirt, long pants, shoes and socks when applying this product. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water; also before eating, drinking, chewing gum, or using tobacco.

**FIRST AID**

**IF IN EYES**

- Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

**HOT LINE NUMBER**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment information.

**ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn will help to prevent run off to water bodies or drainage systems.

This product has properties and characteristics associated with chemicals detected in groundwater. The use of this product in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or a well may result in contamination of drinking water or groundwater.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until dusts have settled.

This product is a stable mixture of three herbicides. It is for use on residential turf.

This product may be used on Bahia, common Bermuda, Blue Grass, Centipede, Fescue, Rye, St. Augustine, and Zoysia grass. DO NOT USE on Dichondra and Carpet grass. DO NOT USE this product where desirable clovers are present or allow the product to "wind drift" onto flowers, vegetables, ornamentals, shrubs, trees or other desirable plants.

**WEEDS CONTROLLED**

Alder	Broadleaf dock	Cockle	False sunflower
Annual yellow sweet clover	Broadleaf plantain	Cocklebur	Fiddleneck
Artichoke	Broomweed	Coffeebean	Field bindweed
Aster	Buckhorn	Coffeeweed	Field pansy
Austrian fieldcress	Buckhorn plantain	Common chickweed	Flea bane (Daisy)
Bedstraw	Bulbous buttercup	Common mullein	Flixweed
Beggartick	Bull nettle	Common sowthistle	Florida betony
Biden	Bull thistle	Corn chamomile	Florida pusley
Bindweed	Burdock	Creeping Jenny	Frenchweed
Bird vetch	Burning nettle	Crimson clover, croton	Galinsoga
Bitterweed	Bur ragweed	Cudweed	Garlic mustard
Bitter wintercress	Burweed	Curly dock	Goathead
Black-eyed Susan	Buttercup	Curly indigo	Goatsbeard
Black medic	Canada thistle	Dandelion	Goldenrod
Black mustard	Carolina geranium	Dead Nettle	Ground ivy
Blackseed plantain	Carpetweed	Dock	Gumweed
Blessed thistle	Catchweed bedstraw	Dogbane	Hairy bittercress
Blue lettuce	Catsear	Dogfennel	Hairy fleabane
Blue vervain	Catnip	Elderberry	Hawkweed
Box elder	Chickweed	English daisy	Healall
Bracted plantain	Chicory	Fall dandelion	Heartleaf drymary
Brassbuttons	Cinquefoil	False dandelion	Hedge bindweed
Bristly oxtongue	Clover	False flax	Hedge mustard

**WEEDS CONTROLLED (Continued)**

Hemp	Parsnip	Sheep sorrel	Velvet leaf
Henbit	Pearlwort	Shepherdspurse	Venice mallow
Hoary cress	Pennycress	Slender plantain	Veronica
Hoary plantain	Pennywort	Smallf lower galinsoga	Vervain
Hoary vervain	Peppergrass	Smartweed	Vetch
Honeysuckle	Pepperweed	Smooth dock	Virginia buttonweed
Hop clover	Pigweed	Smooth pigweed	Virginia creeper
Horsenettle	Pineywoods bedstraw	Sneezeweed	Virginia pepperweed
Horsetail	Plains coeopsis	Sowthistle	Wavyleaf bullthistle
Indiana mallow	Plantain	Spanishneedle	Western clematis
Ironweed	Poison hemlock	Spatterdock	Western salsify
Jewelweed	Poison ivy	Speedwell	White clover
Jimsonweed	Poison oak	Spiny amaranth	White mustard
Kochia	Pokeweed	Spiny cocklebur	Wild mustard
Knawel	Poorjoe	Spotted catsear	Wild aster
Knotweed	Povertyweed	Spotted knapweed	Wild buckwheat
Lambsquarter	Prickly lettuce	Spotted spurge	Wild carrot
Lespedeza	Prickly sida	Spurge	Wild four-o'clock,
Locoweed	Primrose	Spurweed	Wild geranium
Lupine	Prostrate knotweed	Stinging nettle	Wild lettuce
Mallow	Prostrate pigweed	Stinkweed	Wild marigold
Marshelder	Prostrate spurge	Stichwort	Wild parsnip
Matchweed	Prostrate vervain	Strawberry clover	Wild radish
Mexicanweed	Puncture vine	Sumac	Wild rape
Milk vetch	Purslane	Sunflower	Wild strawberry
Milkweed bloodflower	Ragweed	Sweet clover	Wild sweet potato
Mugwort	Red clover	Tall nettle	Wild vetch
Morningglory	Redroot pigweed	Tall vervain	Willow
Mouseear chickweed	Red sorrel	Tansy mustard	Witchweed
Musk thistle	Redstem filaree	Tansy ragwort	Woolly morningglory
Mustard	Rough cinquefoil	Tanweed	Woodsorrel
Narrowleaf plantain	Rough fleabane	Tarweed	Woolly croton
Narrowleaf vetch	Roundleafed marigold	Thistle	Woolly plantain
Nettle	Rush	Tick trefoil	Wormseed
Nutgrass	Russian pigweed	Toadf lax	Yarrow
Orange hawkweed	Russian thistle	Trailing crown vetch	Yellow Rocket
Oxalis	St. Johnswort	Tumble mustard	Yellow flower pepperweed
Oxeye daisy	Scarlet pimpernel	Tumble pigweed	Black Nighshade
Parsley-piert	Scotch thistle	Tumbleweed	Dill

**Partridge Pea**

**Prickly Poppy**

**Southern wild rose**

**WHEN TO APPLY:** Best results are obtained when weeds are growing actively in spring or early fall. Avoid contact with desirable shrubs, plants, vegetables, or flowers; especially when applying with a rotary (spinner) type spreader. Do not reseed for at least 3 to 4 weeks after application. Do not apply to newly seeded or sodded lawn until after 3 mowings. For optimum results (1) Avoid mowing 1 to 2 days before and after application; (2) Apply when grass is moist (after a rain, sprinkling or dew); (3) Avoid unnecessary disturbances, including watering of treated areas for 48 hours after application. Watering will wash off weed killing material; and (4) Avoid applying if rainfall is expected within 48 hours following treatment. Possible retreatment in approximately 30 days may be necessary if lawn is heavily overrun with weeds or if adverse low moisture conditions prevail and weeds are in a state of poor growth. Do not exceed recommended rates because damage to turf may occur.

6  
10

**NOTE:** When applying to southern grasses - under conditions of inadequate moisture, high temperature and high humidity, over-application may cause minor transitory discoloration on Centipede and St. Augustine grasses. It is recommended that during hot, dry conditions, application rates should be reduced 50% to avoid possible dehydration or browning of grass.

**HOW TO APPLY:** This 18 pound bag should be used on 5,000 square feet. Apply evenly with a lawn spreader as a one pass application. A two pass application, criss-crossing the area at half the rate each time is also acceptable.

Do not apply more than 2 applications per year, including broadcast applications in combination with spot treatments. Applications must be at least 30 days apart.

7  
10

The following settings are approximate for applying contents of this package at a suggested rate of 3.6 pounds per 1,000 square feet. These settings are furnished only as a guide. Age, spreader condition, operating speed, and unevenness of terrain can cause variation in applied rates. Settings are based on an average walking speed. Reduce setting for slower speed; raise setting for higher speed. Check your spreader on 250 square feet and adjust to apply at the rate of 0.9 pound per 250 square feet.

**SPREADER SETTINGS  
ONE PASS APPLICATION:**

<b>MAKE</b>	<b>SETTING</b>
Earthway	
Scotts	
Cyclone	
Republic	
Sears	
Red Devil (Precision)	

Sweep (do not wash) all fertilizer materials from surfaces immediately after application, because certain fertilizer ingredients can cause permanent stains. Wash out spreader after each use and allow it to dry thoroughly. Treat any exposed metal spreader areas with oil to reduce corrosion.

(The following paragraph is mandatory in Kentucky when the nitrogen analysis does not provide 1 pound nitrogen per 1,000 square feet; otherwise, this information is optional.)

A lawn typically will utilize 1 to 4 pounds of nitrogen per 1,000 square feet per growing season. When used as directed, this product will supplement your regular fertilizer program by providing \*(No. of lbs.)\* pounds of nitrogen per 1,000 square feet (optional P<sub>2</sub>O<sub>5</sub> and K<sub>2</sub>O levels) and herbicide to control listed weeds. Please consult your local extension office for questions regarding a regular fertilizer program.

\*Based on inert fertilizer claimed.

**Environmental Benefits**

(Grasscycling Logo)

Besides increasing property values, did you know a well-maintained lawn provides the following benefits to your home and environment:

*Grass clippings and yard waste are approximately 20% of the volume in our nation's landfills. To do your part to reduce this amount, leave grass clippings on your lawn. Increased mowing height and frequency will produce smaller grass clippings that will decompose more readily so nutrients go back into your lawn.*

- A 50' x 50' lawn produces enough oxygen for a family of 4 every day
- √ Reduces Glare & Reduces Noise
- √ Traps Dust, Smoke Particles & Other Pollutants
- Purifies Water & Modifies Temperature
- √ Improves Soil Condition & Controls Erosion

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Always use original container to store pesticides and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals. To prevent cross-contamination, do not store near open containers of fertilizer, seed or other pesticides. Do not stack more than two pallets high.

**CONTAINER DISPOSAL:** Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

**WARRANTY DISCLAIMER**

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

**LIMITATION OF LIABILITY**

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR ARISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS. BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

**If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.**

(110509)

Triplet and The Optical Advantage are registered trademarks of Nufarm Americas Inc.

10  
10

**OPTIONAL SPREADER INSTRUCTIONS:**

- (Illustration) For Drop Spreaders: First apply two strips at ends. Then apply product along the length of the lawn, overlapping very slightly and shutting off spreader when turning.
- (Illustration) For Rotary Spreaders: Apply in a circular path, starting on the outside and working toward the center, overlapping very slightly.

The following note will not be part of the actual label copy.

**NOTE:** Guaranteed (fertilizer) Analysis and Spreader Settings will vary among various commercial fertilizer manufacturers. Chlorine declaration and fertilizer guarantee are optional except where mandated by State fertilizer regulation.

**OPTIONAL MARKETING HYPE - FRONT PANEL**

Patented Low Odor Formulation  
Low Odor Formulation  
Now With Patented Low Odor Formulation  
Kills Over 250 Weed Types  
Kills 250+ Weed Types  
Kills Over 250 Weed Listed  
Kills Over 250 Weeds  
Kills All Major Broadleaf Weeds  
Kills Dandelion, Clover and Other Broadleaf Weeds  
Kills Dandelion, Clover and Other Listed Broadleaf Weeds  
Controls Over 250 Weeds  
Use When Weeds Are Actively Growing  
May Be Used on Bahia, Common Bermuda, Bluegrass, Centipede, Fescue, Ryegrass, St. Augustine and Zoysia Grass  
Controls Weeds Such As Dandelions, Chickweed, Henbit, Oxalis, Plantain, And Many More  
Overnight Results  
Works in 24 Hours  
Kills the Weeds, Not the Lawn  
Won't Harm the Home Lawn  
Illustration(s) of various weeds listed on label  
Contains Triplet Low Odor Formula  
Easy to Use  
For Thick, Weed-Free Turf  
Three Way Control  
Apply to a Moist Lawn  
Contains The Three Way Power of Triple Low Odor  
18 lb. Bag Treats Up To 5,000 Square Feet (XXX bag covers up to XX,XXX square feet.)  
New Formulation  
Specially formulated for residential use.