



U.S. ENVIRONMENTAL PROTECTION AGENCY
 Office of Pesticide Programs
 Registration Division (7505P)
 1200 Pennsylvania Ave., N.W.
 Washington, D.C. 20460

EPA Reg. Number:

Date of Issuance:

228-509

11-30-06

Term of Issuance:

Conditional

Name of Pesticide Product:

ProDeuce

NOTICE OF PESTICIDE:

- Registration
- Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Nufarm Americas, Inc.
 150 Harvester Drive, Suite 200
 Burr Ridge, IL 60527

Note: Changes in labeling for this pesticide must be submitted to EPA and accepted by the Registration Division before they can be used. Any correspondence on this product should refer to the above EPA Registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided you agree in writing to:

1. Submit the following outstanding studies: one year storage stability and corrosion characteristic studies.
2. Make the following changes in the Precautionary Statements: Causes moderate eye irritation. Avoid contact with eyes or clothing.

Signature of Approving Official:

James Tompkins, Product Manager (25)
 Herbicide Branch, Registration Division (7505P)

Date:

11-30-06

You will submit one copy of your final printed labeling (8 1/2" X 11" copy) before you release the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e).

ProDeuce

**PRE-EMERGENT AND POST-EMERGENT NON-SELECTIVE WEED CONTROL
FOR MANY BROADLEAF WEEDS AND GRASSES**

ACTIVE INGREDIENTS:

Glyphosate, N-(phosphonomethyl) glycine, in the form of its isopropylamine salt*	40.15%
Prodiamine*	7.51%
OTHER INGREDIENTS:	52.34%
TOTAL:	100.00%

Contains 480 grams per liter or 4.0 pounds per U.S. gallon of the active ingredient glyphosate, in the form of its isopropylamine salt. Equivalent to 356 grams per liter or 2.97 pounds per U.S. gallon of the acid, glyphosate.
*Equivalent to 90 grams per liter or 0.75 pounds per U.S. gallon of Prodiamine.

**KEEP OUT OF REACH OF CHILDREN
CAUTION - PRECAUCION**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

SEE INSIDE BOOKLET FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300
For Medical Emergencies Only, Call (877) 325-1840

EPA REG. NO. 228-
EPA EST. NO. 228-IL-1

MANUFACTURED BY
NUFARM AMERICAS INC.
BURR RIDGE, IL 60527-0866



NET CONTENTS GALLON

ACCEPTED
with COMMENTS
in EPA Letter Dated

11-30-04
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

000228-00000.20060424.1 2F03

228-509

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION - PRECAUCION**

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear protective eyewear. Wash thoroughly with soap and water after handling.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

WPS Uses: Applicators, mixers, loaders, and other handlers who handle this pesticide for any use covered by the Worker Protection Standard (40 CFR part 170) (in general, agricultural-plant uses are covered) must wear: long-sleeved shirt, long pants, shoes plus socks, and chemical-resistant gloves made of any waterproof material and protective eyewear. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exists, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering Control Statements: When handlers use closed systems or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

IMPORTANT: When reduced PPE is worn because a closed system is being used, handlers must be provided with all of the PPE specified above for applicators and other handlers, and have such PPE immediately available for use in an emergency, such as a spill or equipment breakdown.

USER SAFETY RECOMMENDATIONS	
Users Should:	<ul style="list-style-type: none"> • Wash hands, face and arms with soap and water before eating, drinking, chewing gum, using tobacco or using the toilet. • Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. • Remove PPE immediately after handling this product. • Wash the outside of gloves before removing. • As soon as possible, wash thoroughly and change into clean clothing.

FIRST AID	
IF IN EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER	
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment information.</p>	

ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment wash water or rinsate.

PHYSICAL OR CHEMICAL HAZARDS

Spray solutions of this product should be mixed, stored and applied using only stainless steel, aluminum, fiberglass, plastic or plastic-lined steel containers.

DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS. This product or spray solutions of this product react with such containers and tanks to produce hydrogen gas which may form a highly combustible gas mixture. This gas mixture could flash or explode, causing serious personal injury, if ignited by open flame, spark, welder's torch, lighted cigarette or other ignition source.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.**

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Stay off treated areas until sprays have dried. Precautions should be taken to prevent tracking product after application onto desirable grasses.

SHAKE WELL BEFORE USING.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about Personal Protective Equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours. Exception: If the product is soil-injected or soil-incorporated, the Worker Protection Standard under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, chemical-resistant gloves made of any waterproof material such as butyl rubber >14 mils or natural rubber >14 mils or neoprene rubber >14 mils or nitrile rubber >14mils, shoes plus socks.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses. People and pets may not enter treated areas until sprays have dried.

GENERAL INFORMATION

WHERE TO USE

Apply this product to both established weeds and weed-prone areas where weeds have not yet emerged.

- on cracks and crevices in driveways, sidewalks, walkways, and patios
- along fences, foundations, curbs, bunkers, retaining walls, and edge of lawns
- around the base or in mulched beds of well-established (at least 6 months old) plants, shrubs or tree
- on gravel areas

HOW THIS PRODUCT WORKS

Important: To prevent new weeds and grasses from growing you must spray the entire area you want to control, not just the emerged weeds.

This product works two ways:

1. One ingredient enters the plants through foliage and moves systemically to the roots, killing weeds by stopping the production of a substance found in plants. Weeds begin to yellow and wilt in a matter of days with complete kill in 1 to 2 weeks.
2. The other ingredient provides an invisible barrier in the soil, preventing growth and development of newly germinated weeds.

USE PRECAUTIONS

- Do not spray desirable plants.
- Do not use in lawns or for lawn renovations as this product prevents desirable grass establishment.
- Do not use for vegetable garden preparations or in and around fruits and vegetables.
- Do not spray around young plants or in an area that will be planted or seeded for 4 to 6 months, depending on if the low or high rate was applied.

APPLICATION

When to Apply

Spray when air is calm to prevent drift to desirable plants. For best results, apply during warm, sunny weather (above 60 degrees F).

This product may be applied more than once a year as long as the total amount applied is not greater than the maximum application rate for each turf species.

WEEDS CONTROLLED

Pre-Emergent:

When used as directed, this product will prevent the following weeds from emerging:

Barnyardgrass	Henbit ¹	Purslane, Common
Bluegrass, Annual (<i>Poa annual</i>) ¹	Itchgrass	Pusley, florida
Carpetweed	Johnsongrass (from seed)	Rescuegrass ²
Chickweed, Common ¹	Junglerice	Shepherdspurse ¹
Chickweed, Mouseear (from seed)	Knotweed ¹	Signalgrass, Broadleaf
Crabgrass (Large, Smooth)	Kochia	Speedwell, Persian
Crowfootgrass	Lambsquarters, Common	Sprangletop
Cupgrass, Woolly	Lovegrass	Spurge, Prostrate
Foxtails, Annual	Panicum, (Texas, Fall, Browntop)	Whitchgrass
Goosegrass	Pigweed	Woodsorrel, Yellow (from seed)

¹To control this weed in non turf areas, apply this product in late summer, fall, or winter before weeds germinate.

²Suppression only.

Post-Emergent Non-Selective:

ANNUAL WEEDS

Barley	Groundsel, common	Rice, red
Barnyardgrass	Henbit	Rocket, London
Bluegrass, annual	Horseweed/Marestail	Rye
Bluegrass, bulbous	Horseweed/Marestail	Ryegrass, Italian
Brome, downy	Johnsongrass, seedling	Shattercane
Buttercup	Lambsquarters, common	Shepherdspurse
Cheat	Lambsquarters, common	Sicklepod
Chickweed, common	Morningglory	Sicklepod
Chickweed, mouse-ear	Mustard, blue	Sicklepod
Cocklebur	Mustard, tansy	Signalgrass, broadleaf
Corn	Mustard, tumble	Spanishneedles
Crabgrass	Mustard, wild	Sprangletop
Dwarfdandelion	Oats, wild	Sprangletop
False fax, smallseed	Panicum, fall	Spurge, annual
Filaree	Panicum, Texas	Spurge, annual
Foxtail	Pennycress, field	Spurry, umbrella
Foxtail, Carolina	Pigweed, redroot	Stinkgrass
Geranium, Carolina	Pigweed, smooth	Teaweed
Goatgrass, jointed	Primrose, cutleaf evening	Wheat
Goosegrass	Pusley, Florida	Witchgrass

PERENNIAL WEEDS

Alfalfa	Dock, curly	Paragrass
Alligatorweed*	Dogbane, hemp	Phragmites*
Anise (fennel)	Fescue, tall	Poison hemlock
Artichoke, Jerusalem	Fescues	Quackgrass
Bahiagrass	Guineagrass	Redvine*
Bentgrass	Horsenettle	Reed, giant
Bermudagrass	Horseradish	Ryegrass, perennial
Bermudagrass, water (knotgrass)	Ice plant	Smartweed, swamp
Bindweed, field	Johnsongrass	Spurge, leafy*
Bluegrass, Kentucky	Kikuyugrass	Starthistle, yellow
Blueweed, Texas	Knapweed	Sweet potato, wild*
Brackenfern	Lantana	Thistle, artichoke
Bromegrass, smooth	Lespedeza	Thistle, Canada
Bursage, woollyleaf	Milkweed	Timothy
Canarygrass, reed	Muhly, wirestem	Torpedograss*
Cattail	Mullein, common	Trumpetcreeper*
Clover, red	Napiergress	Vaseygrass
Clover, white	Nightshade, silverleaf	Velvetgrass
Cogongrass	Nutsedge; purple, yellow	Wheatgrass, western
Dallisgrass	Orchardgrass	
Dandelion	Pampasgrass*	

*Partial Control

TANK SPRAYER (plastic, aluminum, fiberglass, plastic-lined steel or stainless steel)

- Add 3 to 6 fl oz to 1 gallon of water and treat 1,000 sq. ft.
- For longer pre-emergent control and post-emergent control of larger weeds use the higher rate.

Do not apply with a galvanized or unlined steel (except stainless steel) sprayer, or through any irrigation system.

HOW TO APPLY

Spray existing weeds AND the entire surrounding weed-prone area you want to keep free of weeds for up to 3 months. Spray the area with sufficient volume to assure complete coverage. When spraying around the base of well-established (at least 6 months old) ornamental plants, shrubs, or trees, shield desirable plants from drift with a sheet of cardboard or plastic. Use caution to prevent application to green stems and leaves damage can occur.

WHEN TO REPLANT

All ornamental bedding plants, trees, shrubs, sod, and seed (flowers and grasses) may be planted four months after application.

HOW TO CLEAN SPRAYER

To clean sprayer after use, rinse sprayer and all sprayer parts with soap and water 3 times. Spray rinse water on bare soil or gravel. After cleaning, sprayer may be used for other products.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: STORE ABOVE 10°F (-12°C) TO KEEP PRODUCT FROM CRYSTALLIZING. Crystals will settle to the bottom. If allowed to crystallize, place in a warm room 68°F (20°C) for several days to redissolve and shake or roll to mix well before using.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of container in a sanitary landfill, or incinerate, or burn if allowed by state and local authorities. Stay out of smoke from burning container.

Conditions of Sale and Limitation of Warranty and Liability:

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product should be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Desirable plant injury, ineffectiveness, or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions beyond the control of Nufarm or Seller. To the extent consistent with applicable law, all such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Nufarm and Seller harmless for any claims relating to such factors.

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the Directions for Use when used in accordance with the directions under normal conditions of use. To the extent consistent with applicable law, NUFARM MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, NOR ANY OTHER EXPRESS OR IMPLIED WARRANTIES WITH RESPECT TO THE SELECTION, PURCHASE OR USE OF THIS PRODUCT. Any warranties, express or implied, having been made are inapplicable if this product has been used contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to (or beyond the control of) Seller or Nufarm, and Buyer assumes the risk of any such use.

To the extent consistent with applicable law, Nufarm or Seller shall not be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF NUFARM AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR AT THE ELECTION OF NUFARM OR SELLER, THE REPLACEMENT OF PRODUCT.

This Conditions of Sale and Limitation of Warranty and Liability may not be amended by any oral or written agreement.

(NEW)