

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

JAN 28 2010

Mr. Matthew Granahan Nufarm Americas, Inc. 150 Harvester Drive, Suite 200 Burr Ridge, IL 60527

Subject: Revising the Storage and Disposal Section and Add Optional Language

Dear Mr. Granahan:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 and 98-10 dated January 18, 2009 for:

EPA Registration 228-510

Mallet 0.2 Granular Insecticide

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 & 98-10 and finds that the label change(s) requested falls within the scope of PRN 207-4 & 98-10. The label has been date-stamped "Notification" and will be placed in our records.

If you have any questions, call me at 703 305-5409 or electronically at daniel.dani@epa.gov.

Sincerely,

Dani Daniel Registration Division (7505P) Insecticide/Rodenticide Branch



riease read instructions on reverse before comp	leting form.	N	OTIFICAT	IUN For	rm Approved. OMB No. 2070-0060
SEPA Environmen	United States Ital Protectionshington, DC 20		JAN 2 8 20 ×	Registration Amendment Other	1
	Application	on for Pestic	ide - Sectio	n I	
1. Company/Product Number 228-510		ŧ	A Product Manage s Eagle	•	3. Proposed Classification None Restricted
4. Company/Product (Name) Mallet 0.2 Granular Insecticide		PM# 1			
5. Name and Address of Applicant (Include ZIF Nufarm Americas, Inc. 150 Harvester Drive, Suite 200 Burr Ridge, IL 60527 Check if this is a new address	o Codel	(b)(i), to: EPA	•	milar or identica	e with FIFRA Section 3(c)(3) Il in composition and labeling
		Section -	- []		
Amendment - Explain below. Resubmission in response to Agency le X Notification - Explain below.	tter dated		Final printed lai Agency letter d "Me Too" Appl Other - Explain	ication.	3
Explanation: Use additional page(s) if necessibility in the constitution of label change per PR Notice 2007-4 a and the requirements of EPA's regulations at 40 CF the Confidential Statement of Formula for this product understand that if the amended label is not consisted 152.46, this product may be in violation of FIFRA and the constitution of FIFRA and the consti	ind PR Notice 1998 R §§ 156.10, 156.1 uct. I understand the ent with the requirer	-10. This notification 40, 156.144, 156.14 at it is a violation of nents of PR Notice of to enforcement acti	n is consistent with t 46, 156.156 and 152 18 U.S.C. Sec. 100 ⁻ 1998-10 and 40 CFF on and penalties und	.46. No other chang I to willfully make ar R§§ 156.10, 156.140	ges have been made to the labeling or ny false statement to EPA. I further D, 156.144, 156.146, 156.156 and
		Section -			
1. Material This Product Will Ba Packaged In: Child-Resistant Packaging Yes X No * Certification must be submitted 1. Material This Product Will Ba Packaged In: Unit Packaging Unit Packaging If "Yes" Unit Packaging v	No. per vgt. container	Water Soluble Yes X No If "Yes" Package wgt	Packaging No. per container	X X X X X X X X X X X X X X X X X X X	nteiner Metal Mastic Glass Paper Other (Specify)
3. Location of Net Contents Information X Label	4. Size(s) Re	tail Container	5. 	Location of Label	Directions
6. Manner in Which Label is Affixed to Product		graph glued iled	Other _		
		Section -	IV		
1. Contact Point Complete items directly belo	w for identification	on of individual to	be contacted, if n	ecessary, to proce	ess this application.) ေ
Name Matthew Granahan matthew.granahan@u	ıs.nufarm.com	ਸ਼ਖ਼₀ Registration	n Manager		ຊື່ອphine No. (Include Area Code) 330.455.2048
I certify that the statements I have made I acknowledge that any knowlinglly false both under applicable law.	Certifica on this form and or misleading st	l all attachments t	hereto are true, ac unishable by fine c	or imprisonment o	(Stamped)
2. Signature		з. रात्रक Registra	tion Man	ager	
4 Fried Name Matthew Granahan		5. Date 01/18/1			





Nufarm Americas Inc.

150 Harvester Drive, Suite 200 Burr Ridge, IL 60527 Telephone: (630) 455.2000 Facsimile: (630) 455.2001 www.us.nufarm.com

January 18, 2010

Via Overnight Courier

U. S. Environmental Protection Agency (7504P)
Document Processing Desk (NOTIF)
Room S4900, One Potomac Yard
2777 S. Crystal Drive
Arlington, VA 22202

Subject:

Mallet 0.2 Granular Insecticide

EPA Reg. No. 228-510

Label Notification per PR Notice 07-04 & 98-10

Dear Ms. Hobgood:

Nufarm Americas, Inc would like to change the Storage and Disposal Section of referenced Residential label in accordance with the PR Notice 2007-04. Additionally, Nufarm Americas Inc. has added the following Optional language to referenced label, consistent within PR Notice 1998-10:

Ready-To-Use Contains Mallet Insecticide

To process this request please find enclosed the following:

- Application for Pesticide Registration EPA form 8570-1
- Revised labeling with areas of change clearly identified (1 copy)
- Revised labeling clean (1 copy)

If you should have any questions regarding this matter, please feel free to contact me at 630) 455-2048 or matthew.granahan@us.nufarm.com.

Sincerely.

Matthew Granahan Registration Manager Nufarm Americas, Inc.

NOTIFICATION JAN 2 8 2010

Mallet® 0.2 GRANULAR INSECTICIDE

FOR OUTDOOR RESIDENTIAL USE ON LAWNS AND LANDSCAPED AREAS.

Not for sale, use, or distribution in or into Nassau, Suffolk, Kings or Queens Counties, New York.

 ACTIVE INGREDIENT:
 0.2%

 Imidacloprid
 0.2%

 OTHER INGREDIENTS:
 99.8%

 TOTAL:
 100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

SEE SIDE PANELS FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300 For Medical Emergencies Only, Call (877) 325-1840

EPA REG. NO. 228-510 EPA EST. NO. Manufactured For NUFARM AMERICAS INC. 150 Harvester Drive Burr Ridge, IL 60527

Net Weight:

Lbs. (Kg)

Nufarm.

000228-00510.20090111.EPA.PR07-04/98-10.Notification NUP-06022

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if absorbed through skin. Causes minimal eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

FIRST AID		
IF ON SKIN OR CLOTHING	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. 	
IF IN EYES	 Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 	
IF SWALLOWED	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. 	
	HOT LINE NUMBER Italiner or label with you when calling a poison control center or doctor, or going for treatment. It 1-877-325-1840 for emergency medical treatment information.	
	NOTE TO PHYSICIAN s available. Treat the patient symptomatically.	

ENVIRONMENTAL HAZARDS

This product is highly toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For use on lawns, landscaped areas and plantings such as around trees, shrubs, flower and ornamental beds.

Do not apply near fish pools, ponds, streams or lakes.

GENERAL INFORMATION

This product can be used for control of soil pests such as mole crickets and white grubs, including the larvae of Japanese beetle, Oriental beetle, Chafers, Asian garden beetle, May beetle, June beetle and black turfgrass ataenius. This product can also be used to control billbugs, cutworms, Chinch bugs and European crane fly larvae.

PEST	USE RATE PER 1,000 SQ. FT.
White grubs, including the larvae of Japanese beetle, Oriental beetle, Chafers, Asian garden beetle, May beetle, June beetle and Black turfgrass ataenius billbugs, Cutworms, Chinch bugs and European crane fly larvae.	2.87 pounds
Mole crickets	3.80 pounds

Treat when insects first appear. Apply this product evenly over the turfgrass area at the use rate indicated inches above table. bishing c a properly calibrated drop or rotary spreader. A more uniform application may be achieved by spreading half of the required amount of product over the area and then applying the remaining half in swaths at a right angle to the first. For optimism control, irrigation or of product over the area and then applying the remaining main in swalls at a right angle to the limit of the soil. Avoid occur within 24 hours after application to move the active ingredient through the thatch and downcinto the soil. Avoid occur within 24 hours after application to move the active ingredient through the thatch and downcinto the soil. lawn until after irrigation or rainfall has occurred so that uniformity of the application will not be affected. o ပြင $\begin{smallmatrix}c&&c&o\\c&&o&&o\\&&&c&o\end{smallmatrix}$

FLOWER BEDS, GROUND COVERS, TREES AND SHRUBS

Application Instructions

Apply this product at the rate of 2 tablespoons per 10 square feet of planting bed (1-1/4 cups per 100 square feet of planting bed). Evenly spread granules to the soil over flower beds, ground cover plantings, shrub beds and under trees. The use of a hand held spreader is recommended. Rake granules into the soil around plants. Water thoroughly after application.

cccc

00000

This product works best when applied before mole crickets and grubs hatch. If necessary, consult your local State extension agent for the ideal times to apply this product in your area. Do not apply this product to potential treated areas that are waterlogged or saturated with water. This product may not work effectively in these times of conditions.

SPREADER SETTINGS

Broadcast Spreaders: For best results, apply in a circular path starting on the outside and working toward the center. A little overlap of product will ensure complete coverage.

Drop Spreaders: First, apply 2 border strips along the edge of each end of the lawn. Then apply product along the length of the lawn, overlapping slightly and shutting off the spreader before turning as you reach the edge of the border strips.

Applications Instructions

See Spreader Settings chart below. Adjust spreader to the appropriate setting .Make sure that the spreader works properly and spreads granules uniformly. Apply to the border and then fill in the center to ensure the entire area is covered completely. To make sure that the product is evenly distributed, walk at a steady pace making parallel passes. Do not use a spreader that applies granules in narrow, concentrated or uneven bands. Water thoroughly after application.

Important: It is important to follow the directions as indicated on this quality lawn care product as over-application may cause injury to the lawn. Measure the size of the area to be treated and do not over or under apply. Spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied, and roughness of area treated. Calibrate spreader prior to use according to the manufacturer's directions. Check frequently to be sure equipment is working properly and distributing uniformly. Close spreader when filling, stopping or turning. Do not hand spread.

Note: Following will be a list of application spreaders and approximate settings. This list will vary dependent on market of spreaders. (This note will not appear on final printed label.)

Spreader	2.87 lbs./1.000 sq.ft.	3.80 lbs/1,000 sq.ft.
aa	XX	XX
bb	XX	XX
cc	XX	XX

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Keep out of reach of children and animals. Store in original container only. Store in a cool, dry place and avoid excess heat.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING. TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. TO THE EXTENT CONSISTENT WITH A PPLICABLE LAW, MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR RISING OUT OF THE MISUSE, OR FAILURE TO BUYER. WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABLETY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

lf you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

(RV122109N)

Mallet is a Registered Trademark of Nufarm Americas Inc.



Optional performance guarantees:

Optional language:

Ready-To-Use

Contains Mallet Insecticide

STOP. Read entire label before use.

Results Guaranteed

GUARANTEED RESULTS OR YOUR MONEY BACK

If you are not satisfied with this product for any reason, send your written request for a refund to the address at left, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.

One application kills white grubs, mole crickets and European crane flies all year round.

Season long grub control

Apply anytime from spring through late summer

One application stops/kills grubs all season long

Apply before insects hatch to prevent turf damage

14.35 lb. treats up to 5,000 square feet (XX lbs. treats up to XXXX square feet)

This product kills grubs all season long with a single application.

Keeping you lawn free of damaging grubs has never been easier.

Visit our website at {address}

Contains Mallet

Contains Mallet Grub killing insecticide

Treats up to 5,000 sq. ft.

Treats up to 3,775 square feet for Mole Crickets

One application kills grubs [including] [larvae of] [Asiatic Garden Beetle]. [Black Turfgrass Ataenius]. [Chafers]. [Japanese Beetle], [May or June Beetle], [and] [Oriental Beetle] all season long.]

Apply anytime from May through mid-August

One application kills [White] [Grubs] [and] [European Crane Fly Larvae] all season long

Kills [White] [Grubs] [and] [European Crane Fly Larvae] before they damage lawns.

Easy-to-Use Granules

For use on lawns, ground covers, flower beds, and around trees & shrubs.


Kills grubs, European crane fly larvae and mole crickets [Also] controls [kills] [cutworms] & [Chinch bugs].

This product is for use on lawns, flower beds, ground covers, trees and shrubs to control White Grubs (including larvae of Asiatic Garden Beetle, Black Turfgrass Ataenius, Chafers, Japanese Beetle, May or June Beetle, and Oriental Beetle), Mole Crickets and European Crane Fly Larvae.

For best results, apply this product before grubs, mole crickets or European crane fly larvae hatch and can cause damage. Contact your County Extension Agent for the best dates to apply in your area.

[Helps your lawn stay strong during the stressful summer months] (may be included on label if marketed on fertilizer carrier)

[14-0-3] (may be included on label if marketed on fertilizer carrier)





PESTS CONTROLLED	WHEN TO APPLY	INDICATION OF DAMAGE	USE RATE PER 1,000 SQ. FT.
Grubs	Apply once anytime from May through mid-August	White grubs cause widespread damage to lawns by feeding on grass roots, causing it to turn yellow, then brown and die.	2.87 pounds
European crane fly larvae	Apply once, when these insects are present in large numbers.	European crane fly larvae cause damage by feeding on grass roots and disturbing the soil surface.	2.87 pounds
Mole Crickets	Apply once anytime from mid- May through mid-June. Florida residents - Apply once anytime between early April through early May.	Mole crickets cause widespread damage by tunneling through the soil, while some species also feed on roots. Tunneling through the soil uproots the grass causing it to dry out, become thin and weedy, turn yellow and eventually die.	3.80 pounds

For best results:

- Apply early before grubs, mole crickets and European crane fly larvae hatch.
- Irrigate thoroughly within 24 hours of application to form a protective zone in the soil.
- Avoid mowing until granules are watered into the soil.
- Do not apply to water saturated areas. This may decrease product effectiveness.
- This product can be applied over soil or mulch. Remove black plastic or other weed barrier material prior to application. Keep children and pets off treated area until it has dried.

Spreader Settings*

Rate for Grubs and European Crane Fly Larvae: 2.87 pounds per 1,000 square feet.

Rate for Mole Crickets: 3.80 pounds per 1,000 square feet.

Broadcast Spreaders Model	Rate Setting 2.87 lbs./ 1,000 sq. ft.	Rate Setting 3.80 lbs./ 1,000 sq. ft.	Distance Between Passes (ft.)
Cyclone Rotary			
Earthway Rotary			
EV-N Speed			
K-Gro Rotary			
Ortho Rotary			
Precision Rotary (#SB50)			
Red Devil Rotary	SPREADER SETTINGS AVAILABLE AT PRINTING		
Republic EZ Rotary (#540)			
, , ,	1		
Scotts Easygreen (#EG-3)			***************************************
Scotts Easygreen (#EG-3) Scotts Speedygreen 1000 Scotts Speedygreen 2000			
Scotts Easygreen (#EG-3) Scotts Speedygreen 1000			\$ 06,606
Scotts Easygreen (#EG-3) Scotts Speedygreen 1000 Scotts Speedygreen 2000 Scotts Speedygreen 3000			2000 2000 0000 0000
Scotts Easygreen (#EG-3) Scotts Speedygreen 1000 Scotts Speedygreen 2000			C C C

continued

000

W. W.	1.0	
Rate Setting 2.87 lbs./ 1,000 sq. ft.	Rate Setting 3.80 lbs./ 1,000 sq. ft.	Distance Between Passes (ft.)
		w .
	•	<u> </u>
SPREADE	R SETTINGS AVAILABLE	AT PRINTING
1		
	2.87 lbs./ 1,000 sq. ft.	

^{*} Spreader settings are approximate. The condition of your spreader, the speed that you walk, and uneven terrain may affect the rate of application. Calibrate your spreader according to manufacturer's instructions.

TIP: 1,000 sq. ft. = 20 ft. x 50 ft.

[Optional Spreader Settings chart and text may be used with fertilizer carriers:]

Spreader Settings for Lawn Applications

MAKE & MODEL	0.5 lb /1,000 sq ft	MAKE & MODEL	0.5 lb / 1,000 sq ft
Scotts Edge	4-1/4	Scotts AccuGreen 1000	5-1/2
Scotts SpeedyGreen 1000	4-1/4	Scotts AccuGreen 2000	5-1/2
Scotts SpeedyGreen 2000	4-1/4	Scotts AccuGreen 3000	5-1/2
Scotts SpeedyGreen 3000	4-1/4	Earthway 2000	8
Vigoro 4300	3	Earthway 2050	6

[Typically, a lawn utilizes 1 to 4 lbs of nitrogen per 1.000 sq ft per growing season. When applied as directed, this product provides 0.42 lb of nitrogen per 1.000 sq ft. Contact your local Extension Service for information specific to your geographic region.] (optional text when using fertilizer carriers)

F1074] (optional text when using fertilizer carriers)

[Typically, a lawn utilizes 1 to 4 lbs of nitrogen per 1.000 sq ft per growing season. When applied as directed, this product provides of 0.42 lb of nitrogen per 1.000 sq ft. Contact your local Extension Service for information specific to your geographic region.]

[Typically a lawn utilizes 1 to 4 lbs of nitrogen per 1,000 sq ft per growing season. When applied at X rate this product provides XX lb of nitrogen per 1,000 sq ft.: and when applied at the X rate, this product provides XX lb of nitrogen per 1,000 sq ft.: Gontact your local Extension Service for information specific to your geographic region.]

[Information regarding the contents and level of metals in this product is available on the internet at http://www.regulatory-info-sb.com or http://www.aapfco.org/metals.htm].

[When applied as directed, this product meets the guidelines for metals adopted by the Association of American Plant Food Control

[Grub Life Cycle and Graphics] (optional marketing language)

Grub Life Cycle [graphics]