1/30/2014



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

JAN 3 0 2014

Carrie M. Tackema Nufarm Americas Inc. 4020 Aerial Center Parkway, Suite 101 Morrisville, NC 27560

Subject:

Notification to correct a word in the pollinator statement and add the State of Oregon Tree Restriction Mallet 0.2 Granular Insecticide EPA Registration # 228-510 Submission Date: December 4, 2013

Dear Carrie M. Tackema :

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 received <u>December 4, 2013</u>. The Registration Division (RD) has reviewed these requests and finds that this action falls within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records. If you have any questions, please contact Jessica Rogala at (703) 347-0263 or via email at <u>rogala.jessica@epa.gov</u>.

Sincerely,

Rogala

Jessica Rogala Environmental Protection Specialist Insecticide-Rodenticide Branch Registration Division (7505P)

		(٤	(PEDITE		2
	United Sta conmental Prot Washington, D	ection Ager		stration ndment r:	OPP Identifier Number
	Арр	lication for	Pesticide - Sec	tion I	
1. Company/Product Number	· · · · · · · · · · · · · · · · · · ·	2. E	PA Product Manager	·	3. Proposed Classification
228-510		V	enus Eagle		
4. Company/Product (Name) Mallet 0.2 Granular Insection		PM 1	#		None Restricted
5. Name and Address of Applica Nufarm Americas Inc. 4020 Aerial Center Parkway, Morrisville, NC 27560	Suite 101	3 a E	(c)(3) (b)(I), my pi nd labeling to:	oduct is simila	ce with FIFRA Section ar or identical in composition
		Se	ction - II		
<u>CONTACT:</u> Carrie M. Tac Nufarm Amer	to Agency letter date al page(s) if nece NOT the provisions of PR intial statement of fo I further understand ation of FIFRA and I kema (919) 379- icas, Inc. enter Parkway,	Essary. (For FIFICATION Notice 98-10 an mula of this pro that if this notifi may be subject -2528 or carr	Me Too" Application Other - Explain be Section I and Sec N PER PRN 98 d EPA regulations at duct. 1 understand that cation is not consister to enforecement action	on Iow tion II.) I- 10 IO CFR 152.46, an at it is a violation of the terms of n and penatlies u	of 18 U.S.C. Sec. 1001 to willfully
	0 27 300	See	ction - III	· · · · · · · · · · · · · · · · · · ·	······
1. Material This Product Will Be	Packaged In:	<u> </u>	·····		
Child-Resistant Packaging Yes* No	Unit Packaging Yes No If "Yes"	No. per	Water Soluble Pa	No. per	2. Type of Container Metal Plastic Glass
*Certification must	Unit Packaging	container	Package wgt.	container	Paper
be submitted 3. Location of Net Contents Info X Label	Container	Size(s) Retail Co 1-60 lb	ontainer	On Lab	Other (Specifiy): of Label Directions el eling accompanying product
6. Manner in Which Label is Afl	ixed to Product	Lithograph Paper glue		Crac	ck and Peel
<u> </u>	.		tion - IV		
1. Contact Point (Complete item	s directly below for i			ed, if necessary. I	to process this application)
Name Carrie M. Tackema		Title		· · · · ·	phone No. (Include Area Cod.) (919) 379-3538
I certify that the statements I ha complete. I acknowledge that a imprisonment or both under app 2. Signature	ve made on this form ny knowingly false o	r misleading sta			6. Date Application Received (Stamped)
4. Typed Name Carrie M. Tackema			Date December 3, 2013		

.



ŗ v

Nufarm Americas Inc. 11901 S. Austin Avenue Alsip, IL 60803 Phone: 708-377-1330 Fax: 708-377-1333

4020 Aerial Center Parkway, Suite 101 Morrisville, NC 27560 Phone: 919-379-2510 Fax: 919.467.5923 www.us.nufarm.com

Via Courier Delivery

December 3, 2013

Ms. Venus Eagle, PM #1 USEPA (7504P) Document Processing Desk (NOTIF) Room S4900, One Potomac Yard 2777 S. Crystal Drive Arlington, VA 22202

Subject: NOTIFICATION(s) EPA Reg. No. 228-500; 228-501; 228-502; 228-510; 228-523; 228-587

Dear Ms. Eagle:

On behalf of Nufarm Americas Inc. enclosed please find NOTIFICATION(s) for the abovereferenced products to comply with the OR required statement for *Tilia* species. In support of these Notifications, please find the following:

- Application for Pesticide Registration NOTIFICATION; and
- Two (2) copies of proposed product labeling for each product (one copy with changes highlighted, and one in pdf format on CD-rom).

Should you have any questions or require additional information, please contact me at (919) 379-2528 or by email at <u>carrie.tackema@us.nufarm.com</u>.

Carrie M. Tackema

Regulatory Manager

-Enclosure(s)

Mallet[®] 0.2 GRANULAR INSECTICIDE

FOR OUTDOOR RESIDENTIAL USE ON LAWNS AND LANDSCAPED AREAS.


RESTRICTION: Not for sale, use, or distribution in or into Nassau, Suffolk, Kings or Queens Counties, New York.

ACTIVE INGREDIENT:	
Imidacloprid	0.2%
OTHER INGREDIENTS:	99,8%
тотаL:	100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

SEE SIDE PANELS FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300 For Medical Emergencies Only, Call (877) 325-1840



Net Weight: Lbs. (Kg)

NOTIFICATION

JAN 3 0 2014

000228-00510.201<u>31203.NOTIF41108.MASTER</u>



Manufactured For NUFARM AMERICAS INC. 11901 South Austin Avenue Alsip, IL 60803

. . .

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if absorbed through skin. Causes minimal eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

FIRST AID		
Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.		
Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.		
 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. 		
HOT LINE NUMBER tainer or label with you when calling a poison control center or doctor, or going for treatment. 1-877-325-1840 for emergency medical treatment information.		
	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Call a poison control center or doctor for treatment advice. Call a poison control center or doctor immediately for treatment advice. Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. HOT LINE NUMBER ainer or label with you when calling a poison control center or doctor, or going for treatment.	

ENVIRONMENTAL HAZARDS

This product is highly toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For use on lawns, landscaped areas and plantings such as around ornamental trees, shrubs, flower and ornamental beds, RESTRICTIONS:

DO NOT apply near fish pools, ponds, streams or lakes. DO NOT use on sod farms. DO NOT use more than 200 pounds of this product (0.4 lbs a.i.) per acre per year [4.5 pounds of this product (0.09 lbs a.i.) per 1 000 square feet per year).

DO NOT apply this product to potential treated areas that are waterlogged or saturated with water. This product may not work effectively in these times of conditions.

Formatted: Font: 8 pt

DO NOT harvest or consume fruit or nuts from trees that have been treated within 1 year (365 days).

Keep children and pets off treated area until it has dried.

Note to Reviewer: the two statements in brackets below may be used as they relate to Tilia species:

[DO NOT apply this product, by any application method, to linden, basswood or other Tilia species in the State of Oregon.]

[DO NOT apply this product, by any application method, to linden, basswood or other Tilia species.]

PRODUCT INFORMATION

This product can be used for control of soil pests such as mole crickets and white grubs, including the larvae of Japanese beetle, Oriental beetle, Chafers, Asian garden beetle, May beetle, June beetle and black turfgrass ataenius. This product can also be used to control billbugs, cutworms, Chinch bugs and European crane fly larvae.

TURF GRASSES

Treat when insects first appear. Apply this product evenly over the turfgrass area at the use rate indicated in the above table, using a property calibrated drop or rotary spreader. A more uniform application may be achieved by spreading half of the required amount of product over the area and then applying the remaining half in swaths at a right angle to the first. If rainfall has not occurred within 24 hours after application, irrigate treated turfgrass area to move the active ingredient through the thatch and down into the soil. Do not mow lawn until after irrigation or rainfall has occurred so that uniformity of the application will not be affected.

b 1/2

White grubs, including the larvae of Japanese beetle, Oriental beetle, Chafers, Asian garden beetle, May beetle, June beetle and Black turfgrass ataenius billbugs, Cutworms, Chinch bugs and European crane fly larvae.	2.87 pounds
Mole crickets	3.80 pounds

FLOWER BEDS, GROUND COVERS, ORNAMENTAL TREES AND SHRUBS

Application Instructions Apply this product at the rate of 2 tablespoons per 10 square feet of planting bed (1-1/4 cups per 100 square feet of planting bed). Evenly spread granules to the soil over flower beds, ground cover plantings, shrub beds and under ornamental trees. The use of a and-held spreader is recommended. Rake granules into the soil around plants. Water thoroughly after application. This product works best when applied before mole crickets and grubs hatch. If necessary, consult your local State extension agent for the ideal times to apply this product in your area.

SPREADER SETTINGS

Broadcast Spreaders: For best results, apply in a circular path starting on the outside and working toward the center. A little overlap of product will ensure complete coverage.

Drop Spreaders: First, apply 2 border strips along the edge of each end of the lawn. Then apply product along the length of the lawn, overlapping slightly and shutting off the spreader before turning as you reach the edge of the border strips.

Applications Instructions

See Spreader Settings chart below. Adjust spreader to the appropriate setting .Make sure that the spreader works properly and spreads granules uniformly. Apply to the border and then fill in the center to ensure the entire area is covered completely. To make sure that the product is evenly distributed, walk at a steady pace making parallel passes. DO NOT use a spreader that applies granules in narrow, concentrated or uneven bands. Water thoroughly after application.

Important: It is important to follow the directions as indicated on this quality lawn care product as over-application may cause injury to the lawn. Measure the size of the area to be treated and do not over or under apply. Spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied, and roughness of area treated. Calibrate spreader prior to use according to the manufacturer's directions. Check frequently to be sure equipment is working properly and distributing uniformly. Close spreader when filling, stopping or turning. DO NOT hand spread.

Note: Following will be a list of application spreaders and approximate settings. This list will vary dependent on market of spreaders. (This note will not appear on final printed label.)

Spreader	2.87 lbs./1,000 sq.ft.	3.80 lbs./1,000 sq.ft.
аа	XX	XX
bb	XX	XX
cc	XX	xx

STORAGE AND DISPOSAL

DO NOT contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Keep out of reach of children and animals. Store in original container only. Store in a cool, dry place and avoid excess heat.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. DO NOT reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR RISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

(RV110811<u>R</u> V120313)

Mallet is a Registered Trademark of Nufarm Americas Inc.

Optional performance guarantees:

Optional language:

Ready-To-Use

Contains Mallet Insecticide

STOP. Read entire label before use.

Results Guaranteed 100% Satisfaction Guaranteed or your money back

GUARANTEED RESULTS OR YOUR MONEY BACK

If you are not satisfied with this product for any reason, send your written request for a refund to the address at left, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.

One application kills white grubs, mole crickets and European crane flies all year round.

Season long grub control

Apply anytime from spring through late summer

One application stops/kills grubs all season long

Apply before insects hatch to prevent turf damage

14.35 lb. treats up to 5,000 square feet (XX lbs. treats up to XXXX square feet)

This product kills grubs all season long with a single application.

Keeping you lawn free of damaging grubs has never been easier.

Visit our website at {address}

Contains Mallet

Contains Mallet Grub killing insecticide

Treats up to 5,000 sq. ft.

Treats up to 3,775 square feet for Mole Crickets

One application kills grubs [including] [larvae of] [Asiatic Garden Beetle]. [Black Turfgrass Ataenius]. [Chafers]. [Japanese Beetle], [May or June Beetle], [and] [Oriental Beetle] all season long.]

Apply anytime from May through mid-August

One application kills [White] [Grubs] [and] [European Crane Fly Larvae] all season long

Kills [White] [Grubs] [and] [European Crane Fly Larvae] before they damage lawns.

Easy-to-Use Granules

For use on lawns, ground covers, flower beds, and around ornamental trees & shrubs.

Kills grubs, European crane fly larvae and mole crickets [Also] controls [kills] [cutworms] & [Chinch bugs].

This product is for use on lawns, flower beds, ground covers, ornamental trees and shrubs to control White Grubs (including larvae of Asiatic Garden Beetle, Black Turfgrass Ataenius, Chafers, Japanese Beetle, May or June Beetle, and Oriental Beetle), Mole Crickets and European Crane Fly Larvae.

For best results, apply this product before grubs, mole crickets or European crane fly larvae hatch and can cause damage. Contact your County Extension Agent for the best dates to apply in your area.

[Helps your lawn stay strong during the stressful summer months] (may be included on label if marketed on fertilizer carrier) [14-0-3] (may be included on label if marketed on fertilizer carrier)

Drop Spreaders Model	Rate Setting 2.87 lbs./ 1,000 sq. ft.	Rate Setting 3.80 lbs./ 1,000 sq. ft.	Distance Between Passes (ft.)
Amzs Drop	· · · · ·	· · · · · ·	
K-Gra Drop	-		
Ortho Drop			· ·
Precision Drop (#FH22G)			
Red Devil Drop			
Republic EZ Drop (#530)	SPREADER SETTINGS AVAILABLE AT PRINTING		
Scotts Accugreen 1000			
Scotts Accugreen 2000			
Scotts Accugreen 3000			·····
Scotts Drop (#PF1,PF2, PF3, PF4)		1	
Scotts Drop (#PF1,PF2, PF3, PF4) Sears Drop			

÷

Ġ. 4

11

1,3

ನ್ನಡಲ್

المراجع المربد

· 18. ·

4

-4.-.

1.

 $i_{\mathcal{R}_{i_{i_{j}}}}$

~ ~

مریک ایک ایک

4

ŝ. . Se.;

. .

یر موجع بر در در محمد بر محمد ر

 $1 < n^2$

深線で

Ĩ.,

11

. .

, i .

· · ;

÷.,

12

. . آ

1.1.2

al garage

ំណ្ណំ ហើ គេ ដែន ភ

.4

[Optional Spreader Settings chart and text may be used with fertilizer carriers:]

Spreader Settings for Lawn Applications

MAKE & MODEL	0.5 lb /1,000 sq ft	MAKE & MODEL	0.5 lb / 1,000 sq ft
Scotts Edge	4-1/4	Scotts AccuGreen 1000	5-1/2
Scotts SpeedyGreen 1000	4-1/4	Scotts AccuGreen 2000	5-1/2
Scotts SpeedyGreen 2000	4-1/4	Scotts AccuGreen 3000	5-1/2
Scotts SpeedyGreen 3000	4-1/4	Earthway 2000	8
Vigoro 4300	3	Earthway 2050	6.

Typically, a lawn utilizes 1 to 4 lbs of nitrogen per 1,000 sq ft per growing season. When applied as directed, this product provides 0.42 lb of nitrogen per 1,000 sq ft. Contact your local Extension Service for information specific to your geographic region.] (optional text when using fertilizer carriers)

[GUARANTEED ANALYSIS Total Nitrogen (N) <u>14-0-3</u> 14%

14.0% Urea Nitrogen

Derived from: Urea, Muriate of Potash

F1074] (optional text when using fertilizer carriers)

[Typically, a lawn utilizes 1 to 4 lbs of nitrogen per 1,000 sq ft per growing season. When applied as directed, this product provides 0.42 lb of nitrogen per 1,000 sq ft. Contact your local Extension Service for information specific to your geographic region.]

Typically a lawn utilizes 1 to 4 lbs of nitrogen per 1,000 sq ft per growing season. When applied at X rate this product provides XX Ib of nitrogen per 1,000 sq ft.: and when applied at the X rate, this product provides XX lb of nitrogen per 1,000 sq ft. Contact your local Extension Service for information specific to your geographic region.]

PESTS CONTROLLED	WHEN TO APPLY	INDICATION OF DAMAGE	USE RATE PER 1,000 SQ. FT.
Grubs	Apply once anytime from May through mid-August	White grubs cause widespread damage to lawns by feeding on grass roots, causing it to turn yellow, then brown and die.	2.87 pounds
European crane fly larvae		European crane fly larvae cause damage by feeding on grass roots and disturbing the soil surface.	2.87 pounds
May through mid-June. Florida residents - Apply once anytime between early April		Mole crickets cause widespread damage by tunneling through the soil, while some species also feed on roots. Tunneling through the soil uproots the grass causing it to dry out, become thin and weedy, turn yellow and eventually die.	

ation Instructions

Apply early before grubs, mole crickets and European crane fly larvae hatch,
Irrigate thoroughly within 24 hours of application to form a protective zone in the soil.
This product can be applied over soil or mulch. Remove black plastic or other weed barrier material prior to application. Application to water saturated soils may decrease product effectiveness.

Restrictions" • Keep children and pets off treated area until it has dried.

· DO NOT apply to water saturated areas.

· DO NOT mow granules are watered into the soil.

Spreader Settings*

Rate for Grubs and European Crane Fly Larvae: 2.87 pounds per 1,000 square feet. Rate for Mole Crickets: 3.80 pounds per 1,000 square feet.

Rate Setting 3.80 lbs./ 1,000 sq. ft. **Broadcast Spreaders** Rate Setting Distance Between Model 2.87 lbs./ 1,000 sq. ft. Passes (fL) Cyclone Rotary Earthway Rotary EV-N Speed K-Gro Rotary Ortho Rotary Precision Rotary (#SB50) Red Devil Rotary SPREADER SETTINGS AVAILABLE AT PRINTING Republic EZ Rotary (#540) Scotts Easygreen (#EG-3) Scotts Speedygreen 1000 Scotts Speedygreen 2000 Scotts Speedygreen 3000 Sears Rotary True Temper Rotary Vigoro Rotary

continued

.

. [When applied as directed, this product meets the guidelines for metals adopted by the Association of American Plant Food Control Officials.]

[Information regarding the contents and level of metals in this product is available on the internet at http://www.regulatory-infosb.com or http://www.aapfco.org/metals.htm].

Optional Spreader Text: CALIBRATION INSTRUCTIONS: To provide proper distribution, calibrate spreader before application. For (X) pounds of product per 1,000 square feet of turfgrass: Check your spreader on (X) square feet and adjust to apply at the rate of 1 pound of product per (X) square feet.

Calculating Total Lawn Area LENGTH x WIDTH = TOTAL SQ. FT. then subtract NON-LAWN AREAS (House, Garden, Driveway) Spreading Patterns: First spread the borders of your lawn. Then spread the center by spreading in straight line passes. Spread at a uniform walking speed to insure even coverage.

7

[Grub Life Cycle and Graphics] (optional marketing language)

Grub Life Cycle [graphics]



Untreated



LABEL HISTORY

File Name	Revision Date	Comments
000228-00510.20110810.EPA Amendment	(RV081011)	EPA Fast Track Amendment –
		Adding Optional Language
000228-00510.20111103.EPA Amendment	(RV110311)	EPA Changes Communicated
000228-00510.20111180.MASTER	(RV110811)	EPA SAL
00228-00510.20131203.NOTIF	RV120313	NOTIF for OR Tilia

Formatted: Font: Italic

12/12