

#### OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

November 19, 2024

Joseph Wolfe, M.S. Regulatory Manager, T+O Nufarm Americas Inc. 4000 Aerial Center Parkway, Suite 101 Morrisville, NC 27560

Subject: Label Amendment – Adding required State fertilizer language

Product Name: Mallet 0.2 Granular Insecticide

EPA Registration Number: 228-510

Application Date: 7/1/2016 Case Number: 605593

## Dear Joseph Wolfe:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or

Page 2 of 2 EPA Reg. No. 228-510 Case No. 605593

claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6.

If you have any questions, please contact Marianne Lewis at lewis.marianne@epa.gov.

Sincerely,

Venus Eagle, PM 01

Invertebrate and Vertebrate Branch 3

**Registration Division** 

Office of Pesticide Programs

Enclosure

# Mallet® 0.2 **GRANULAR INSECTICIDE**

#### FOR OUTDOOR RESIDENTIAL USE ON LAWNS AND LANDSCAPED AREAS.

RESTRICTION: Not for sale, use, or distribution in or into Nassau, Suffolk, Kings or Queens Counties, New York.

**ACTIVE INGREDIENT:** 

Imidacloprid	0.2%
OTHER INGREDIENTS:	99.8%
TOTAL:	100.0%

# KEEP OUT OF REACH OF CHILDREN **CAUTION**

SEE SIDE PANELS FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300 For Medical Emergencies Only, Call (877) 325-1840

**EPA REG. NO. 228-510 EPA EST. NO.** 

**Manufactured For** NUFARM AMERICAS INC. 11901 South Austin Avenue Alsip, IL 60803



Net Weight:	Lbs. (	Kg)
Batch Code:		I -

[Nufarm: Grow a better tomorrow] Grow a better tomorrow

000228-00510.20241119.AMEND

ACCEPTED

11/19/2024

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 228-510

FIRST AID			
IF IN EYES	<ul> <li>Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>		
HOT LINE NUMBER  Have the product container or label with you when calling a poison control center or doctor, or going for treatment.  You may also contact 1-877-325-1840 for emergency medical treatment information.			
NOTE TO PHYSICIAN  No specific antidote is available. Treat the patient symptomatically.			

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

#### **ENVIRONMENTAL HAZARDS**

This product is highly toxic to fish and aquatic invertebrates. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

# **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.

For use on lawns, landscaped areas and plantings around ornamental trees, shrubs, flower and ornamental beds.

#### **RESTRICTIONS:**

- DO NOT apply by hand.
- DO NOT reuse measuring utensils for food use.
- DO NOT apply near fish pools, ponds, streams or lakes.
- DO NOT use on sod farms.
- DO NOT use more than 200 pounds of this product (0.4 lbs a.i.) per acre per calendar year [4.5 pounds of this product (0.09 lbs a.i.) per 1,000 square feet per calendar year].
- DO NOT apply this product to potential treated areas that are waterlogged or saturated with water. This product may not work effectively in these times of conditions.
- DO NOT mow turf or lawn area until after sufficient irrigation or rainfall has occurred so that uniformity of application will not be affected
- DO NOT harvest or consume fruit or nuts from trees that have been treated within 1 year (365 days).
- Keep children and pets off treated area until product has been watered in and it has dried.
- [DO NOT apply this product, by any application method, to linden, basswood or other Tilia species in the State of Oregon.]

[For products to be sold in Florida (statement as required by Florida Department of Agriculture and Consumer Services per their January 2015 revision to Urban Turf Rule 5E-1.003): "Apply only to actively growing turf. Do not apply near water, storm drains, or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands in the driveway, sidewalk, or street, back onto your lawn. Check with your local Cooperative Extension Agency to obtain specific information on local turf best management practices. Check with you county or city government to determine if there are local regulations for fertilizer use."]

[For products to be sold in Maryland, New Jersey, New Hampshire, or other states that require this language: "Do not apply near water, storm drains, or drainage ditches. Do not apply if heavy rain is expected. Apply only to your lawn or garden and sweep any product that lands on driveway, sidewalk or street back onto your lawn or garden."]

# PRODUCT INFORMATION

This product can be used for control of the following soil pests: mole crickets and white grubs, including the larvae of Japanese beetle, Oriental beetle, Chafers, Asian garden beetle, May beetle, June beetle and black turfgrass ataenius. This product can also be used to control billbugs, cutworms, Chinch bugs and European crane flg larvae.

#### **TURF GRASSES**

#### **Application Instructions**

Treat when insects first appear. Apply this product evenly over the turfgrass area at the use rate indicated in the table below, using a properly calibrated drop or rotary spreader. A more uniform application may be achieved by spreading half of the required amount of product over the area and then applying the remaining half in swaths at a right angle to the first. If rainfall has not occurred within 24 hours after application, irrigate treated turfgrass area to move the active ingredient through the thatch and down into the soil. Do not mow lawn until after irrigation or rainfall has occurred so that uniformity of the application will not be affected.

PESTS CONTROLLED	USE RATE PER 1,000 SQ. FT.
White grubs, including the larvae of Japanese beetle, Oriental beetle, Chafers, Asian garden beetle, May beetle, June beetle and Black turfgrass ataenius billbugs, Cutworms, Chinch bugs and European crane fly larvae.	2.87 pounds
Mole crickets	3.80 pounds

#### FLOWER BEDS, GROUND COVERS, ORNAMENTAL TREES AND SHRUBS

#### **Application Instructions**

Apply this product at the rate of 2 tablespoons per 10 square feet of planting bed (1-1/4 cups per 100 square feet of planting bed). Evenly spread granules to the soil over flower beds, ground cover plantings, shrub beds and under ornamental trees. The use of a hand-held spreader is recommended. Rake granules into the soil around plants. Irrigate thoroughly within 24 hours of application to form a protective zone in the soil. This product can be applied over soil or mulch. Remove black plastic or other weed barrier material prior to application. This product works best when applied before mole crickets, grubs, and European crane fly larvae hatch. If necessary, consult your local State extension agent for the ideal times to apply this product in your area.

PESTS CONTROLLED	WHEN TO APPLY	INDICATION OF DAMAGE	USE RATE PER 1,000 SQ. FT.
Grubs	Apply once anytime from May through mid-August	White grubs cause widespread damage to lawns by feeding on grass roots, causing it to turn yellow, then brown and die.	2.87 pounds
European crane fly larvae		European crane fly larvae cause damage by feeding on grass roots and disturbing the soil surface.	2.87 pounds
Mole Crickets	Apply once anytime from mid- May through mid-June. Florida residents - Apply once anytime between early April through early May.	Mole crickets cause widespread damage by tunneling through the soil, while some species also feed on roots. Tunneling through the soil uproots the grass causing it to dry out, become thin and weedy, turn yellow and eventually die.	3.80 pounds

#### **SPREADER SETTINGS**

**Broadcast Spreaders:** For best results, apply in a circular path starting on the outside and working toward the center. A little overlap of product will ensure complete coverage.

**Drop Spreaders:** First, apply 2 border strips along the edge of each end of the lawn. Then apply product along the length of the lawn, overlapping slightly and shutting off the spreader before turning as you reach the edge of the border strips.

#### **Applications Instructions**

See Spreader Settings chart below. Adjust spreader to the appropriate setting. Make sure that the spreader works properly and spreads granules uniformly. Apply to the border and then fill in the center to ensure the entire area is covered completely. To make sure that the product is evenly distributed, walk at a steady pace making parallel passes. **DO NOT** use a spreader that applies granules in narrow, concentrated or uneven bands. Water thoroughly after application.

**Important:** It is important to follow the directions as indicated on this quality lawn care product as over-application may cause injury to the lawn. Measure the size of the area to be treated and do not over or under apply. Spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied, and roughness of area treated. Calibrate spreader prior to use according to the manufacturer's directions. Check frequently to be sure equipment is working properly and distributing uniformly. Close spreader when filling, stopping or turning. **DO NOT** hand spread.

**Note:** Following will be a list of application spreaders and approximate settings. This list will vary dependent on market of spreaders. (This note will not appear on final printed label.)

Spreader	2.87 lbs./1,000 sq.ft.	3.80 lbs./1,000 sq.ft.
aa	XX	XX
bb	XX	XX
СС	XX	XX

# Spreader Settings\*

Rate for Grubs and European Crane Fly Larvae: 2.87 pounds per 1,000 square feet.

Rate for Mole Crickets: 3.80 pounds per 1,000 square feet.

Broadcast Spreaders Model	Rate Setting 2.87 lbs./ 1,000 sq. ft.	Rate Setting 3.80 lbs./ 1,000 sq. ft.	Distance Between Passes (ft.)
Cyclone Rotary			
Earthway Rotary			
EV-N Speed			
K-Gro Rotary			
Ortho Rotary			
Precision Rotary (#SB50)			
Red Devil Rotary	SPREADER SETTINGS AVAILABLE AT PRINTING		
Republic EZ Rotary (#540)	1		
Scotts Easygreen (#EG-3)			
Scotts Speedygreen 1000			
Scotts Speedygreen 2000			
Scotts Speedygreen 3000			
Sears Rotary			
True Temper Rotary			
Vigoro Rotary			

Drop Spreaders Model	Rate Setting 2.87 lbs./ 1,000 sq. ft.	Rate Setting 3.80 lbs./ 1,000 sq. ft.	Distance Between Passes (ft.)	
Amzs Drop				
K-Gro Drop				
Ortho Drop				
Precision Drop (#FH22G)				
Red Devil Drop				
Republic EZ Drop (#530)	SPREADER SETTINGS AVAILABLE AT PRINTING			
Scotts Accugreen 1000				
Scotts Accugreen 2000				
Scotts Accugreen 3000				
Scotts Drop (#PF1,PF2, PF3, PF4)				
Sears Drop				
Sta-Green Drop				
Vigoro Drop				

<sup>\*</sup> Spreader settings are approximate. The condition of your spreader, the speed that you walk, and uneven terrain may affect the rate of application. Calibrate your spreader according to manufacturer's instructions.

TIP: 1,000 sq. ft. = 20 ft. x 50 ft.

#### [Optional Spreader Settings chart and text may be used with fertilizer carriers:]

# **Spreader Settings for Lawn Applications**

MAKE & MODEL	0.5 lb /1,000 sq ft	MAKE & MODEL	0.5 lb / 1,000 sq ft
Scotts Edge	4-1/4	Scotts AccuGreen 1000	5-1/2
Scotts SpeedyGreen 1000	4-1/4	Scotts AccuGreen 2000	5-1/2
Scotts SpeedyGreen 2000	4-1/4	Scotts AccuGreen 3000	5-1/2
Scotts SpeedyGreen 3000	4-1/4	Earthway 2000	8
Vigoro 4300	3	Earthway 2050	6

[Typically, a lawn utilizes 1 to 4 lbs of nitrogen per 1,000 sq ft per growing season. When applied as directed, this product provides 0.42 lb of nitrogen per 1,000 sq ft. Contact your local Extension Service for information specific to your geographic region.] (optional text when using fertilizer carriers)

#### 14.0% Urea Nitrogen

Derived from: Urea, Muriate of Potash

[F1074] (optional text when using fertilizer carriers)

[Typically, a lawn utilizes 1 to 4 lbs of nitrogen per 1,000 sq ft per growing season. When applied as directed, this product provides 0.42 lb of nitrogen per 1,000 sq ft. Contact your local Extension Service for information specific to your geographic region.]

[Typically a lawn utilizes 1 to 4 lbs of nitrogen per 1,000 sq ft per growing season. When applied at X rate this product provides XX lb of nitrogen per 1,000 sq ft.: and when applied at the X rate, this product provides XX lb of nitrogen per 1,000 sq ft. Contact your local Extension Service for information specific to your geographic region.]

[When applied as directed, this product meets the guidelines for metals adopted by the Association of American Plant Food Control Officials.]

[Information regarding the contents and level of metals in this product is available in CA, OR and WA on the internet at http://www.regulatory-info-sb.com or http://www.aapfco.org].

**Optional Spreader Text**: **CALIBRATION INSTRUCTIONS**: To provide proper distribution, calibrate spreader before application. For (X) pounds of product per 1,000 square feet of turfgrass: Check your spreader on (X) square feet and adjust to apply at the rate of 1 pound of product per (X) square feet.

**Calculating Total Lawn Area** LENGTH x WIDTH = TOTAL SQ. FT. then subtract NON-LAWN AREAS (House, Garden, Driveway) **Spreading Patterns:** First spread the borders of your lawn. Then spread the center by spreading in straight line passes. Spread at a uniform walking speed to insure even coverage.

#### Optional performance guarantees:

#### **Optional language:**

#### Ready-To-Use

STOP. Read entire label before use.

Results Guaranteed

100% Satisfaction Guaranteed or your money back

GUARANTEED RESULTS OR YOUR MONEY BACK

If you are not satisfied with this product for any reason, send your written request for a refund to the address at left, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.

One application kills white grubs, mole crickets and European crane flies all year round.

Season long grub control

Apply anytime from spring through late summer

One application stops/kills grubs all season long

Apply before insects hatch to prevent turf damage

14.35 lb. treats up to 5,000 square feet (XX lbs. treats up to XXXX square feet)

This product kills grubs all season long with a single application.

Keeping your lawn free of damaging grubs has never been easier.

Contains Mallet Grub killing insecticide

Treats up to 3,775 square feet for Mole Crickets

One application kills grubs [including] [larvae of] [Asiatic Garden Beetle]. [Black Turfgrass Ataenius]. [Chafers]. [Japanese Beetle], [May or June Beetle], [and] [Oriental Beetle] all season long.

Apply anytime from May through mid-August

One application kills [White] Grubs [and] [European Crane Fly Larvae] all season long

Kills [White] Grubs [and] [European Crane Fly Larvae] before they damage lawns.

Easy-to-Use Granules

For use on lawns, ground covers, flower beds, and around ornamental trees & shrubs.

Kills grubs, European crane fly larvae and mole crickets. Also controls [kills] cutworms [&] [Chinch bugs].

This product is for use on lawns, flower beds, ground covers, ornamental trees and shrubs to control White Grubs (including larvae of Asiatic Garden Beetle, Black Turfgrass Ataenius, Chafers, Japanese Beetle, May or June Beetle, and Oriental Beetle), Mole Crickets and European Crane Fly Larvae.

For best results, apply this product before grubs, mole crickets or European crane fly larvae hatch and can cause damage. Contact your County Extension Agent for the best dates to apply in your area.

[Helps your lawn stay strong during the stressful summer months] (may be included on label if marketed on fertilizer carrier)

#### [Grub Life Cycle and Graphics] (optional marketing language)

Grub Life Cycle [graphics]



#### [OPTIONAL STATE REQUIRED FERTILIZER STATEMENTS]:

**[For Fertilizer Mixtures Containing Nitrogen]:** [It is a violation of law in [Maryland][New Jersey][New Hampshire][list state(s)] to apply this product to turf at a rate that results in greater than 0.7 lb per 1,000 sq.ft. of readily available nitrogen, or more than 0.9 lb per 1,000 sq.ft. of total nitrogen, with a least 20% of which shall consist of slow release nitrogen, per application. Additional restrictions apply to total nitrogen applied to turf per season.]

<u>[Virginia applications</u>: [Apply no more than 0.7 lb per 1,000 sq. ft. of readily available nitrogen during any given 30-day period. Apply no more than 0.9 lb (cool season grasses) or 1.0 lb (warm season grasses) per 1,000 sq. ft. of total nitrogen, with at least 20% of which shall consist of slow release nitrogen, during any given 30-day period.]

[Products to be sold in Florida: The following statement shall be placed in the Directions for Use section (see that section above in label): [Apply only to actively growing turf. Do not apply near water, storm drains, or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands in the driveway, sidewalk, or street, back onto your lawn. Check with your local Cooperative Extension Agency to obtain specific information on local turf best management practices. Check with you county or city government to determine if there are local regulations for fertilizer use.]

#### [For Fertilizer Mixtures Containing Phosphorous]:

[For starter lawns in MD]: [In Maryland, a soil test is not required for a new lawn. Apply either 2 lbs. of phosphorus per 1,000 sq. ft. initially or apply 1 lb. of phosphorus per 1,000 sq. ft. twice during the starter year. On established turf, this product must be used in accordance with a soil test that was conducted by a laboratory identified under § 8-803.7 of the Agriculture Article, Annotated Code of Maryland, performed no more than 3 years before the application.]

[For levels of phosphorus 5% or below]: [This fertilizer contains phosphorus and may not be used on turf in the state of Maryland except when (1) providing nutrients to specific soils and target vegetation as determined to be necessary in accordance with a soil test that was conducted by a laboratory identified under §8-803.7 of the Agriculture Article, Annotated Code of Maryland, performed no more than 3 years before the application; (2) establishing vegetation for the first time, such as after land disturbance, provided the application is conducted in accordance with the recommended application rates established by the State; or (3) reestablishing or repairing a turf area. Not for use on established lawns or grass in Maryland.]

[For all %'s of phosphorus-containing fertilizers in VA]:

[Virginia Applications]: [This lawn/turf fertilizer contains phosphorous and is only for nonagricultural use on (i) turf during its first growing season, (ii) on turf areas being repaired or renovated, and (iii) on turf where a soil test performed within the last 3 years indicates a phosphorous deficiency. This fertilizer is not for the routine maintenance of turf.]

# STORAGE AND DISPOSAL

**DO NOT** contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Keep out of reach of children and animals. Store in original container only. Store in a cool, dry place and avoid excess heat.

**PESTICIDE DISPOSAL AND CONTAINER HANDLING:** Nonrefillable polyethylene bag. **DO NOT** reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

#### WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

#### LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR RISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

(	R۱	/		)
١,		_	 	

Mallet is a Registered Trademark of Nufarm Americas Inc.