

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Mr. Matthew Granahan Nufarm Americas Inc. 150 Harvester Drive, Suite 200 Burr Ridge, IL 60527

Subject: Notification: Revised Container Disposal Instructions per PR Notice 2007-4

ProDeuce RTU Grass & Weed Killer

EPA Reg. No. 228-514

Your Application Dated April 15, 2011

Dear Mr. Granahan:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 for the subject product.

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and finds that the label changes requested fall within the scope of the PR Notice. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on <u>nonrefillable</u> containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please call me directly at (703) 306-0415 or Susan Stanton of my staff at (703) 305-5218.

Sincerely,

Kable Bo Davis, Product Manager 25

MAY 16 2011

Herbicide Branch

Registration Division (7505P) Office of Pesticide Programs

Form Approved. OMB No. 2070-0060

SEPA Environmental Pro	× Other			OPP Identifier Number				
Application for Pesticide - Section I								
1. Company/Product Number		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		3. Pro	3. Proposed Classification			
228=514		Bo Davis			None	Restricted		
4. Company/Product (Name) ProDeuce RTU Grass & Weed Killer	PM# 25							
5. Name and Address of Applicant (Include ZiP Code) Nufarm Americas Inc. 150 Harvester Drive, Suite 200 Burr Ridge, IL 60527 Check if this is a new address	6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. Product Name							
	Sec	tion - II				:		
Amendment - Explain below.		Final printer	l labels in repsonse	tio				
Resubmission in response to Agency letter dated		Agency lett	er dated		CATION	· · · · · · · · · · · · · · · · · · ·		
	·		•	401111				
X Notification - Explain below.		Other - Expl	ain below.	MAY	1 6 2011			
Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.								
1. Material This Product Will Be Packaged In:	Sect	ion - III			·			
Child-Resistant Packaging Unit Packaging	Water	Soluble Packaging	2. Type of (Container	· · · · · · · · · · · · · · · · · ·			
Yes Yes X No		Yes X		Metal Plastic Glass	Aetal Tastic			
			No. per Par					
	ze(s) Retail Contair		5. Location of Lab	l Direction	ns			
Contamor 1	1/2, 5, 30, 55, 1	10, 220 gals.: Bulk	<u>X</u>	 	<u> </u>	G		
6. Manner in Which Label is Affixed to Product X Paper glued Stenciled Other Self-Adhesive Integrated Label/Booklet Self-Adhesive Integrated Label/								
	Secti	on - IV		000000	Ċ			
1. Contact Point	ntification of indivi	dual to be contacted, i	if necessary, to pro	ande this	application.;	<i>c</i> -		
Name Matthew Granahan matthew.granahan@us.nufarm	Title n.com Regulat	ory Manager		5	No. (((:clude 55-2048 ^{- : c}	Ąrea Code)		
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowlingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. 6. Data Application Received (Startiped)								
2. Signature 3.		3. Title						
JUAI! b	Regu	Regulatory Manager			,			
4. Typed Name 5.		5. Date						
Matthew Granahan		04/15/2011						



Nufarm Americas Inc.

150 Harvester Drive, Suite 200 Burr Ridge, IL 60527

Telephone: (630) 455.2000 Facsimile: (630) 455.2001

www.us.nufarm.com

April 15, 2011

Via Overnight Courier

Bo Davis (PM-25)
Document Processing Desk (NOT)
Office of Pesticide Programs (7504P)
U. S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 S. Crystal Drive
Arlington, VA 22202-4501

Subject:

ProDeuce RTU Grass & Weed Killer

EPA Reg. No. 228-514

Label Notification per PR Notice 07-04

Dear Mr. Davis:

Nufarm Americas Inc. would like to change Storage and Disposal text on above referenced label. It is believed this can be revised via notification and is consistent with PRN 07-04. Nufarm has changed the text on the current S&D to reflected this current text as "Residential" and added S&D language for "Commercial" usage.

To process this request please find enclosed the following:

- 8570-1 Form
- Certification with Respect to Label Integrity
- Highlighted Copy of the Proposed Label
- Clean Version of the Proposed Label
- CD Containing Clean Version of the Proposed Label

If you should have any questions regarding this matter, please feel free to contact at matthew.granahan@us.nufarm.com or at (630) 455-2048.

Matthew Granahan Regulatory Manager

Nufarm Americas, Inc.

....

ProDeuce® RTU GRASS & WEED KILLER

KILLS AND PREVENTS LISTED WEEDS AND GRASSES FOR UP TO 3 MONTHS ONE APPLICATION KILLS OR PREVENTS LISTED WEEDS FOR UP TO 3 MONTHS ON SOIL-SURFACED: PATIOS, DRIVEWAYS, SIDEWALKS AND MULCHED AREAS

ACTIVE INGREDIENTS:

Glyphosate, N-(phosphonomethyl) glycine in the form of its isopropylamine salt*	2.00%
Prodiamine	0.50%
OTHER INGREDIENTS:	97.50%
TOTAL:	100.00%

*Contains 20.1 grams per litre or 0.17 pounds per U.S. gallon. Equivalent to 14.8 grams per litre or 0.12 pounds per U.S. gallon. Contains 5.0 grams per litre (CAS # 29091-21-1).

KEEP OUT OF REACH OF CHILDREN CAUTION / PRECAUCION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

SEE INSIDE BOOKLET FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300 For Medical Emergencies Only, Call (877) 325-1840

NOTIFICATION MAY 1 6 2011

EPA REG. NO. 228-514 EPA EST. NO. Manufactured For NUFARM AMERICAS INC. 150 Harvester Drive Burr Ridge, IL 60527



NET CONTENTS:

000228-00514.20110415.EPA Not

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION / PRECAUCION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

FIRST AID			
IF IN EYES	 Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 		
	HOT LINE NUMBER		
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment information.			

ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help ensure that wind or rain does not blow or wash pesticide off the treatment area. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites.

PHYSICAL OR CHEMICAL HAZARDS

Spray solutions of this product should be mixed, stored and applied using only stainless steel, aluminum, fiberglass, plastic or plastic-lined steel containers.

DO NOT MIX, STORE OR APPLY THIS PRODUCT, OR SPRAY SOLUTIONS OF THIS PRODUCT, IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS. This product or spray solutions of this product react with such containers and tanks to produce hydrogen gas which may form a highly combustible gas mixture. This gas mixture could flash or explode, causing serious personal injury, if ignited by open flame, spark, welder's torch, lighted cigarette or other ignition source.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

Stay off treated areas until sprays have dried. Precautions should be taken to prevent tracking product after application on to desireable grasses.

SHAKE WELL BEFORE USING.

PRODUCT INFORMATION

Where to Use

FOR OUTDOOR USE ONLY. Apply only where no vegetation is desired, such as driveways, landscaped areas, around well-established (at least 6 months old) plants, trees and shrubs, along fences, sidewalks, walkways, patios, curbs, gutters and cracks in sidewalks. DO NOT USE IN VEGETABLE GARDENS. DO NOT APPLY THROUGH ANY TYPE OF IRRIGATION SYSTEM. AERIAL APPLICATION IS PROHIBITED.

When to Apply

Apply to actively growing weeds. Visible effects to most weeds should occur within 3 to 5 days with complete kill of most weeds in 2 to 4 weeks. If rainfall occurs within 6 hours, repeat treatment may be required. To avoid drift to desirable plants, apply only when air is calm. If leaves of desirable plants are accidentally sprayed, immediately wash off plants with water. Spray when air is calm to prevent drift to desirable plants. For best results, apply during warm, sunny weather (above 60°F).

USE RESTRICTIONS

- DO NOT spray desirable plants.
- · DO NOT use in lawns or for lawn renovation as this product prevents desirable grass establishment.
- DO NOT use for vegetable garden preparation or in and around fruits and vegetables.
- DO NOT spray around ornamental plants or in an area that will be planted or seeded 12 months after application if applied at the 1 gallon per 1,220 sq. ft. (1 quart per 305 sq. ft.) (1 pint per 155 sq. ft.) use rate.
- DO NOT spray around ornamental plants or in an area that will be planted or seeded 6 months when applying at the 1 gallon per 2,400 sq. ft. (1 quart per 600 sq. ft.) (1 pint per 300 sq. ft.) use rate.

(, i, s, c) (, c, c) (, c, c)

0666

e cie

....

WEEDS CONTROLLED

Pre-Emergent;

When used as directed, this product will prevent the following weeds from emerging:

Barnyardgrass

Bluegrass, annual (Poa annual)1

Carpetweed

Chickweed, common²

Chickweed, mouse-ear (from seed)

Crabgrass (large, smooth)

Crowfootgrass Cupgrass, woolly Foxtails, annual

Goosegrass

Henbit1

Itchgrass

Johnsongrass (from seed)

Junglerice Knotweed1 Kochia

Lambsquarters, common

Lovegrass

Panicum, (Texas, fall, browntop)

Pigweed

Purslane, common Pusley, Florida Rescuegrass² Shepherdspurse¹ Signalgrass, broadleaf Speedwell, Persian

Sprangletop Spurge, prostrate Witchgrass

Woodsorrel, yellow (from seed)

¹To control this weed in non-turf areas, apply this product in late summer, fall, or winter before weeds germinate.

² Suppression only.

Post-Emergent Non-Selective:

ANNUAL WEEDS

Barley Barnyardgrass Bluegrass, annual Bluegrass, bulbous Brome, downy Buttercup Cheat

Chickweed, common

Chickweed, mouse-ear (from seed)

Cocklebur Corn Crabgrass Dwarf dandelion False flax, smallweed

Filaree Foxtail

Foxtail, Carolina Geranium, Carolina

Goatgrass, jointed Goosegrass Groundsel, common Henbit

Horseweed / Mare's Tail

Lambsquarters, common Mustard, blue Mustard, tansy Mustard, tumble Mustard, wild Oats, wild Panicum, fall

Panicum, Texas Pennycress, field Pigweed, redroot Pigweed, smooth Primrose, cutleaf evening

Pusley, Florida

Rice, red Rocket, London

Rye

Ryegrass, Italian Shattercane Shepherdspurse Sicklepod

Signalgrass, broadleaf Spanishneedles Sprangletop Spurge, annual Spurry, umbrella Stinkgrass Teaweed Wheat Witchgrass

PERENNIAL WEEDS

Alfalfa Alligatorweed* Anise (fennel) Artichoke, Jerusalem

Bahiagrass Bentgrass Bermudagrass

Bermudagrass, water (knotgrass)

Bindweed, field Bluegrass, Kentucky Bluegrass, Texas Brackenfern Bromegrass, smooth Bursage, woollyleaf Canarygrass, reed

Cattail Clover, red Clover, white Cogongrass Dallisgrass Dandelion

Dock, curly Dogbane, hemp Fescue, tall **Fescues** Guinea grass Horsenettle Horseradish Ice plant Johnsongrass Johnsongrass, seedling

Kikuyugrass Knapweed Lantana Lespedeza Milkweed Morningglory Muhly, wirestem Mullein, common Napiergrass Nightshade, silverleaf

Nutsedge; purple, yellow

Orchardorass Pampasgrass* Paragrass Phragmites* Poison hemlock Quackgrass Redvine* Reed, giant Ryegrass, perennial Smartweed, swamp Spurge, leafy* Starthistle, yellow Sweet potato, wild* Thistle, artichoke

Thistle, Canada Timothy Torpedograss* Trumpetcreeper* Vaseygrass Velvetgrass Wheatgrass, Western Co.

* Partial Control

....

6666

How to Apply/Use

- 1. Turn sprayer nozzle to open. Adjust sprayer nozzle as desired.
- 2. Spray to thoroughly cover unwanted weeds and grasses or spray to thoroughly cover areas where you want to prevent weed and grass growth.
- 3. Do not spray ornamental plants or grasses, as damage will occur.
- 4. When treating around desirable plants, shield plants from drift with a sheet of cardboard or plastic. If desirable plants are accidentally sprayed, rinse off immediately with water.

TANK SPRAYER (plastic, aluminum, fiberglass, plastic-lined steel or stainless steel)

- For longer pre-emergent control and post-emergent control of larger weeds use the higher rate.
- Apply 1 gallon of this product to treat 1,220 sq. ft. to 2,400 sq. ft. (1 quart of this product to treat 305 sq. ft. to 600 sq. ft.) (1 pint of this product to treat 155 sq. ft. to 300 sq. ft.)
- Do not apply with a galvanized or unlined steel (except stainless steel) sprayer, or through any irrigation system.

HOW TO CLEAN SPRAYER

To clean sprayer after use, rinse sprayer and all sprayer parts with soap and water 3 times. Spray rinse water on bare soil or gravel. After cleaning, sprayer may be used for other products.

WHEN TO REPLANT

All ornamental bedding plants, trees, shrubs, sod, and seed (flowers and grasses) may be planted 6 months after application when applied at the 1 gallon per 1,220 sq. ft. (1 quart per 305 sq. ft.) (1 pint per 155 sq. ft.) use rate or 12 months when applied at the 1 gallon per 2,400 sq. ft. (1 quart per 600 sq. ft.) (1 pint per 300 sq. ft.) use rate. For longer pre-emergent control and post-emergent control of larger weeds use the higher rate.

STORAGE AND DISPOSAL [Residential]

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Keep from freezing. Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area. PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

STORAGE AND DISPOSAL [Commercial]

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Keep from freezing. Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area. PESTICIDE DISPOSAL AND CONTAINER DISPOSAL:

Nonrefillable Containers 5 Gallons or Less: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers are also disposable by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

Nonrefillable containers larger than 5 gallons: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. If recycling or reconditioning is not available, puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers are also disposable by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke. Triple rinse or pressure rinse container (or equivalent) promptly cafter emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container of the container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 psi for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

Refillable containers larger than 5 gallons: Refillable container. Refill this container with pesticide only to not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10% full with water. Agitate vigorously or recirculate water with the pump for two minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR RISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of the directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

(RV041511)

ProDeuce is a registered trademark of Nufarm Americas Inc.

OPTIONAL LANGUAGE:

Product Facts - 1 Gallon Treats Up To 2,400 Sq. Ft. ([1 Qt.] [32 Fl. Oz.] Treats Up To [600 Sq. Ft.])		
Kills Weeds	Listed weeds & grasses	
Prevents Weeds	For up to 3 months	
Where to Use	Driveways, sidewalks, patios, curbs and gutters Along fences In landscaped areas (except vegetables gardens) For outdoor use only	

OPTIONAL MARKETING LANGUAGE:

Season Long Control*

*Season Long is 3 months

Dual Action

Dual Action Formula

Kills weeds and grasses down to the root

Kills to the root

Ready-To-Use Formula

Starts working in hours

Systemic [control] action

Attacks the root

Fast Acting

Kills tough weeds

Kills weeds and grasses around trees and shrubs

Spot treat driveways, sidewalks and patios

Kills most weeds and grasses

Use where no vegetation desired

Quick and easy to use

Single application kills most weeds

OPTIONAL STATEMENT:

The preemergent herbicide prodiamine in this product is yellow in color, which allows the user to see the area that has been sprayed. If sprayed on cement curbs, sidewalks, and driveways, it may temporarily stain if not washed off immediately after application. Caution should be used not to wash the product off target weeds or weed control may be adversely affected. Treated areas should be dry before entering to avoid staining onto non-treated surfaces.



LABEL HISTORY

FILE NAME	REVISION MARK	COMMENTS
000228-00514.20100308.EPA.Amendment	RV030110A	EPA Accepted March 01, 2010.
000228-00514.20100719.PRN98-10	RV071910	Added Optional Statement and Rate Clarification.
000228-00514.20100923.EPA.MASTER	RV092310	EPA Accepted September 23, 2010.
000228-00514.20110415.EPA.Not	RV092310	EPA Not (PRN 07-04)