U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs	228-525		
Registration Division (117505C)	Term of Issuance:	Term of Issuance: Conditional	
401 "M" St., S.W. Washington, D.C. 20460		Name of Pesticide Product:	
	Mallet 1.47%	Concentrate	
NOTICE OF PESTICIDE: <u>x</u> Registration Reregistration			
(under FIFRA, as amended)			
Name and Address of Registrant (include ZIP Code):			
Mr. George Meindl Nufarm Americas, Inc. 150 Harvester Drive Suite 200 Burr Ridge, IL 60527		•	
Note: Changes in labeling differing in substance from that accepted in connection w Registration Division prior to use of the label in commerce. In any correspondence			
On the basis of information furnished by the registrant, the above named pesticide is Fungicide and Rodenticide Act.	hereby registered/reregistered under the	Federal Insecticide.	
Registration is in no way to be construed as an endorsement or recommendation of t environment, the Administrator, on his motion, may at any time suspend or cancel th acceptance of any name in connection, with the registration of a product under this A use of the name or to its use if it has been covered by others.	e registration of a pesticide in accordanc	e with the Act. The	
This product is conditionally registered in accordance pesticide is registered, however, it is not regarded as per eliminate the need for continual reassessment of pestici- time, additional data are required to maintain in effect a require submission of such data under FIFRA section (3	manently acceptable. Registers. If the Agency determined and the Agency determined and the Agency determined at the Agenc	stration does not nes that, at any	
1. Revise the EPA Registration Number to read, EPA	A Reg. No. "228-525".	· · · · · · · · · · · · · · · · · · ·	
signature of Approving Official:	Date:		
XSI	AUC 0	2002	
Dani Daniel nsecticide-Rodenticide Branch Registration Division (7505P)	AUG 2	2007	

Page Two 228-525

> 2. Rewrite the "**Precautionary Statement**" with the following **Hazards to Human and Domestic Animals** based upon the recommendations of the acute toxicity data supporting this registration:

Caution: "Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse".

Also add "Applicators and other handlers of this product must wear"

- Long sleeve shirt

- Long Pants

- Shoes

- Socks

3. Within eighteen months of the date of this registration, submit to the Agency the required one year storage stability study (830.6317) for the proposed product under warehouse conditions. The corrosion characteristics study (830.6320) may be carried out concurrently. It is recommended that observations be made at 0, 3, 6, 9, and 12 months.

4. Submit two copies of your final printed label before you release the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(a). Your release for shipment of the product constitute acceptance of these conditions.

A stamped copy of the label is enclosed for your records. If you have any questions regarding this notice, please contact me at (703) 305-5409.

Enclosure

MALLET[™] 1.47% CONCENTRATE

PROVIDES 12-MONTH SYSTEMIC PROTECTION AGAINST DAMAGING INSECTS INCLUDING LEAFMINERS, BEETLES AND BORERS. HAVING BEAUTIFUL TREES AND SHRUBS HAS NEVER BEEN EASIER.

FOR OUTDOOR RESIDENTIAL USE

ACTIVE INGREDIENT:	
Imidacloprid	1.47%
OTHER INGREDIENTS:	<u>98.53%</u>
TOTAL:	00.00%

Not for sale, sale into, distribution and or use in Nassau, Suffolk, Kings, and Queens counties of New York.

KEEP OUT OF REACH OF CHILDREN CAUTION

SEE BACK PANEL FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300 For Medical Emergencies Only, Call (877) 325-1840

ACCEPTED

with COMMENTS

In EPA Letter Dated: AUG 2 2007

Under the Federal Insecticide, Funderide, and Rodenticide Act.

as amended, for the pesticide registered under KEA Reg. No.

228-03

EPA REG. NO. 228 EPA EST. NO.

۱_۲ -

NET CONTENTS

000000-00000.20070111.

MANUFACTURED BY NUFARM AMERICAS INC. BURR RIDGE, IL 60527



د د

د ددد د د رر CAUTION

Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

	FIRST AID
IF SWALLOWED	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF IN EYES	 Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
	HOT LINE NUMBER ntainer or label with you when calling a poison control center or doctor, or going for treatment. tt 1-877-325-1840 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to aquatic invertebrates. Do not apply directly to lakes, streams rivers or ponds. Do not dump rinse water into sewers or bodies of water.

DIRECTIONS FOR USE

Read all directions prior to application of the product.

1

۰,

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply near lakes, streams, rivers, or ponds. Do not apply to soils which are water-logged or saturated. Bucket or measuring utensils should not be used for any food or drinking water purposes after use with this product.

For use on outdoor trees and shrubs, including listed fruit and nut trees:

Apple	Loquat	Oriental Peàr	Pecan
Crabapple	Mayhaw	Pear	Quince
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		

INSECTS CONTROLLED

This product can be used to control the following insects:

	2533 0-3 2	2 2 2 2 2 2 2
Scales (including Armored Scale [Suppression] and Soft Scale) Thrips		0 0 000000
Sawfly Larvae		9 0 0000
Royal Palm Bugs		0000
Psyllids		
Mealybugs Pine Tip Moth Larvae		
Leafminers (including Birch Leafminers)		
Leafhoppers (including Glassy-winged Sharpshooter)		
Leaf Beetles (including Elm Leaf Beetles and Viburnum Leaf Beetles)		
Lacebugs		
Japanese Beetles, Adult		
Borers: Roundheaded Borers (including Asian Longhorned Beetle and Eucalyptus Longhorned Bor Flatheaded (including Bronze Birch Alder and Emerald Ash Borers)	rer)	
Vine Weevil Larvae (including Black Vine Weevil)		
Aphids		
Adelgids		

 \mathbf{b}

ວວວວວ ວ د درد د د

Determine the amount to use by measuring the distance around the tree trunk or height of the shrub. Pour the required amount into a single amount of the shrub. Pour the required amount of the shrub amount o

HOW MUCH TO APPLY

Trees: 1 ounce per inch of distance around trunk. Shrubs: 3 ounces per foot of height.

Tree with one trunk

Measure distance (in inches) around tree trunk at chest height. A flexible tape measure is the recommended method [tool]. This is the number of ounces of this product to apply.

Tree with two or more trunks

Measure the distance (in inches) around each tree trunk and add together. Multiply this total by 0.75 to get the required number of ounces of this product to apply. Example: A tree has 4 trunks. They measure 20, 10, 5 and 5 [inches] or a total of 40 [inches]. 40 x 0.75 = 30 ounces.

<u>Shrubs</u>

12

Measure the height of the shrub to the nearest foot. Round any inches down to the nearest foot if less than 6" and up to the nearest foot if greater than 6". Multiply the number of feet by 3 - this is the number of ounces of this product to apply.

HOW TO APPLY

• Fill a bucket or watering can with 1 gallon of water. [For trees with circumference greater than 50", use 2 gallons of water.]

Shake Well.

· Carefully measure required amount of product into bucket.

· Slowly pour the solution evenly around the tree. For best results, pour as close to the trunk/main stem of the tree/shrub as possible.

· Fill the bucket with clean water and pour it around the trunk as well.

For best results, use this product as part of an overall tree and shrub health care program before problems start. This product can be applied anytime except when the ground is waterlogged or frozen. These conditions inhibit the movement of the product down into the root zone. During prolonged dry periods [spells], water the tree/shrub well the night before making an application.

For severe infestations, treat with a foliar insecticide such as Menace 2.4% ME, then use this product as part of routine care program.

The insecticide dissolved in water moves down through the soil, where it is absorbed by the roots. Once absorbed, it moves up through the tree or shrub providing year-long insect protection. This product even moves into new growth after application, thus protecting it, too! To get complete protection, the insecticide must distribute completely through the tree/shrub. Depending on the size and health of the plant, this may take one week to three months (for very large trees). Rain or water cannot wash off this internal protection.

NOTE: Application to trees heavily infested may not prevent their eventual loss due to existing pest damage and tree stress.

Children and pets may re-enter the treated area after it has dried.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Keep out of reach of children and animals. Store in original container only. Store in a cool, dry place and avoid excess heat.

CONTAINER DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If **partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ADD 37 WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION?

LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING

1991) ((1911)

Э

ۍ رې خپه ب ز ز ز ز ز ښ ز ز ز ر م ز ز ز

TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL, MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER. IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR RISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS, BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

(NEW)

ວງວວ ວ່ວວວຍ ວ່ວວວວວວ

ວ່ວວວວວວ

00

ٌ ډ. ر

دددد د ددد د ددد د

دد د د 10000

, 1000 1000 1000 1000

Mallet is a trademark of Nufarm Americas Inc.

4

OPTIONAL PERFORMANCE GUARANTEES

OPTIONAL FRONT PANEL CLAIMS:

- Prevents damage from listed pests
- . Insects stop eating when they feed on the plant
- · Protects trees and shrubs from damaging insects with one easy treatment
- · Helps keep trees and shrubs strong. Protects new growth.
- Controls insects that damage trees and shrubs
- · Year-long insect protection for trees and shrubs
- . Treats up to X average size trees or Y shrubs
- Systemic insecticide is absorbed thr ough the roots, carried up into the plant and won't wash off

4

- · Prevents insects from damaging trees and shrubs
- Will not harm trees and shrubs
- · For use on all ornamental trees, listed fruit & nut trees, and shrubs
- Kills insects & prevents new infestations
- One application protects up to 12 months
- Provides 12-Month Insect Protection
- Rainproof Protection
- · Easy to use Mix in water and pour around Tree/Shrub