



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

NOV 6 2009

Matthew Granahan Registration Manager Nufarm Americas Inc. 150 Harvester Drive, Suite 200 Burr Ridge, IL 60527

Subject: Label Notification(s) for Pesticide Registration Notice 2007-4 and 98-10

Dear Mr. Granahan:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notices (PRN) 2007-4 and 98-10 dated September 16, 2009 for:

EPA Registration 228-525

Mallet 1.47% Concentrate

The Registration Division (RD) has conducted a review of the request(s) for applicability under 2007-4 and 98-10 and finds that the label changes requested fall within the scope of 2007-4 and 98-10. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identify the batch of the pesticide distributed and sold be placed on <u>nonrefillable</u> containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Nicole Williams of my staff at 703-308-5551.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P)

Office of Pesticide Programs

Please read instructions on reverse before completing form.			· •	Form App	roved. OMB No. 2070-0060
United States Environmental Protection Agency Washington, DC 20460		Registration Amendment X Other		OPP Identifier Number	
Аррі	ication for	Pesticide - Sec	tion I		
1. Company/Product Number		2. EPA Product Man	ager	3. Pr	oposed Classification
228-525		Gebken		[x	None Restricted
4. Company/Product (Name) Mallet 1.47% Concentrate		PM# 13			
5. Name and Address of Applicant (Include ZIP Code) Nufarm Americas, Inc. 150 Harvester Drive, Suite 200 Burr Ridge, IL 60527 Check if this is a new address		1 '	is similar or iden	itical in co	FIFRA Section 3(c)(3) imposition and labeling
	Sec	tion - II			
Amendment - Explain below. Resubmission in response to Agency letter dated		Final printed labels in repsonse to Agency letter dated "Me Too" Application. NOTIFICATION			
X Notification - Explain below.		Other - Exp	lain below.	NOV	- 6 2009
156.146, and 156.156, this product may be in violation of FIF		ion - III	uction and penalties	under secti	IONS 12 AND 14 OF FIFRA.
Material This Product Will Be Packaged in: Child-Resistant Packaging Unit Packaging	14/000	Solubia Packaging	2 Time of	Container	
Yes Yes X No	Yes Yes X No Metal X Plastic Glass				
	siner Packag			Other (S	Specify)
	e(s) Reteil Conteil art to 1 gallon	ner	5. Location of La	bel Direction	ons
6. Manner in Which Lebel is Affixed to Product	Lithograph Paper glued Stenciled	Othe			44.5
	Sect	ion - IV			
1. Contact Point (Complete items directly below for iden-	tification of indivi	idual to be contacted,	if necessary, to p	rocess this	application.)
Name Matthew Granahan matthew.granahan@us.nufarm.com		Telephone No. (Include Area Cod ation Manager 630.455.2048		· · · · · · · · · · · · · · · · · · ·	
Ce I certify that the statements I have made on this for I scknowledge that any knowlingly felse or mislead both under applicable law.					6. Date Application Received (Stamped)
		. Title			
I III JUL RE		Registration Manager			
Typed Name 6. D		4/00			
Matthew Granahan		11/04/09			



Nufarm Americas Inc.

150 Harvester Drive, Suite 200 Burr Ridge, IL 60527

Telephone: (630) 455.2000 Facsimile: (630) 455.2001

www.us.nufarm.com

September 16, 2009

Via Overnight Courier

U. S. Environmental Protection Agency (7504P) Document Processing Desk (NOTIF) Room S4900, One Potomac Yard 2777 S. Crystal Drive Arlington, VA 22202

Subject:

Mallet 1.47% Concentrate

EPA Reg. No. 228-525

Label Notification per PR N 07-04 & 98-10

Dear Ms. Hobgood:

Nufarm Americas Inc. would like to add language to subject product's label. The proposed language is consistent with PR Notice 2007-04 & 1998-10. We have updated the Storage and Disposal and combined label language from EPA Accepted Application submitted November 9, 2007 & EPA Accepted Application submitted June 4, 2008.

To process this request please find enclosed the following:

- Application for Pesticide Registration EPA form 8570-1
- Revised labeling with areas of change clearly identified (1 copy)
- Revised labeling clean (1 copy)

If you should have any questions regarding this matter, please feel free to contact at matthew.granahan@us.nufarm.com or at (630) 455-2048.

Sincerely

Matthew Granahan Registration Manager Nufarm Americas Inc.

MALLET® 1.47% CONCENTRATE

NOTIFICATION

PROVIDES 12-MONTH SYSTEMIC PROTECTION AGAINST
DAMAGING INSECTS INCLUDING LEAFMINERS, BEETLES AND BORERS.
HAVING BEAUTIFUL TREES AND SHRUBS HAS NEVER BEEN EASIER.
FOR OUTDOOR RESIDENTIAL USE

NOV - 6 2009

 ACTIVE INGREDIENT:
 1.47%

 Imidacloprid
 1.47%

 OTHER INGREDIENTS:
 _98.53%

 TOTAL:
 100.00%

Not for sale, sale into, distribution and or use in Nassau, Suffolk, Kings, and Queens counties of New York.

KEEP OUT OF REACH OF CHILDREN CAUTION

SEE BACK PANEL FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300 For Medical Emergencies Only, Call (877) 325-1840

EPA REG. NO. 228-525 EPA EST. NO. Manufactured For NUFARM AMERICAS INC. 150 Harvester Drive Burr Ridge, IL 60527



NET CONTENTS

000228-00525.20090916.EPA.PRN2007-4



PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear:

- · Long-sleeved shirt and long pants.
- · Shoes plus socks.

FIRST AID		
IF SWALLOWED	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. 	
IF IN EYES	 Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 	
	HOT LINE NUMBER ntainer or label with you when calling a poison control center or doctor, or going for treatment. t 1-877-325-1840 for emergency medical treatment information.	

ENVIRONMENTAL HAZARDS

This pesticide is toxic to aquatic invertebrates. Do not apply directly to lakes, streams rivers or ponds. Do not dump rinse water into sewers or bodies of water.

DIRECTIONS FOR USE

Read all directions prior to application of the product.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply near lakes, streams, rivers, or ponds. Do not apply to soils which are water-logged or saturated. Bucket or measuring utensils should not be used for any food or drinking water purposes after use with this product.

For use on outdoor trees and shrubs, including listed fruit and nut trees:

Apple

Loquat

Oriental Pear

Pecan

Crabapple

Mayhaw

Pear

Quince

INSECTS CONTROLLED

This product can be used to control the following insects:

Adelgids

Aphids

Vine Weevil Larvae (including Black Vine Weevil)

Borers:

Roundheaded Borers (including Asian Longhorned Beetle and Eucalyptus Longhorned Borer)

Flatheaded (including Bronze Birch Alder and Emerald Ash Borers)

Japanese Beetles, Adult

Lacebugs

Leaf Beetles (including Elm Leaf Beetles and Viburnum Leaf Beetles)

Leafhoppers (including Glassy-winged Sharpshooter)

Leafminers (including Birch Leafminers)

Mealybugs

Pine Tip Moth Larvae

Psyllids


Royal Palm Bugs

Sawfly Larvae

Scales (including Armored Scale [Suppression] and Soft Scale)

Thrips

Whiteflies



HOW TO USE

Determine the amount to use by measuring the distance around the tree trunk or height of the shrub. Pour the required amount into a bucket of water and empty the bucket around the base of the tree/shrub.

HOW MUCH TO APPLY

Trees: 1 ounce per inch of distance around trunk.

Shrubs: 3 ounces per foot of height.

Tree with one trunk

Measure distance (in inches) around tree trunk at chest height. A flexible tape measure is the recommended method [tool]. This is the number of ounces of this product to apply.

Tree with two or more trunks

Measure the distance (in inches) around each tree trunk and add together. Multiply this total by 0.75 to get the required number of ounces of this product to apply. Example: A tree has 4 trunks. They measure 20, 10, 5 and 5 [inches] or a total of 40 [inches]. $40 \times 0.75 = 30$ ounces.

Shrubs

Measure the height of the shrub to the nearest foot. Round any inches down to the nearest foot if less than 6" and up to the nearest foot if greater than 6". Multiply the number of feet by 3 - this is the number of ounces of this product to apply.

HOW TO APPLY

- Fill a bucket or watering can with 1 gallon of water. [For trees with circumference greater than 50", use 2 gallons of water.]
- · Shake Well.
- · Carefully measure required amount of product into bucket.
- Slowly pour the solution evenly around the tree. For best results, pour as close to the trunk/main stem of the tree/shrub as possible.
- Fill the bucket with clean water and pour it around the trunk as well.

For best results, use this product as part of an overall tree and shrub health care program before problems start. This product can be applied anytime except when the ground is waterlogged or frozen. These conditions inhibit the movement of the product down into the root zone. During prolonged dry periods [spells], water the tree/shrub well the night before making an application.

For severe infestations, treat with a foliar insecticide such as Menace 2.4% ME, then use this product as part of routine care program.

The insecticide dissolved in water moves down through the soil, where it is absorbed by the roots. Once absorbed, it moves up through the tree or shrub providing year-long insect protection. This product even moves into new growth after application, thus protecting it, too! To get complete protection, the insecticide must distribute completely through the tree/shrub. Depending on the size and health of the plant, this may take one week to three months (for very large trees). Rain or water cannot wash off this internal protection.

NOTE: Application to trees heavily infested may not prevent their eventual loss due to existing pest damage and tree stress.

Children and pets may re-enter the treated area after it has dried.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Keep out of reach of children and animals. Store in original container only. Store in a cool, dry place and avoid excess heat.

CONTAINER DISPOSAL: If empty: Nonrefillable container. Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** If product cannot be used as directed, call your local solid waste agency for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USERS-THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.


LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR RISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

(RV091609N)

Mallet is a registered trademark of Nufarm Americas Inc.



OPTIONAL PERFORMANCE GUARANTEES

OPTIONAL FRONT PANEL CLAIMS:

- Prevents damage from listed pests
- Insects stop eating when they feed on the plant
- Protects trees and shrubs from damaging insects with one easy treatment
- · Helps keep trees and shrubs strong. Protects new growth.
- Controls insects that damage trees and shrubs
- Year-long insect protection for trees and shrubs
- Treats up to X average size trees or Y shrubs
- Systemic insecticide is absorbed through the roots, carried up into the plant and won't wash off
- Prevents insects from damaging trees and shrubs
- · Will not harm trees and shrubs
- For use on all ornamental trees, listed fruit & nut trees, and shrubs
- · Kills insects & prevents new infestations
- One application protects up to 12 months
- Provides 12-Month Insect Protection
- Rainproof Protection
- Easy to use Mix in water and pour around Tree/Shrub
- (Complete) (Total) Tree Protection Roots to Leaves!
- Complete Bark Protection
- Protects down to the Roots!
- Creates a Barrier over the Entire Trees
- Insect Barrier for Trees
- Guaranteed
- Protects from the Roots to the Leaves
- (12-Month) (1 Year) InvisiShield™ Bark Protection (Defense)
- (12-Month) (1 Year) InvisiShield™ Tree Protection (Defense)
- Year Long (Protection) (Defense)
- InvisiShield™ Bug Barier
- InvisiShield™ Technology
- Rain-Proof Formula
- (Just) Apply Around Plant Base
- Gentle Shower Applicator

InvisiShield is a trademark of O.M. Scotts Company

OPTIONAL DIRECTIONS FOR USE:

Alternate Re-entry Statement

[icon] People and pets may re-enter treated areas after spray has dried.

Product Facts:

PRODUCT FACTS	
Kills Insects	Kills and prevents Adelgids, Aphids, Emerald Ash Borer, Japanese Beetles and other listed insects
Where to Use (Apply)	For use on outdoor trees and shrubs, including listed fruit and nut trees
Amount to Use	Apply for 60 seconds around plant base to treat average tree (12-inch round trunk) or shrub (4 feet tall)
People & Pets	People and pets may re-enter treated areas after spray has dried


OPTIONAL LANGUAGE CONTINUED (SEE BELOW)

OPTIONAL DIRECTIONS FOR USE: (continued)

	u na comanda de como contra de como como como como como como como com
Determine the amount of production the bucket around the base of	duct needed according to chart below. Pour the required amount into a bucket of water and empty f the tree/shrub.
HOW MUCH TO APPLY	
Tree with 1 trunk	 Measure distance (in inches) around tree trunk at chest height (a flexible tape measure is recommended). This is the number of ounces of this product to apply.
Tree with 2 or more trunks	 Measure distance (in inches) around each tree trunk and add together. Multiply this total by 0.75 to get the required number of ounces of this product to apply. Example: A tree has 4 trunks. They measure 20, 10, 5 and 5 [inches] or a total of 40 inches. 40 x 0.75 = 30 ounces.
Shrubs	Measure the height of the shrub to the nearest foot. Multiply the number of feet by 3. This will be the number of ounces of this product to apply.
HOW TO APPLY	

- Fill a bucket or watering can with 1 gallon of water (for large trees with circumference greater than 50 inches, use 2 gallons of water.
- Shake bottle well.
- Carefully measure required amount of product into bucket.
- Slowly pour the solution evenly around the tree. For best results, pour as close to the trunk/main stem of the tree/shrub as possible.
- Fill the bucket with clean water and pour it around the trunk as well.

OPTIONAL LANGUAGE CONTINUED (SEE BELOW)



OPTIONAL DIRECTIONS FOR USE: (continued)

Determine the amount of product needed to treat your tree or shrub by following the steps below. Apply the required amount of product around the base of the tree or shrub. STEP 1 - DETERMINE AMOUNT OF PRODUCT NEEDED [icon] Tree with 1 trunk - Measure distance (in inches) around tree trunk at chest height (a flexible tape measure is recommended). - This is the number of ounces of this product to apply. - Measure distance (in inches) around each tree trunk and add together. - Multiply this total by 0.75 to get the required number of ounces of this product to apply. Example: A tree has 4 trunks. They measure 20, 10, 5 and 5 [inches] or a total of 40 inches. 40 x 0.75 = 30 ounces.

• Multiply the number of feet by 3. This will be the number of ounces of this product to apply.

STEP 2 - DETERMINE TOTAL SPRAY TIME

(icon)

Shrubs

The gentle shower applicator applies approximately 1 ounce of product every 5 seconds.

Number Ounces x 5 Seconds = Total Time to Apply (Step 1)

. Measure the height of the shrub to the nearest foot.

Example - 12 ounces are needed (from Step 1).

12 ounces x 5 seconds = 60 Total Seconds

Apply for approximately 60 seconds to plant base.

HOW TO APPLY	
Connect	Shake bottle well. Connect sprayer to hose. Turn on water.
Spray	 To begin spraying, point nozzle at the base of the tree/shrub you want to treat. Bend small plastic tab down and turn knob to ON position. Apply evenly around the tree/shrub as close to the trunk/main stem as possible. Spray for as long as calculated in the "HOW TO USE" section.
Finish	 Stop spraying, turn knob to OFF position. Turn off water. Relieve water pressure by bending the plastic tab down and turning knob to ON position until water slows to a drip. Then, turn knob back to OFF position. Disconnect sprayer from hose.

Optional Language:

ORTHO® & YOUR ENVIRONMENT

Your home and yard are places for family and pets to enjoy. That's why Ortho® products are designed with care to provide effective solutions to insect problems inside and outside your home. For best results and a healthy environment, please follow instructions for appropriate usage, storage and disposal.

Optional Language:

THE ORTHO® GUARANTEE: If for any reason you are not satisfied with this product, mail us proof of purchase to obtain a full refund of you purchase price.

7