228-539	121412007	$\left( \begin{array}{c} \cdot \\ \cdot \end{array} \right)$	Page 13
۵ 💦 آن Of	NMENTAL PROTECTION AGENCY fice of Pesticide Programs	EPA Reg. Number 228-539	Date of Issuance: DEC 4 2007
<b>3</b> 1200	istration Division (H7505C) Pennsylvania Avenue, N.W. Vashington, D.C. 20460	Term of Issuance: Conditional	
NOTICE OF P		Name of Pesticide Menace Fire	
	gistration		
iame and Address of Registrant (include ZIP Code): Nufarm Americas, Inc. 50 Harvester Drive Suite 200		<b>I</b>	
Burr Ridge, IL 60527 ote: Changes in labeling differing in substance from the egistration Division prior to use of the label in commerc	taccepted in connection with this registration	on must be submitted to	and accepted by the
in the basis of information furnished by the registrant, the nd Rodenticide Act.	le above named pesticide is hereby registere	ed/reregistered under the	e Federal Insecticide, Fungicide
Registration is in no way to be construed as an endorseme invironment, the Administrator, on his motion, may at an of any name in connection with the registration of a produ- r to its use if it has been covered by others.	y time suspend or cancel the registration of	a pesticide in accordan	ce with the Act. The acceptance
This product is <u>conditionally</u> r that:	egistered in accordance with	FIFRA sec. 3(c	e)(7)(A), provided
<ol> <li>You will submit and/or cite all FIFRA sec. 3(c)(5) when the A data; and submit acceptable res section 4.</li> </ol>	gency requires all registrants	s of similar proc	lucts to submit such
2. You will make the following la	abel changes before you relea	ise the product f	for shipment:
a) Revise the EPA Registr	ration Number to read "EPA	Reg. No. 228-53	39."
	ceting claim, "Stops and prev e Ants Mound formation"	ents Fire Ants f	formation" with
c) On front panel delete th	ne word "intended" in the firs	st paragraph.	
d) Under directions for us	e add, "Do not apply to veget	table gardens".	
Signature of Approving Official:	1 1 2 201	Date:	<u></u>
George T. LaRocca, Product Manager		Decome	200 4,2007
DéOranda alevance		Decome	Der 4,2007

3. Please submit three (3) copies of your final printed labeling before releasing the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing amended labeling constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

If you have any questions regarding this action, please contact BeWanda Alexander of my team at (703) 305-7460

# **MENACE® FIRE ANT KILLER**

THIS PRODUCT IS INTENDED TO BE USED OUTDOORS IN LAWNS AND IN AREAS SUCH AS AROUND FLOWER GARDENS, FLOWER BEDS AROUND/ALONG PERIMETERS AND FOUNDATIONS OF HOUSES, G GARAGES, SHEDS AND STRUCTURES, AROUND MULCH BEDS, ALDING FENCE LINES AND AROUND DECKS AND DECKING AND OTHER AREAS WHERE ANTS ARE A PROBLEM.

ACTIVE INGREDIENT: Bifenthrin\*...... OTHER INGREDIENTS: .....

\*Cis isomers 97% minimum, trans isomers 3% maximum.

## KEEP OUT OF REACH OF CHILDREN CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

SEE SIDE PANELS FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300 For Medical Emergencies Only, Call (877) 325-1840

NOTE: Spanish language is optional

EPA REG. NO. 228-XXXX EPA EST. NO. MANUFACTURED BY NUFARM AMERICAS INC. BURR RIDGE, IL 60527



ACCEPTED with COMMENTS In EPA Letter Dated

DEC: 4 2007 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No.

000228-00000.20070529.NEW

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse.

	FIRST AID	r . c
IF ON SKIN OR CLOTHING:	Take off contaminated clothing.     Rinse skin immediately with plenty of water for 15 to 20 minutes.     Call a poison control center or doctor for treatment advice.	(F) (
IF IN EYES:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyé.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>	• • • • • •
	HOT LINE NUMBER Intainer or label with you when calling a poison control center or doctor, or going for treatment. t 1-877-325-1840 for emergency medical treatment information.	۲ ۲ ۲ ۴ ۴ ۲ ۲ ۴ ۴ ۴
	NOTE TO PHYSICIAN	t r : 1.

This product is a pyrethroid. If large amounts have been ingested, milk, cream or other digestible fats and oils may increase? absorption and so should be avoided.

#### **ENVIRONMENTAL HAZARDS**

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. Do not apply when weather conditions favor drift from treated areas. Drift and run-off from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters.

#### **DIRECTIONS FOR USE**

Read all directions prior to application of the product.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

In New York State, this product may NOT be applied to turf within 100 feet of a coastal marsh or of a water body, lake, pond, river, stream, wetland, or drainage ditch. In New York State, do make a single repeat application of this product if there are signs of renewed insect activity, but not sooner than two weeks after the first application.

Do not allow children or pets onto treated areas until granules have been watered into soil and the treated area has dried.

#### INSECTS CONTROLLED

This product kills the following types of ants: Fire Ants, Argentine Ants, Carpenter Ants, Odorous Ants, Pavement Ants, Pharaoh (sugar) Ants, Red Harvester Ants.

#### **BROADCAST APPLICATION WITH A SPREADER**

This product should be used when insects first appear. For extended fire ant control and prevention apply this product two times a year. In the Spring (March-May) and then late Summer (August-September). Apply this product evenly over targeted area using a properly calibrated drop or rotary spreader. A more uniform application may be achieved by spreading half of the required amount of product over the area and then applying the remaining half in swaths at a right angle to the first. Treat the entire lawn area to prevent re-infestation of ants from neighboring areas. Irrigating or watering by 0.1 to 0.5 inches immediately after application generally improves effectiveness of this product. Combining broadcast applications to control foraging worker ants and newly mated fly-in queens with mound treatments to existing colonies will provide the best results.

#### MOUND APPLICATIONS

Mounds should be treated by applying 1 cup of this product per mound and then drenching the mound with 1 to 2 gallons of water. The mounds should be treated with sufficient force to break their apex and allow the insecticide solution to flow into the ant tunnels. A four foot diameter circle around the mound should also be treated. For best results apply in cool weather (65°F to 80°F) or in early morning or late evening hours. This treatment will kill the queen within 24 hours of application.

#### SPREADER SETTINGS

Broadcast Spreaders: For best results, apply in a circular path starting on the outside and working toward the center. A little overlap of product will ensure complete coverage.

Drop Spreaders: First, apply 2 border strips along the edge of each end of the lawn. Then apply product along the length of the lawn, overlapping slightly and shutting off the spreader before turning as you reach the edge of the border strips.

Important: It is important to follow the directions as indicated on this quality lawn care product as over-application may cause injury to the lawn. Measure the size of the area to be treated and do not over or under apply. Spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied, and roughness of area treated. Calibrate spreader

prior to use according to the manufacturer's directions. Check frequently to be sure equipment is working properly and distributing uniformly. Close spreader when filling, stopping or turning. Do not hand spread.

Note:	Following will be a list of application spreaders and approximate settings.	. This list will vary dependent on market of
	spreaders. (This note will not appear on final printed label.)	

Spreader	11.48 lbs./5.000 sq.ft.	7 lbs./3.048 sq.ft.	3.5 lbs./524 sq.ft.	X lbs./x.xxx sq ftser
аа	. <b>XX</b>	XX	XX	XX Seco
bb	XX	XX	XX	XX , , , ,
, cc	XX	XX	XX	XX Cec

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Keep out of reach of children and animals. Store in original container only. Store in a cool, dry place and avoid excess heat.

CONTAINER DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available, if partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

#### WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

#### LIMITATION OF LIABILITY.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR RISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS. BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

(RV052907A)

cree

Menace\* is a registered trademark of Nufarm Americas, Inc.

## 5 26

. . . . .

### Optional

Visit our website at {address}

## OPTIONAL MARKETING CLAIM:

- For Lawns
- Turf Insect Control
- Contains Bifenthrin
- Kills Ants
- Kills the queen in 24 hours
- 4 Month Fire Ant Control
- · Protects the treated area for up to 4 months
- Stops and prevents Fire Ant formation
- Prevents new Fire Ant mounds from forming for up to 4 months
- Penetrates down to where Fire Ants forage
- Fast Acting
- Kills on contact
- Ready to use
- Kills fly-in queens
- Kills Fire Ants and other listed ants
- · Apply twice for season long control