

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

June 16, 2016

Ms. Stacy S. Hartis Nufarm Americas Inc. 4020 Aerial Center Parkway, Suite 101 Morrisville, NC 27560

Subject: Notification per PRN 98-10 – To add additional mixing instructions and

marketing language

Product Name: Lazer Premium Lawn Weed Killer Concentrate

EPA Registration Number: 228-553 Application Date: 07/23/2015 Decision Number: 507795

Dear Ms. Hartis:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you have any questions, you may contact Karen Samek at (703) 347-8825 or via email at samek.karen@epa.gov.

Sincerely,

Kathryn Montague, Product Manager 23

Taxtryn V. W Tontaguo

Herbicide Branch

Registration Division (7505P) Office of Pesticide Programs

NOTIFICATION

228-553

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

06/16/2016

LAZER[®]

PREMIUM LAWN WEED KILLER CONCENTRATE

FOR SELECTIVE BROADLEAF WEED CONTROL IN RESIDENTIAL TURF WHEN USING A HOSE-END SPRAYER, JUST CONNECT HOSE, TURN ON WATER AND SPRAY.

ONE QUART COVERS UP TO 8,000 SQUARE FEET (SEE DIRECTIONS FOR DIFFERENT GRASSES)
CONTAINS 2,4-D, MECOPROP-p AND DICAMBA

‡ GET THE OPTICAL ADVANTAGE®

ACTIVE INGREDIENTS

7.0	
Dimethylamine Salt of 2,4-D Acid*	8.658%
Dimethylamine Salt of Mecoprop-p Acid**‡	2.127%
Dicamba Acid***	0.371%
OTHER INGREDIENTS	<u>88.844%</u>
	TOTAL 100.000%
Isomer Specific Method, Equivalent to:	
2,4-D Acid	7.1019/ 0.620 lbg /ggl
**Mecoprop-p Acid	
***Dicamba Acid	
‡CONTAINS THE SINGLE ISOMER FORM OF MECOPROP-p.	

KEEP OUT OF REACH OF CHILDREN CAUTION

SEE INSIDE BOOKLET FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300 For Medical Emergencies Only, Call (877) 325-1 840

EPA REG. NO. 228-553 EPA EST. NO. 228-IL-1 MANUFACTURED BY NUFARM AMERICAS INC. 11901 S. AUSTIN AVENUE ALSIP, IL 60803

NET CONTENTS GALS.

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text]. Text separated by / denotes and/or options.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Prolonged or repeated use of this product may cause allergic reaction in some individuals. Do not allow people or pets to enter the treated area until sprays have dried. Wear a minimum of a long-sleeved shirt, long pants, shoes and socks, safety glasses, and chemical resistant gloves made of any waterproof material when handling or applying this product.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse. Remove saturated clothing as soon as possible and shower.

	FIRST AID		
IF IN EYES	 Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 		
IF SWALLOWED	 Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. 		
IF ON SKIN OR CLOTHING	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. 		
LIGHT IN THE STREET			

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

This product may adversely affect non-target plants. This product is toxic to fish and aquatic invertebrates. Do not apply directly to water. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash water or rinsate. This product has properties and characteristics associated with chemicals detected in groundwater. The use of this product in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS. Shake well before using.

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of area during application. Do not allow people and pets to enter the treated area until sprays have dried.

USE RESTRICTIONS

IMPORTANT: Do not exceed two applications per year with a minimum of 30 days between applications. Do not use this product for controlling weeds in flower or vegetable beds or around shrubs or ornamental plantings. Do not spray exposed roots of desirable plants. Do not spray on Dichondra, Lippia, nor on grasses where desirable Clovers are present. Do not apply if rainfall is expected within 24 hours. Do not apply as a fine mist because of potential injury to desirable plants. Do not exceed directed rates because damage to turf may occur. Spray when air is calm to avoid spray drift that might injure desirable ornamental plants. Do not apply when temperature exceeds 90°F.

Do not apply directly to or near water, storm drains, gutters, sewers or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. To prevent product runoff, do not over water the treated area to the point of runoff or apply when raining or when rain is expected that day. Rinse applicator over lawn or garden area only.

USE PRECAUTIONS

Do not apply to newly seeded grasses until they have been mowed 3 times. Do not reseed for 3 to 4 weeks after use. If lawn needs watering, water thoroughly before application. For best results, do not water lawn within 24 hours after treatment. Watering will wash off weed killing material. Do not apply if rainfall is expected within 24 hours. Do not apply as a fine mist because of potential injury to desirable plants. . Use a lawn type sprayer with a coarse spray as wind drift is less likely. Spray entire lawn, wetting weeds and lawn grasses. Make new dilution for each use. This product can be mixed with some liquid fertilizers or liquid iron materials. Because liquid fertilizer and liquid iron differ in pH, free ammonia content, density, salt concentration and percentage of water, a compatibility test should be done prior to mixing in application equipment. If necessary, contact your local Extension Agent.

Bold, italicized text is information for the reader and is not part of the label.[Bracketed information is optional text]. Text separated by / denotes and/or options.

WEEDS CONTROLLED

Narrowleaf plantain Dead Nettle Spotted knapweed Alder Annual yellow sweet clover Dock Narrowleaf vetch Spotted spurge Artichoke Dogbane Nettle Spurge Aster Dogfennel Nutgrass Spurweed Austrian fieldcress Elderberry Orange hawkweed Stinging nettle Bedstraw English daisy Oxalis Stinkweed Fall dandelion Oxeye daisy Stichwort Beggartick Biden False dandelion Parsley-piert Strawberry clover Bindweed False flax Parsnip Sumac Bird vetch False sunflower Pearlwort Sunflower Bitterweed Fiddleneck Pennycress Sweet clover Bitter wintercress Field bindweed Pennywort Tall nettle Black-eved Susan Field pansy Peppergrass Tall vervain Black medic Flea bane (Daisy) Pepperweed Tansy mustard Black mustard Flixweed Pigweed Tansy ragwort Blackseed plantain Florida betony Pineywoods bedstraw Tanweed Blessed thistle Florida pusley Plains coeopsis Tarweed Bloodflower Frenchweed Plantain Thistle Blue lettuce Galinsoga Poison hemlock Tick trefoil Garlic mustard Poison ivy Toadflax Blue vervain Box elder Goathead Poison oak Trailing crown vetch Bracted plantain Goatsbeard Pokeweed Tumble mustard Brassbuttons Goldenrod Poorjoe Tumble pigweed Bristly oxtongue Ground ivy Povertyweed Tumbleweed Broadleaf dock Gumweed Prickly lettuce Velvetleaf Broadleaf plantain Hairy bittercress Prickly sida Venice mallow Broomweed Hairy fleabane Primrose Veronica Buckhorn Hawkweed Prostrate knotweed Vervain Buckhorn plantain Healall Prostrate pigweed Vetch Bulbous buttercup Heartleaf drymary Prostrate spurge Virginia buttonweed Bull nettle Hedge bindweed Prostrate vervain Virginia creeper Bull thistle Hedge mustard Puncture vine Virginia pepperweed Burdock Hemp Purslane Wavyleaf bullthistle Burning nettle Henbit Ragweed Western clematis Bur ragweed Hoary cress Red clover Western salsify Redroot pigweed Burweed Hoary plantain White clover Buttercup Hoary vervain Red sorrel White mustard Canada thistle Honeysuckle Redstem filaree Wild mustard Carolina geranium Hop clover Rough cinquefoil Wild aster Horsenettle Carpetweed Rough fleabane Wild buckwheat Catchweed bedstraw Roundleafed marigold Horsetail Wild carrot Catsear Indiana mallow Rush Wild four-o'clock, Ironweed Russian pigweed Wild geranium Catnip Russian thistle Chickweed .lewelweed Wild lettuce Chicory Jimsonweed St. Johnswort Wild marigold Cinquefoil Kochia Scarlet pimpernel Wild parsnip Clover Knawel Scotch thistle Wild radish Cockle Knotweed Sheep sorrel Wild rape Cocklebur Lambsquarter Shepherdspurse Wild strawberry Coffeebean Lespedeza Slender plantain Wild sweet potato Coffeeweed Locoweed Smallflower galinsoga Wild vetch Common chickweed Willow Lupine Smartweed Common mullein Mallow Smooth dock Witchweed Common sowthistle Marshelder Smooth pigweed Woolly morningglory Matchweed Sneezeweed Woodsorrel Corn chamomile Southern wild rose Creeping Jenny Mexicanweed Woolly croton Creeping Woodsorrel Sowthistle Woolly plantain Milk vetch Spanishneedle Crimson clover Milkweed Wormseed Spatterdock Croton Mugwort Yarrow Yellow Rocket Cudweed Morningglory Speedwell Yellow Woodsorrel Curly dock Mouseear chickweed Spiny amaranth Curly indigo Musk thistle Spiny cocklebur Yellow flower pepperweed Dandelion Mustard Spotted catsear and other broadleaf weeds

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text]. Text separated by / denotes and/or options.

USE DIRECTIONS

- 1. Spray during the growing season when weeds are growing actively.
- 2. For best results, do not mow for 2 days before or after treating.
- 3. Do not treat when air temperatures exceed 90°F or damage to grass may occur.
- 4. For best results, do not water lawn within 24 hours after treatment. Poor weed control may result if rainfall occurs within 24 hours of application.
- Shake well before using.
- 6. On new lawns, wait until the grass has reached a height of 2 inches before making an overall spray treatment. However, a spot treatment may be made at any time with a small pressure sprayer. Wait 3 weeks before seeding or planting stolons, plugs, or sprigs.
- 7. Do not allow spray to get on ornamental plants or vegetables since injury may result. Do not spray around roots of ornamentals and trees. Clover will be damaged if sprayed.
- 8. Whether using a hose-end sprayer or pressure sprayer, avoid sprays which are too fine because they can drift and damage other plants.
- 9. If certain tough weeds are not dead within 30 days, repeat treatment. Broadcast application is not necessary; follow spot treatment directions.
- 10. Do not exceed two applications per year.
- 11. Minimum of 30 days between applications.

HOW MUCH TO USE

SPOT TREATMENT

Pressure (Trigger) Sprayer: Adjust spray nozzle to give coarse spray. Aim at center of weed and spray to wet. One application should be sufficient. Effects begin to show after a few days and weeds gradually die. A repeat application may be needed for hard-to-kill (or control) weeds. Do not use a hose-end sprayer for spot treatment.

GRASS TYPE	AMOUNT OF CONCENTRATE	AMOUNT OF WATER	AREA TREATED
Cool Season Grasses Bluegrass Fescue Ryegrass	4 Fluid Ounces (8 Tablespoons)	1 Gallon	1000 Square Feet
Warm Season Grasses Bahiagrass Common Bermudagrass Centipedegrass St.Augustinegrass Zoysiagrass	2 Fluid Ounces (4 Tablespoons)	1 Gallon	1000 Square Feet

ENTIRE LAWN

Hose-End Sprayer: Use a hose-end sprayer designed for lawns. Pour directed amount of product (Column 2 below) in bottle and add water to indicated level (Column 3), and spray on area shown in Column 4. For example on cool season grasses, to spray 2,500 square feet measure 10 fluid ounces (20 Tablespoons) in jar, add water to the 2.5 gallon level and mix. Turn on garden hose and spray as evenly as possible over 2,500 square feet.

GRASS TYPE	AMOUNT OF CONCENTRATE	AMOUNT OF WATER	AREA TREATED
Cool Season Grasses Bluegrass Fescue Ryegrass	4 Fluid Ounces (8 Tablespoons)	1 Gallon	1000 Square Feet
Warm Season Grasses Bahiagrass Common Bermudagrass Centipedegrass St.Augustinegrass Zoysiagrass	2 Fluid Ounces (4 Tablespoons)	1 Gallon	1000 Square Feet

NOTE: Do not apply to Floratam variety of St. Augustine grass in Florida. Contact your local County Extension Agent if you are not sure as to what type of grass you have.

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text]. Text separated by / denotes and/or options.

Pressure Sprayer: Measure indicated amount of this product, pour into tank, and dilute with 1 gallon of water according to the following chart. Use a spray pattern with coarse spray droplets without any fine mist.

AMOUNT OF CONCENTRATE IN 1 GALLON OF WATER REQUIRED TO TREAT 1000 SQ. FT. OF LAWN		
GRASS TYPE	AMOUNT OF CONCENTRATE	
Cool Season Grasses Bluegrass Fescue Ryegrass	4 Fluid Ounces (8 Tablespoons)	
Warm Season Grasses Bahiagrass Common Bermudagrass Zoysiagrass	2 Fluid Ounces (4 Tablespoons)	
Warm Season Grasses Centipedegrass St. Augustinegrass*	1 Fluid Ounce (2 Tablespoons)	

^{*}Do not apply to Floratam variety of St. Augustine grass in Florida. Contact your local County Extension Agent if you are not sure as to what type of grass you have.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Keep from freezing. To be stored in original container and placed in areas inaccessible to children.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER, AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, CROP OR PLANT DAMAGE, OR LOSS OF YIELD, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE WEATHER, WIND, AND TEMPERATURE, OR THE MANNER OF USE OR APPLICATION, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER, AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER OR MANUFACTURER, AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY OTHER REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS. NO WARRANTIES SHALL BE CREATED BY COURSE OF DEALING, USAGE OF TRADE, OR COURSE OF PERFORMANCE. THERE ARE NO WARRANTIES THAT EXTEND BEYOND THE FACE HEREOF. THE SELLER OR MANUFACTURER ASSUMES NO RESPONSIBILITY THAT THE GOODS WILL BE FIT FOR ANY PARTICULAR PURPOSE FOR WHICH YOU MAY BE BUYING OR USING THE GOODS, EXCEPT AS OTHERWISE PROVIDED IN THE CONTRACT.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

EPA Reg. No. 228-553

LIMITATION OF LIABILITY WARNING

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, NEITHER MANUFACTURER NOR SELLER SHALL BE LIABLE TO BUYER OR USER OR TO CUSTOMERS OF BUYER, IF ANY, FOR INDEMNIFICATION OR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR RISING OUT OF THE USE, MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR CUSTOMERS. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY, SHALL BE FOR DAMAGES NOT EXCEEDING THE PURCHASE PRICE OF THE GOODS AND, IF BUYER OR USER WISHES, THE RETURN OF THE GOODS BY BUYER TO SELLER.

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the goods, and return it unopened to the Seller, and the purchase **price will be refunded.** By using the goods, you expressly agree to all of the terms and conditions of this contract.

(RV122713)

Lazer and The Optical Advantage are registered trademarks of Nufarm Americas Inc.

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

[OPTIONAL BOX]

PRODUCT FACTS

What it Does:

Kills Major Broadleaf Weeds including Chickweed, Clover and Dandelion (See inside for complete list)

Where to Use: (Icon weeds) Lawns: Kills the Weeds not the Lawn

When to Use:

Do not apply when daytime temperatures are above 90°F as lawn injury can occur.

MEASUREMENT CALCULATIONS

3 teaspoons = 1 Tablespoon	1 fluid ounce = 6 teaspoons
1/2 fluid ounce = 3 teaspoons	1 fluid ounce = 2 Tablespoons
1/2 fluid ounce = 1 Tablespoon	4 fluid ounces = 1/2 cup

OPTIONAL MARKETING HYPE - FRONT PANEL

Kills Over 250 Weed Types *

Kills 250+ Weed Types

Kills Over 250 Weed Listed **

Kills Over 250 Weeds **

Kills Major Broadleaf Weeds **

Kills Dandelion, Clover and Other Broadleaf Weeds **

Kills Dandelion, Clover and Other Listed Broadleaf Weeds

Controls Over 250 Weeds *

Use When Weeds Are Actively Growing

May Be Used on Bahia, Common Bermuda, Bluegrass, Centipede, Fescue, Ryegrass, St. Augustine and Zoysia Grass

Controls Weeds Such As Dandelions, Chickweed, Henbit, Oxalis, Plantain, And Many More

Overnight Results

Works in 24 Hours

Kills the Weeds, Not the Lawn * Rainproof in Hours - Won't Wash Away

Colorless Formulation

Won't Harm the Home Lawn *

Illustration(s) of various weeds listed on label

Easy to Use

For Thick, Weed-Free Turf

Three Way Control

Apply to a Moist Lawn

Contains The Three Way Power of Lazer

One Quart Covers Up To 8,000 Square Feet (One XXX covers up to XX,XXX square feet.)

Easy to Mix

Just Add Water

ALTERNATE HOSE-END SPRAYER INSTRUCTIONS

How To Use: (Illustrations)

- 1. Attach garden hose to spray nozzle.
- Turn on water supply.
- Bend safety tab down and turn control to "water"
- 4. Point nozzle toward lawn and turn control to "on". Product will automatically mix with water. Walk back and forth at a steady pace.

^{*} when used as directed

^{**} see list in Directions for use of label

SUBLABEL 1

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USE.

SHAKE WELL BEFORE USING.

USE PRECAUTIONS AND RESTRICTIONS:

- Do not apply this product in a way that will contact any person or pet, either directly or through drift.
 Keep people and pets out of the area during application.
- [Reentry Icon] Do not allow people or pets to enter the treated area until sprays have dried.
- Do not exceed two applications per year with a minimum of 30 days between applications.
- Do not spray exposed roots of desirable plants.
- Do not exceed directed rates because damage to turf may occur.
- Use a lawn type sprayer with a coarse spray as wind drift is less likely.
- Spray when air is calm to avoid spray drift that might injure desirable ornamental plants. Do not spray as a fine mist as injury to non-target plants may occur.
- Make new dilution for each use.
- Do not apply directly to or near water, storm drains, gutters, sewers or drainage ditches.
- Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans.
- Do not apply when windy.
- To prevent product runoff, do not overwater the treated area to the point of runoff or apply when raining or when rain is expected that day.
- Rinse applicator over lawn [or garden] area only.
- Do not apply to newly seeded grasses until they have been mowed 3 times.
- Do not reseed for 4 weeks after use. If lawn needs watering, water thoroughly before application.
- Spray entire lawn, wetting weeds and lawn grasses.
- Do not apply when temperature exceeds 90°F.
- Allow 12 hours after application before watering lawn for maximum effectiveness on listed weeds.

HOW IT WORKS/PRODUCT INFORMATION:

LAZER Premium Lawn Weed Killer Concentrate/Product Name contains three proven weed killers that target lawn weeds. This herbicide enters the lawn weeds through their leaves and moves throughout the plant to provide control. Lawns listed on this label will not be harmed when used as directed.

WHERE TO USE:

LAZER Premium Lawn Weed Killer Concentrate/Product Name/This product can be applied to residential lawns with the following turfgrass types:

Lawns To Be Treated:		
Cool Season Turfgrass (Northern Lawns)	32 fl. oz. treats 8000 sq. ft.	
Kentucky bluegrass, Ryegrass, Tall fescue and Fine fescues		
Warm Season Turfgrass (Southern Lawns) 32 fl. oz. treats 16000 sq. ft.		
Bermudagrass ¹ (common and hybrid), St. Augustinegrass (excluding Floratam), Centipedegrass, Zoysiagrass, Buffalograss and Bahiagrass		
¹ Application to hybrid bermudagrass may cause temporary yellowing or discoloration but full recovery can be expected. Do not apply to hybrid bermudagrass when daytime temperatures exceed 85° F.		
Over-application or rates above those specified on this label can cause turf injury.		

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text]. Text separated by / denotes and/or options.

DO NOT apply [LAZER Premium Lawn Weed Killer Concentrate/Product Name] to the following:

Bentgrass, colonial and creeping

Carpetgrass

Dichondra

Lippia

Gardens including vegetables, fruit trees, vines and berries

Ornamental plants (flowers, trees, groundcovers, landscape beds and shrubs)

Seashore paspalum

Floratam variety of St. Augustinegrass

Turfgrass species that are not listed on this label.

HOW MUCH TO USE:

Northern Lawns: Add 2 fl. oz. per gallon of water for every 500 sq. ft. **Southern Lawns**: Add 1 fl. oz. per gallon of water for every 500 sq. ft.

The maximum application rate is 4 fl.oz. of product per 1,000 sq.ft. per application [0.84 lb 2,4-D acid equivalent per acre per application]. The maximum number of broadcast applications is limited to 2 per year. Allow at least 30 days between applications. The maximum seasonal rate is 8 fl.oz. of product per 1,000 sq.ft. [1.68 lb 2,4-D acid equivalent per acre].

WHEN TO USE:

Apply this product when weeds are small and actively growing in the spring or fall.

(OPTIONAL MIXING INSTRUCTIONS

Note to PM: The following instructions are intended for [x oz] bottles that can be used to make 1 gal in either Lazer RTU Lawn Weed Killer Herbicide ready-to-use containers or tank sprayers for spot treatment or can be used according to dilution rates for broadcast applications

[Instructions] For refill of 1gal jug:

[1 Bottle [x oz][equals] [=] [makes] 1 Gallon]]

Amount to Use: Add entire contents 8.6 oz [x fl oz] to a 1 gallon Lazer RTU Lawn Weed Killer [product name] (EPA Reg. No. 228-555) container only. Slowly fill [with] [to the fill line indicator] [128fl oz][1gal] of [clean] tap water.

For broadcast application:

Note to PM: [x oz] bottle, may use optional mixing instructions for broadcast

BROADLEAF WEEDS CONTROLLED [KILLS WEEDS INCLUDING:] Some or all of the following weeds will appear on the label.

Alder Dead Nettle Narrowleaf plantain Spotted knapweed Annual yellow sweet clover Dock Narrowleaf vetch Spotted spurge Artichoke Dogbane Nettle Spurge Dogfennel Spurweed Aster **Nutgrass** Austrian fieldcress Elderberry Orange hawkweed Stinging nettle Bedstraw English daisy Oxalis Stinkweed Beggartick Fall dandelion Oxeye daisy Stichwort Strawberry clover Biden False dandelion Parsley-piert Bindweed False flax Parsnip Sumac

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text]. Text separated by / denotes and/or options.

False sunflower Sunflower Bird vetch Pearlwort **Bitterweed** Fiddleneck Pennycress Sweet clover Bitter wintercress Field bindweed Pennywort Tall nettle Black-eyed Susan Tall vervain Field pansy Peppergrass Black medic Flea bane (Daisy) Pepperweed Tansy mustard Black mustard Flixweed Piaweed Tansy ragwort Blackseed plantain Florida betony Pineywoods bedstraw Tanweed Blessed thistle Plains coeopsis Tarweed Florida pusley Bloodflower Thistle Frenchweed Plantain Blue lettuce Galinsoga Poison hemlock Tick trefoil Blue vervain Garlic mustard Poison ivy Toadflax Goathead Poison oak

Box elder Trailing crown vetch Bracted plantain Goatsbeard Pokeweed Tumble mustard Brassbuttons Goldenrod Poorjoe Tumble pigweed Bristly oxtongue Ground ivy Povertyweed Tumbleweed Prickly lettuce Velvetleaf Broadleaf dock Gumweed Broadleaf plantain Hairy bittercress Prickly sida Venice mallow Broomweed Hairy fleabane Primrose Veronica

BuckhornHawkweedProstrate knotweedVervainBuckhorn plantainHealallProstrate pigweedVetch

Bulbous buttercup Heartleaf drymary Prostrate spurge Virginia buttonweed Bull nettle Hedge bindweed Prostrate vervain Virginia creeper Bull thistle Hedge mustard Virginia pepperweed Puncture vine Burdock Hemp Purslane Wavyleaf bullthistle Burning nettle Henbit Ragweed Western clematis Bur ragweed Hoary cress Red clover Western salsify Burweed Hoary plantain Redroot pigweed White clover Buttercup Hoary vervain Red sorrel White mustard Redstem filaree Canada thistle Honeysuckle Wild mustard Carolina geranium Hop clover Rough cinquefoil Wild aster Horsenettle Rough fleabane Wild buckwheat Horsetail Roundleafed marigold Wild carrot Indiana mallow Rush Wild four-o'clock,

Carpetweed Catchweed bedstraw Catsear Catnip Ironweed Russian pigweed Wild geranium Chickweed Jewelweed Russian thistle Wild lettuce Chicory .limsonweed St. Johnswort Wild marigold Cinquefoil Kochia Scarlet pimpernel Wild parsnip Clover Knawel Scotch thistle Wild radish Cockle Knotweed Sheep sorrel Wild rape Cocklebur Shepherdspurse Lambsquarter Wild strawberry Coffeebean Lespedeza Slender plantain Wild sweet potato Coffeeweed Locoweed Smallflower galinsoga Wild vetch Common chickweed Lupine Smartweed Willow Common mullein Mallow Smooth dock Witchweed Common sowthistle Marshelder Smooth pigweed

Woolly morningglory Corn chamomile Matchweed Sneezeweed Woodsorrel Creeping Jenny Mexicanweed Southern wild rose Woolly croton Creeping Woodsorrel Milk vetch Sowthistle Woolly plantain Crimson clover Milkweed Spanishneedle Wormseed Croton Mugwort Spatterdock Yarrow Yellow Rocket Cudweed Morningglory Speedwell Mouseear chickweed Curly dock Spiny amaranth Yellow Woodsorrel Curly indigo Musk thistle Spiny cocklebur Yellow flower pepperweed Dandelion Mustard Spotted catsear and other broadleaf weeds

Directions For Use Options Based On Applicator

Option 1 - Dial 'N Spray/Dial 'N Spray with Direct Connect

[Applicator (Device) (Applicator Name) Directions/Instructions]

HOW TO USE:

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text]. Text separated by / denotes and/or options.

Set:

- Turn dial to 2 oz. for Northern Lawns
- Turn dial to 1 oz. for Southern Lawns

Fill:

- Pour [desired amount of] concentrate into sprayer jar.
- Turn sprayer nozzle to preferred spray.
- Do NOT add water.

Spray:

- Connect [garden] hose to sprayer.
- Turn on water.
- Press and hold trigger for continuous spray.
- Spray only until the surface [of the lawn] is wet.

Finish:

- Pour unused concentrate back into its original container.
- To clean: refer to the Ortho® Dial N Spray® cleaning instructions.

[Optional illustrations may be used in conjunction with the above steps]

The application rate for this product is 2 fl. oz. of product per 500 sq. ft. of lawn for Northern Lawns or 1 fl. oz. of product per 500 sq. ft. of lawn for Southern Lawns.

AND/OR

[Applicator (Device) (Applicator Name) Directions/Instructions]

HOW TO USE:

Set: [Applicator Name]

- Turn dial to 1 oz. for Southern Lawns
- Turn dial to 2 oz. for Northern Lawns

Connect:

- 1. Remove jar from [Ortho® Dial 'N Spray®] [applicator name] [applicator/sprayer].
- 2. Remove cap from the concentrate bottle. [Keep cap for storage.]
- 3. Twist [screw] the [Ortho® Dial 'N Spray®] [applicator name] [applicator/sprayer] onto concentrate bottle to attach.
- 4. Connect [garden] hose to the sprayer and turn on water.

Spray:

- 1. Press and hold trigger for continuous spray. Apply evenly.
- 2. Spray only until the surface [of the lawn] is wet.

Finish:

- 1. Untwist [unscrew] the [product name] concentrate bottle from the [Ortho® Dial 'N Spray®] [applicator name] [applicator/sprayer].
- 2. Replace cap on the [product name] concentrate bottle.
- 3. To clean: Refer to the Ortho® Dial 'N Spray® cleaning instructions.

[Optional illustrations may be used in conjunction with the above steps]

Refer to the Ortho® Dial 'N Spray label and booklet for additional information.

Important:

To prevent sprayer from clogging, always clean after use, as directed.

Option 2 - Tank Sprayer

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text]. Text separated by / denotes and/or options.

[Applicator (Device) (Applicator Name) Directions/Instructions]

HOW TO USE:

Add 2 fl. oz. per gallon of water for every 500 sq. ft. for Northern Lawns Add 1 fl. oz. per gallon of water for every 500 sq. ft. for Southern Lawns

Important:

Over-application or rates above those recommended on this label can cause turf injury.

[Optional illustrations may be used in conjunction with the above steps]

Option 3 - Ortho® Ready-Spray® II System

[Applicator (Device) (Applicator Name) Directions/Instructions]

HOW TO USE:

Northern Lawns (32 fl. oz. covers 8,000 sq. ft) Southern Lawns (32 fl. oz. covers 16,000 sq. ft.)

Connect:

- 1. Connect sprayer to [garden] hose.
- 2. Turn on water.

[User Tip: Start at the farthest point in your yard and work back.] **Spray:**

- 1. To BEGIN spraying, slide/rotate [color] switch to "ON".
- 2. Spray only until the surface of the lawn is wet. Spray evenly.

Finish:

- 1. To STOP spraying, slide/rotate [color] switch to "OFF".
- 2. Turn off water.
- 3. Relieve water pressure by sliding/rotating [color] switch to "WATER/ON".
- 4. After water slows to a drip, slide/rotate [color] switch back to "OFF".
- 5. Disconnect sprayer from [garden] hose.

[Optional illustrations may be used in conjunction with the above steps]

STORAGE & DISPOSAL

PESTICIDE STORAGE: Keep from freezing. To be stored in original container and placed in areas inaccessible to children.

PESTICIDE DISPOSAL AND/& CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

OPTIONAL MARKETING CLAIMS

The following Product Facts format is optional and the information may appear inside or outside of a box.

PRODUCT FACTS:

[What It Does:] Kills major broadleaf weeds including dandelion, chickweed, dollarweed and clover. (See inside for complete/weed list)

[Where to Use:] Lawns: Kills the weeds not the lawn when used as directed. [icon weeds]

[When to Use:] Apply when daytime temperatures are below 90°F.

USE TIPS:		
When to Apply: For established lawns		Apply when daytime temperatures are below 90°F
Арріу.	For newly seeded areas	Apply this product to newly seeded grasses when well-established (approximately 6 weeks after seedling emergence) or after the third mowing.
	For newly sodded, sprigged, or plugged areas	Apply this product 3 to 4 weeks after the sodding, sprigging, or plugging operations.
Seeding:		The treated area can be seeded at 4 weeks after the application of this product.
Irrigation:	Non-stressed turfgrass	Adequate soil moisture and favorable growing conditions enhance the performance of this product.
	Stress from high temperatures, drought, insects or diseases.	Avoid applications of this product when turfgrasses are under stress since injury may result. If dry conditions exist, schedule irrigations (watering) before and after the application. For best results, delay the irrigation until approximately 24 hours after application of this product.
Mowing:		Delay mowing 2 days before and until 2 days after the application of this product. Do not use clippings from the treated areas as mulch or compost around flowers, ornamentals, trees, or in vegetable gardens.
Nontarget plants:		Do not apply this product to food crops (gardens, fruits and vegetables), forage crops, or ornamental plants including flowers, trees, shrubs, hedges, woody ornamentals, groundcovers established in landscape plantings and other nontarget plants. Do not spray exposed roots of ornamentals and trees.

The following claims may or may not appear on any label panel or in advertising. Appropriate formula and company specific information will be inserted on Final Printed Label to replace "X"

Efficacy Claims

- 1. [Also] Kills [Dandelion,] [Clover,] plus [XXX] other [listed] weeds [as listed]
- 2. [Even] kills [controls] poison ivy and poison oak
- 3. [Only] targets the weeds, leaving your lawn [grass] unharmed*
- 4. [Visible] [See] results in X hours
- 5. Gets to the root [of your weed problem]
- 6. Kills by contact
- 7. Kill [control] the most common weeds in your lawn [grass] **
- 8. Kills [controls] [Dandelion,] [Clover,] and other common [lawn weeds] [weeds found in your
- 9. lawn] **
- 10. Kills [controls] [hard-to-control] [tough] weeds**
- 11. Kills [controls] all types of [lawn] weeds [in your grass] **
- 12. Kills [controls] broadleaf weeds [in lawns] **

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

- 13. Kills [controls] [listed weeds]
- 14. Kills [lawn] weeds [down] to the roots
- 15. Kills [lawn] weeds [to the roots]
- 16. Kills to the root [so weeds won't come back]
- 17. Kills weeds down to the root
- 18. Kills weeds, not lawns ™
- 19. Results [works] with 1 [one] application
- 20. Gentle on lawns [grass], tough on weeds!*
- 21. Simple [and easy] steps to a weed free [lawn] [yard]
- 22. Starts working on contact
- 23. Targets weeds invading your lawn [grass]
- 24. Tough weed killer
- 25. Won't harm grass [when used as directed]
- 26. One [1] easy solution for dollarweed, dandelions, and clover
- 27. For use on St. Augustine Grass [excluding Floratam]
- 28. For use on ALL lawn [grass] [types/varieties] as listed

Formula Claims

- 29. 3-way control
- 30. [With] Lawn Guard ™ [Lawn Protect ™]
- 31. Colorless formula
- 32. Fast-acting [formula]
- 33. For use on [many Northern & Southern] grasses [lawns] including XXX
- 34. Kill over [up to] XXX [lawn] weeds**
- 35. Kills [controls] [over] [XXX+] [types of] weeds**
- 36. Lawn Friendly*
- 37. Non-staining
- 38. Stain-free [formula]
- 39. Systemic [herbicide] Activity
- 40. Treats many Northern & Southern grass types

Characteristics

- 41. [Easily] covers large areas
- 42. 1 bottle [quart] treats [up to] XXXX square feet
- 43. [Great] [Ideal] for broadcast treatment [application]
- 44. Great value [- use to cover small or large areas]
- 45. One [1] [bottle size] covers up to XXXX square feet
- 46. makes more than XX gallons
- 47. Covers [treats up to] XXXX square feet
- 48. Designed for use on Southern lawns [warm season grasses/list approved grass types here]
- 49. Water based

Weather & Speed

- 50. [See] results in hours
- 51. Overnight results
- 52. Rainproof [for control that] won't wash away
- 53. Rainproof [rainfast] in [1] [X] hour[s]
- Starts working immediately

Applicator Claims

- 55. Hands stay dry
- 56. No messy clean-up
- 57. One-handed operation [use] [spraying]
- 58. [Requires] no measuring, [no mixing]
- 59. [The] Easy way to spray
- 60. [Ergonomic] [Comfort] grip [handle]

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text]. Text separated by / denotes and/or options.

61. [Simply] attach to [garden] hose and spray [go]

- 62. Easy [Simple] to attach [to [garden] hose]
- 63. [includes] water only setting
- 64. One step prep
- 65. Ready-Spray®/Ready to Spray/Applicator Name
- 66. [Applicator name]
- 67. The value of XX [size RTU] in one concentrate
- 68. XX [oz] Dial N Spray setting [Northern/Southern]
- 69. Convenient [simple] design
- 70. Easy [and simple] to use
- 71. Quick & Easy [to use]
- 72. Save[s] time [and energy]
- 73. Easy measure cap [top] [lid] [cup]
- 74. Mess free cap [top] [lid] [cup]
- 75. Measure with ease
- 76. Quick, convenient, and mess free
- 77. [reusable] [drain-back/measuring] cap
- 78. Direct[ly] Connects to Ortho® Dial N Spray®
- 79. No measuring! Attach directly to Ortho® Dial N Spray®
- 80. Quickly [and easily] attaches [connects] to Ortho® Dial N Spray®
- 81. No more measuring concentrates with Ortho[®] Dial N Spray[®]

POP Claims

- 82. Value [pack/ size/buy]
- 83. Bonus [value/ size/offer/package/pack/buy]
- 84. Exclusive item [size]
- 85. Special [buy/offer/size/item]
- 86. Limited time offer
- 87. X% more than X size
- 88. Save [money]
- 89. Free sample
- 90. X% more [free]
- 91. Combo pack
- 92. Bottle in [a] box
- 93. Easy to use[mix][refill]
- 94. [easy] refill [system]
- 95. <u>1 [1.33] gallon/gal Refill size</u>
- 96. <u>Great value</u>
- 97. Just add water [to make 1 gal [x gal] ready to use]
- 98. Premeasured [refill bottle]
- 99. Use with/in Weed B Gon 1 gal [1.33, 1.1 gal] trigger/wand/pull & spray

Other

- 100. * when used as directed
- 101. **see inside for weed list
- 102. Be in control of weeds in your yard
- 103. Before [illustration]/After [illustration]
- 104. For a beautiful [weed-free] lawn
- 105. [For] [Get] a weed free lawn
- 106. For Home Lawn Care
- 107. For Home Lawn_Use [Only]
- 108. From the lawn care experts at Scotts
- 109. From the pest experts at Ortho
- 110. Guaranteed [results]*
- 111. Guaranteed not to harm the lawn*
- 112. Help[s] [keep[s]] the lawn look[ing] beautiful

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

- 113. Helps keep lawns weed free
- 114. Keep from freezing
- 115. Lawn friendly weed control*
- 116. Local solutions for local problems
- 117. New/Now (The following claim may appear on any label panel for 6 months following commercial introduction.)
- 118. Ortho guarantee
- 119. Ortho's #1 Weed Killer for Lawns
- 120. Ortho's [Our] most powerful weed killer for lawns
- 121. Ortho's simple weed killer
- 122. Proven Performance
- 123. Read Entire label before use
- 124. Recyclable bottle
- 125. [Recycle symbol]
- 126. Gentle on lawns [guaranteed*]
- 127. Takes the guesswork out of weed control [in the lawn]
- 128. Weed control for your lawn
- 129. Weed control made easy
- 130. Weed free [worry free]
- 131. Won't harm [the] lawn, guaranteed*
- 132. XX% more than X gallon size
- 133. XX% less plastic

Optional Instructions for Side Clip Tape

PULL / PEEL HERE [TO REMOVE TAPE]

Open Resealable Label For Directions and/& Precautions

Press to Reseal

NOTICE: To the extent consistent with applicable law, the buyer assumes all risks of use, storage or handling of this product not in accordance with label directions.

The ORTHO Guarantee

If for any reason you, the consumer, are not satisfied with this product, mail us your original proof of purchase to obtain a full refund of your purchase price.

Ortho and Your Environment – Your yard is a place for family and pets to enjoy. That's why Ortho products are designed with care to provide effective solutions to weed problems. Please follow instructions for appropriate usage, storage and disposal.

[Superscript is first letter of lot number]

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text]. Text separated by / denotes and/or options.

SUBLABEL 2 - CONCENTRATE (Floratam)

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USE.

SHAKE WELL BEFORE USING.

USE PRECAUTIONS AND RESTRICTIONS:

- Do not apply this product in a way that will contact any person or pet, either directly or through drift.
 Keep people and pets out of the area during application.
- [Reentry Icon] Do not allow people or pets to enter the treated area until sprays have dried.
- Do not exceed two applications per year with a minimum of 30 days between applications.
- Do not spray exposed roots of desirable plants.
- Do not exceed directed rates because damage to turf may occur.
- Use a lawn type sprayer with a coarse spray as wind drift is less likely.
- Spray when air is calm to avoid spray drift that might injure desirable ornamental plants. Do not spray as a fine mist as injury to non-target plants may occur.
- Make new dilution for each use.
- Do not apply directly to or near water, storm drains, gutters, sewers or drainage ditches.
- Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans.
- Do not apply when windy.
- To prevent product runoff, do not overwater the treated area to the point of runoff or apply when raining or when rain is expected that day.
- Rinse applicator over lawn [or garden] area only.
- Do not apply to newly seeded grasses until they have been mowed 3 times.
- Do not reseed for 4 weeks after use. If lawn needs watering, water thoroughly before application.
- Spray entire lawn, wetting weeds and lawn grasses.
- Do not apply when temperature exceeds 90°F.
- Allow 12 hours after application before watering lawn for maximum effectiveness on listed weeds.

HOW IT WORKS/PRODUCT INFORMATION:

LAZER Premium Lawn Weed Killer Concentrate/Product Name contains three proven weed killers that target lawn weeds. This herbicide enters the lawn weeds through their leaves and moves throughout the plant to provide control. And lawns listed on this label will not be harmed when used as directed.

WHERE TO USE:

LAZER Premium Lawn Weed Killer Concentrate/Product Name/This product can be applied to residential lawns with the following turfgrass types:

Lawns To Be Treated:		
Cool Season Turfgrass (Northern Lawns)		
Kentucky bluegrass, Ryegrass Tall fescue and Fine fescue		
Warm Season Turfgrass (Southern Lawns)	½ fl oz per gallon of water per 500 sq ft	
St. Augustinegrass (including Floratam), Bermudagrass ¹ (common and hybrid), Centipedegrass, Zoysiagrass, Buffalograss and Bahiagrass		
¹ Application to hybrid bermudagrass may cause temporary yellowing or discoloration but full recovery can be expected. Do not apply to hybrid bermudagrass when daytime temperatures exceed 85° F.		
Over-application or rates above those specified on this label can cause turf injury.		

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text]. Text separated by / denotes and/or options.

DO NOT apply [LAZER Premium Lawn Weed Killer Concentrate/Product Name] to the following:

Bentgrasses

Carpetgrass

Dichondra

Lippia

Gardens including vegetables, fruit trees, vines and berries

Ornamental plants (flowers, trees, groundcovers, landscape beds and shrubs)

Seashore paspalum

Turfgrass types that are not listed on this label.

HOW MUCH TO USE:

Use ½ fl. oz. per gallon of water for every 500 sq.ft

The maximum application rate is 1 fl.oz. of product per 1,000 sq. ft. per application [0.21 lb 2,4-D acid equivalent per acre per application]. The maximum number of broadcast applications is limited to 2 per year. Allow at least 30 days between applications. The maximum seasonal rate is 2 fl. oz. of product per 1,000 sq.ft. [0.42 lb 2,4-D acid equivalent per acre]

WHEN TO USE:

Apply this product when weeds are small and actively growing in the spring or fall.

BROADLEAF WEEDS CONTROLLED [KILLS WEEDS INCLUDING:] Some or all of the following weeds will appear on the label.

some or an or and rome	mig moodo mii appoai	on the labor	
Alder	Dead Nettle	Narrowleaf plantain	Spotted knapweed
Annual yellow sweet clover	Dock	Narrowleaf vetch	Spotted spurge
Artichoke	Dogbane	Nettle	Spurge
Aster	Dogfennel	Nutgrass	Spurweed
Austrian fieldcress	Elderberry	Orange hawkweed	Stinging nettle
Bedstraw	English daisy	Oxalis	Stinkweed
Beggartick	Fall dandelion	Oxeye daisy	Stichwort
Biden	False dandelion	Parsley-piert	Strawberry clover
Bindweed	False flax	Parsnip	Sumac
Bird vetch	False sunflower	Pearlwort	Sunflower
Bitterweed	Fiddleneck	Pennycress	Sweet clover
Bitter wintercress	Field bindweed	Pennywort	Tall nettle
Black-eyed Susan	Field pansy	Peppergrass	Tall vervain
Black medic	Flea bane (Daisy)	Pepperweed	Tansy mustard
Black mustard	Flixweed	Pigweed	Tansy ragwort
Blackseed plantain	Florida betony	Pineywoods bedstraw	Tanweed
Blessed thistle	Florida pusley	Plains coeopsis	Tarweed
Bloodflower	Frenchweed	Plantain	Thistle
Blue lettuce	Galinsoga	Poison hemlock	Tick trefoil
Blue vervain	Garlic mustard	Poison ivy	Toadflax
Box elder	Goathead	Poison oak	Trailing crown vetch
Bracted plantain	Goatsbeard	Pokeweed	Tumble mustard
Brassbuttons	Goldenrod	Poorjoe	Tumble pigweed
Bristly oxtongue	Ground ivy	Povertyweed	Tumbleweed
Broadleaf dock	Gumweed	Prickly lettuce	Velvetleaf
Broadleaf plantain	Hairy bittercress	Prickly sida	Venice mallow
Broomweed	Hairy fleabane	Primrose	Veronica
Buckhorn	Hawkweed	Prostrate knotweed	Vervain
Buckhorn plantain	Healall	Prostrate pigweed	Vetch
Bulbous buttercup	Heartleaf drymary	Prostrate spurge	Virginia buttonweed
Bull nettle	Hedge bindweed	Prostrate vervain	Virginia creeper
Bull thistle	Hedge mustard	Puncture vine	Virginia pepperweed
Burdock	Hemp	Purslane	Wavyleaf bullthistle
Burning nettle	Henbit	Ragweed	Western clematis
Bur ragweed	Hoary cress	Red clover	Western salsify
Burweed	Hoary plantain	Redroot pigweed	White clover
Buttercup	Hoary vervain	Red sorrel	White mustard
Canada thistle	Honeysuckle	Redstem filaree	Wild mustard

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text]. Text separated by / denotes and/or options.

Carolina geranium Hop clover Rough cinquefoil Wild aster Carpetweed Horsenettle Rough fleabane Wild buckwheat Roundleafed marigold Catchweed bedstraw Horsetail Wild carrot Catsear Indiana mallow Rush Wild four-o'clock, Catnip Ironweed Russian pigweed Wild geranium Chickweed Jewelweed Russian thistle Wild lettuce Chicory Jimsonweed St. Johnswort Wild marigold Kochia Scarlet pimpernel Wild parsnip Cinquefoil Clover Knawel Scotch thistle Wild radish Cockle Knotweed Sheep sorrel Wild rape Cocklebur Lambsquarter Shepherdspurse Wild strawberry Coffeebean Lespedeza Slender plantain Wild sweet potato Coffeeweed Locoweed Smallflower galinsoga Wild vetch Common chickweed Lupine Smartweed Willow Witchweed Common mullein Mallow Smooth dock Common sowthistle Marshelder Smooth pigweed Woolly morningglory Corn chamomile Matchweed Sneezeweed Woodsorrel Mexicanweed Southern wild rose

Creeping Jenny Woolly croton Creeping Woodsorrel Milk vetch Sowthistle Woolly plantain Crimson clover Milkweed Spanishneedle Wormseed Croton Muawort Spatterdock Yarrow Yellow Rocket Cudweed Morningglory Speedwell Curly dock Mouseear chickweed Spiny amaranth Yellow Woodsorrel Curly indigo Musk thistle Spiny cocklebur Yellow flower pepperweed Dandelion Mustard and other broadleaf weeds Spotted catsear

Directions For Use Options Based On Applicator

[Applicator (Device) (Applicator Name) Directions/Instructions]

HOW TO USE:

FOR TANK SPRAYER:

Add ½ fl. oz. per gallon of water for every 500 sq. ft.

Important:

Over-application or rates above those recommended on this label can cause turf injury

AND/OR

[Applicator (Device) (Applicator Name) Directions/Instructions]

HOW TO USE:

Set: [Applicator Name]

1. Turn dial to 1 TBS.

Connect:

- 1. Remove jar from [Ortho® Dial 'N Spray®] [applicator name] [applicator/sprayer].
- 2. Remove cap from the concentrate bottle. [Keep cap for storage.]
- Twist [screw] the [Ortho® Dial 'N Spray®] [applicator name] [applicator/sprayer] onto concentrate bottle to attach.
- 4. Connect [garden] hose to the sprayer and turn on water.

Spray:

- 1. Press and hold trigger for continuous spray. Apply evenly.
- 2. Spray only until the surface [of the lawn] is wet.

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text]. Text separated by / denotes and/or options.

Finish:

- 1. Untwist [unscrew] the [product name] concentrate bottle from the [Ortho® Dial 'N Spray®] [applicator name] [applicator/sprayer].
- 2. Replace cap on the [product name] concentrate bottle.
- 3. To clean: Refer to the Ortho® Dial 'N Spray® cleaning instructions.

[Optional illustrations may be used in conjunction with the above steps]

Refer to the Ortho® Dial 'N Spray label and booklet for additional information.

Important:

To prevent sprayer from clogging, always clean after use, as directed.

STORAGE & DISPOSAL

PESTICIDE STORAGE: Keep from freezing. To be stored in original container and placed in areas inaccessible to children.

PESTICIDE DISPOSAL AND/& CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

OPTIONAL MARKETING CLAIMS

The following Product Facts format is optional and the information may appear inside or outside of a box.

PRODUCT FACTS:

[What It Does:] Kills major broadleaf weeds including dandelion, chickweed, dollarweed and clover. (See inside for complete/weed list)

[Where to Use:] Lawns: Kills the weeds not the lawn when used as directed. [icon weeds]

[When to Use:] Apply when daytime temperatures are below 90°F.

NOTE: **Bold, italicized text is information for the reader and is not part of the label.** [Bracketed information is optional text]. Text separated by / denotes and/or options.

USE TIPS:		
When to Apply: For established lawns		Apply when daytime temperatures are below 90°F.
	For newly seeded areas	Apply this product to newly seeded grasses when well-established (approximately 6 weeks after seedling emergence) or after the third mowing.
	For newly sodded, sprigged, or plugged areas	Apply this product 3 to 4 weeks after the sodding, sprigging, or plugging operations.
Seeding:		The treated area can be seeded at 4 weeks after the application of this product.
Irrigation:	Non-stressed turfgrass Stress from high temperatures, drought, insects or diseases.	Adequate soil moisture and favorable growing conditions enhance the performance of this product. Avoid applications of this product when turfgrasses are under stress since injury may result. If dry conditions exist, schedule irrigations (watering) before and after the application. For best results, delay the irrigation until approximately 24 hours after application of this product.
Mowing:		Delay mowing 2 days before and until 2 days after the application of this product. Do not use clippings from the treated areas as mulch or compost around flowers, ornamentals, trees, or in vegetable gardens.
Nontarget plants:		Do not apply this product to food crops (gardens, fruits and vegetables), forage crops, or ornamental plants including flowers, trees, shrubs, hedges, woody ornamentals, groundcovers established in landscape plantings and other nontarget plants. Do not spray exposed roots of ornamentals and trees.

The following claims may or may not appear on any label panel or in advertising. Appropriate formula and company specific information will be inserted on Final Printed Label to replace "X"

Efficacy Claims

- 1. [Also] Kills [Dandelion,] [Clover,] plus [XXX] other [listed] weeds [as listed]
- 2. [Even] kills [controls] poison ivy and poison oak
- 3. [Only] targets the weeds, leaving your lawn [grass] unharmed*
- 4. [Visible] [See] results in X hours
- 5. Gets to the root [of your weed problem]
- 6. Kills by contact
- 7. Kill [control] the most common weeds in your lawn [grass] **
- 8. Kills [controls] [Dandelion,] [Clover,] and other common [lawn weeds] [weeds found in your
- 9. lawn] **
- 10. Kills [controls] [hard-to-control] [tough] weeds**
- 11. Kills [controls] all types of [lawn] weeds [in your grass] **
- 12. Kills [controls] broadleaf weeds [in lawns] **
- 13. Kills [controls] [listed weeds]
- 14. Kills [lawn] weeds [down] to the roots
- 15. Kills [lawn] weeds [to the roots]
- 16. Kills to the root [so weeds won't come back]
- 17. Kills weeds down to the root
- 18. Kills weeds, not lawns ™
- 19. Results [works] with 1 [one] application

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

- 20. Gentle on lawns [grass], tough on weeds!*
- 21. Simple [and easy] steps to a weed free [lawn] [yard]
- 22. Starts working on contact
- 23. Targets weeds invading your lawn [grass]
- 24. Tough weed killer
- 25. Won't harm grass [when used as directed]
- 26. One [1] easy solution for dollarweed, dandelions, and clover
- 27. For use on St. Augustine Grass [including Floratam]
- 28. For use on most lawn [grass] [types/varieties][as listed]

Formula Claims

- 29. 3-way control
- 30. [With] Lawn Guard ™ [Lawn Protect ™]
- 31. Colorless formula
- 32. Fast-acting [formula]
- 33. For use on [most Northern & Southern] grasses [lawns] including XXX
- 34. Kill over [up to] XXX [lawn] weeds**
- 35. Kills [controls] [over] [XXX+] [types of] weeds**
- 36. Lawn Friendly*
- 37. Non-staining
- 38. Stain-free [formula]
- 39. Systemic [herbicide] Activity
- 40. Treats many Northern & Southern grass types

Characteristics

- 41. [Easily] covers large areas
- 42. 1 bottle [quart] treats [up to] XXXX square feet
- 43. [Great] [Ideal] for broadcast treatment [application]
- 44. Great value [- use to cover small or large areas]
- 45. One [1] [bottle size] covers up to XXXX square feet
- 46. makes more than XX gallons
- 47. Covers [treats up to] XXXX square feet
- 48. Designed for use on Southern lawns [warm season grasses/list approved grass types here]
- 49. Water based

Weather & Speed

- 50. [See] results in hours
- 51. Overnight results
- 52. Rainproof [for control that] won't wash away
- 53. Rainproof [rainfast] in [1] [X] hour[s]
- 54. Starts working immediately

POP Claims

- 55. Value [pack/ size/buy]
- 56. Bonus [value/ size/offer/package/pack/buy]
- 57. <u>Exclusive item [size]</u>
- 58. Special [buy/offer/size/item]
- 59. Limited time offer
- 60. X% more than X size
- 61. Save [money]
- 62. Free sample
- 63. X% more [free]
- 64. Combo pack
- 65. Great value
- 66. Bottle in [a] box
- 67. Easy to use[mix][refill]

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

- 68. [easy] refill [system]
- 69. 1 [1.33] gallon/gal Refill size
- 70. Great value
- 71. Just add water [to make 1 gal [x gal] ready to use]
- 72. Premeasured [refill bottle]
- 73. Use with/in Weed B Gon 1 gal [1.33, 1.1 gal] trigger/wand/pull & spray

Applicator Claims

- 74. Hands stay dry
- 75. No messy clean-up
- 76. One-handed operation [use] [spraying]
- 77. [Requires] no measuring, [no mixing]
- 78. [The] Easy way to spray
- 79. [Ergonomic] [Comfort] grip [handle]
- 80. [Simply] attach to [garden] hose and spray [go]
- 81. Easy [Simple] to attach [to [garden] hose]
- 82. [includes] water only setting
- 83. One step prep
- 84. Ready-Spray®/Ready to Spray/Applicator Name
- 85. [Applicator name]
- 86. The value of XX [size RTU] in one concentrate
- 87. XX [oz] Dial N Spray setting [Northern/Southern]
- 88. Convenient [simple] design
- 89. Easy [and simple] to use
- 90. Quick & Easy [to use]
- 91. Save[s] time [and energy]

Other

- 92. * when used as directed
- 93. **see inside for weed list
- 94. Be in control of weeds in your yard
- 95. Before [illustration]/After [illustration]
- 96. For a beautiful [weed-free] lawn
- 97. [For] [Get] a weed free lawn
- 98. For Home Lawn Care
- 99. For Home Lawn Use [Only]
- 100. From the lawn care experts at Scotts
- 101. From the pest experts at Ortho
- 102. Guaranteed [results]*
- 103. Guaranteed not to harm the lawn*
- 104. Help[s] [keep[s]] the lawn look[ing] beautiful
- 105. Helps keep lawns weed free
- 106. Keep from freezing
- 107. Lawn friendly weed control*
- 108. Local solutions for local problems
- 109. New/Now The following claim may appear on any label panel for 6 months following commercial introduction.)
- 110. Ortho guarantee
- 111. Ortho's #1 Weed Killer for Lawns
- 112. Ortho's [Our] most powerful weed killer for lawns
- 113. Ortho's simple weed killer
- 114. Proven Performance
- 115. Read Entire label before use
- 116. Recyclable bottle
- 117. [Recycle symbol]
- 118. Gentle on lawns [guaranteed*]

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text]. Text separated by / denotes and/or options.

- 119. Takes the guesswork out of weed control [in the lawn]
- 120. Weed control for your lawn
- 121. Weed control made easy
- 122. Weed free [worry free]
- 123. Won't harm [the] lawn, guaranteed*
- 124. XX% more than X gallon size
- 125. XX% less plastic

Optional Instructions for Side Clip Tape

PULL / PEEL HERE [TO REMOVE TAPE]

Open Resealable Label For Directions and/& Precautions

Press to Reseal

NOTICE: To the extent consistent with applicable law, the buyer assumes all risks of use, storage or handling of this product not in accordance with label directions.

The ORTHO Guarantee

If for any reason you, the consumer, are not satisfied with this product, mail us your original proof of purchase to obtain a full refund of your purchase price.

Ortho and Your Environment – Your yard is a place for family and pets to enjoy. That's why Ortho products are designed with care to provide effective solutions to weed problems. Please follow instructions for appropriate usage, storage and disposal.

[Superscript is first letter of lot number]

LABEL HISTORY

File Name	Revision Mark	Comments
000228-00553.20111909.MASTER (RV111909)	(RV111909)	New Master label
000228-00553.20111909.MASTER (RV111909)	(RV111909)	EPA accepted new master label on 20131122
000228-00553.20131216.weeds label notification	RV112213	Added 2 weeds and corrected typos and spelling
000228-00553.20131227.MASTER (RV122713)	(RV122713)	EPA accepted new master label on 20131227