UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

May 12, 2017

Gregory C. Mattern Nufarm Americas Inc. 4020 Aerial Center Parkway, Suite 101 Morrisville, NC 27560

Subject: Notification per PRN 98-10 – To add optional marketing claims Product Name: Mallet 0.2% G EPA Registration Number: 228-587 Application Date: April 19, 2017 Decision Number: 528882

Dear Mr. Mattern,

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you have any questions, please contact Jessica Rogala by phone at 703-347-0263, or via email at <u>rogala.jessica@epa.gov</u>.

Sincerely,

J Rogala Jos

Elyssa Arnold, Acting Product Manager 01 Invertebrate & Vertebrate Branch 3 Registration Division (7505P) Office of Pesticide Programs

MALLET[®] 0.2% G READY-TO-SPREAD GRANULES

SUB-LABEL A: INTENDED FOR COMMERCIAL / OCCUPATIONAL APPLICATOR TURF & ORNAMENTAL USES

SUB-LABEL B: RESIDENTIAL LAWN, LANDSCAPE, & ORNAMENTAL USES

ACTIVE INGREDIENT:

| Imidacloprid, 1 -[(6-Chloro-3-pyridinyl)methyl]- <i>N</i> -nitro-2-imidazolidinimine | 0.2% |
|--|--------------|
| OTHER INGREDIENTS: | <u>99.8%</u> |
| TOTAL | 100.0% |

NOTIFICATION

228-587

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

5/12/2017

EPA REG. NO. 228-587 EPA EST. NO. _____

> [Nufarm: Grow a better tomorrow] [Grow a better tomorrow]

MANUFACTURED FOR NUFARM AMERICAS INC. 11901 South Austin Avenue Alsip, IL 60803



000228-00587.20170419.NOTIF (HL)



For [fertilization] [fertilizer] [and] control of listed insect pests in [turfgrass] [and] [sod farms] [and] [landscape ornamentals].

Restriction: Not for sale, sale into, distribution and/or use in Nassau, Suffolk, Kings and Queens Counties in the state of New York.

ACTIVE INGREDIENT:

| Imidacloprid, 1 -[(6-Chloro-3-pyridinyl)methyl]- <i>N</i> -nitro-2-imidazolidinimine | 0.2% |
|--|--------------|
| OTHER INGREDIENTS: | <u>99.8%</u> |
| TOTAL | 100.0% |

REFER TO FERTILIZER TAG FOR ANALYSIS

KEEP OUT OF REACH OF CHILDREN CAUTION / PRECAUCIÓN

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

SEE SIDE PANELS FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300 For Medical Emergencies Only, Call (877) 325-1840

EPA REG. NO. 228-587 EPA EST. NO. _____

MANUFACTURED FOR NUFARM AMERICAS INC. 11901 South Austin Avenue Alsip, IL 60803



[Nufarm: Grow a better tomorrow] [Grow a better tomorrow]

NET CONTENTS LBS. (

KG)

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION / PRECAUCIÓN

Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

THE FOLLOWING PERSONAL PROTECTIVE EQUIPMENT (PPE) REQUIREMENTS APPLY TO SOD FARM USE ONLY: Applicators and other handlers must wear:

- Long-sleeved shirt, long pants
- Chemical-resistant gloves (such as natural rubber selection category A)
- Shoes and socks.

Follow manufacturer's instructions for cleaning/maintaining Personal Protective Equipment (PPE). If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

For Non-WPS Uses: Applicators and other handlers who handle this product for any use not covered by WPS (40 CFR Part 170) - in general only agricultural plant uses are covered by WPS - must wear:

- Shirt and pants
- Chemical-resistant gloves (such as natural rubber selection category A)
- Shoes plus socks.

USER SAFETY RECOMMENDATIONS

Users Should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

| | FIRST AID |
|---------------------------|--|
| IF IN EYES | Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. |
| IF ON SKIN OR CLOTHING | Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. |

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment information.

NOTE TO PHYSICIAN

No specific antidote is available. Treat the patient symptomatically.

ENVIRONMENTAL HAZARDS

This product is highly toxic to aquatic invertebrates.

DO NOT apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. **DO NOT** contaminate water when disposing of equipment washwaters.

This chemical demonstrates the properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

To prevent contamination of the environment, **DO NOT** apply near water, storm drains, gutters or ditches. **DO NOT** apply when heavy rain or downpour is predicted for that day. Apply this product only to your lawn or garden, and sweep any product that lands on the driveway, sidewalk, or street, back onto the treated area of your lawn or garden.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DO NOT apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirement specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Note to Reviewer: the two statements in brackets below may be used as they relate to *Tilia* species:

[**DO NOT** apply this product, by any application method, to linden, basswood or other *Tilia* species in the State of Oregon.]

[DO NOT apply this product, by any application method, to linden, basswood or other *Tilia* species.]

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about Personal Protective Equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

DO NOT enter or allow worker entry into treated areas during the **restricted-entry interval (REI) of 12 hours**. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls
- Chemical-resistant gloves made of any waterproof material
- Shoes plus socks.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are **NOT** within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, and greenhouses.

If watering-in of the product is necessary, **DO NOT** allow people or pets on treated areas until grass or soil is dry.

APPLICATION TO TURFGRASS

Use this product for the control of listed soil inhabiting pests of turfgrass, such as Northern & Southern masked chafers, *Cyclocephala borealis, immaculata,* and/or *C. lurida*; Asiatic garden beetle, *Maladera castanea*; European chafer, *Rhizotroqus majalis*; May or June beetles, *Phyllophaga* spp.; Japanese beetle, *Popillia japonica*; Oriental beetle, *Anomala orientalis*; Billbugs, *Sphenophorus* spp.; Annual bluegrass weevil, *Hyperodes* spp.; Black turfgrass ataenius, *Ataenius spretulus*; *Aphodius* spp.; and mole crickets, *Scapteriscus* spp. Use this product as directed on turfgrass in residential lawns, business and office complexes, shopping complexes, multi-family residential complexes, golf courses, airports, cemeteries, parks, playgrounds, athletic fields and sod farms.

The active ingredient in this product has sufficient residual activity so that applications can be made preceding the egg laying activity of the target pests. High levels of control can be achieved when applications are made preceding or during the egg laying period. Base the need for an application on historical monitoring of the site, previous records or experiences, current season adult trapping or other methods. Control will be achieved when applications are made prior to egg hatch of the target pest, followed by sufficient irrigation or rainfall to move the active ingredient through the thatch.

DO NOT apply to turfgrass that is water saturated. Application to water saturated turf will result in reduced performance. The treated area must be in such a condition that the rainfall or irrigation will penetrate vertically into the soil profile. Applications cannot exceed a total of 200 pounds (0.4 pound of active ingredient) per acre per year.

APPLICATION TO ORNAMENTALS

This product can be used as a broadcast application on ornamentals in commercial and residential landscapes, as well as on landscaped areas of golf courses and other recreational areas. Make application prior to anticipated pest infestation to achieve control. Rainfall, irrigation or mechanical incorporation after application will aid in maximizing control.

DO NOT apply more than 200 pounds of this product (0.4 pound of active ingredient) per acre per year.

APPLICATION EQUIPMENT

Apply this product uniformly over the area being treated with typical granular application equipment. Both drop-type and rotary-type spreaders may be used to apply this product. DO NOT use spreaders that apply the material in concentrated bands. Calibrate all spreader equipment at the time of application to achieve the desired application rate.

| APPLICATION RATES FOR USE ON TURFGRASSES | | | |
|--|--|---|--|
| CROP | PEST | DOSAGE | |
| | Larvae of:Annual bluegrass weevilEuropean Crane FlyAsiatic garden beetleNorthern masked chaferBillbugsOriental beetleBlack turfgrass ataeniusPhyllophaga spp.European chaferSouthern masked chafer | 125 to 200 pounds per acre or 3.0 to 4.5 pounds per 1,000 square feet | |
| | Larvae of:Asiatic garden beetleNorthern masked chaferBlack turfgrass ataeniusOriental beetleEuropean chaferPhyllophaga spp.Japanese beetleSouthern masked chafer | 150 pounds per acre or 3.5 pounds per 1,000 square feet | |
| Turfgrasses | <u>Larvae of:</u> Annual bluegrass weevil Billbugs | 150 to 200 pounds per acre or 3.5 to 4.5 pounds per 1,000 square feet | |
| | For optimum control, make application prior to egg hatch EQUIPMENT " section of this label. | of the target pest. READ "APPLICATION | |
| | Mole crickets | 200 pounds per acre or 4.5 pounds per 1,000 square feet | |
| | For control of mole crickets make application prior to or during the peak egg hatch period. When adults or large nymphs are present and actively tunneling, accompany application by a remedial insecticide. Consult your local State Agricultural Experiment Station or State Extension Turf Specialists for more specific information regarding timing of application. RESTRICTIONS: Irrigation or rainfall is necessary within 24 hours after application to move the activ ingredient through the thatch. On golf courses, irrigate treated areas following application. DO NOT apply more than 200 pounds (0.4 pound of active ingredient) per acre per year. DO NOT mow turf or lawn area until after irrigation or rainfall has occurred so that uniformity of application is not affected. | | |
| | | | |

SPREADER SETTINGS FOR THIS PRODUCT

Use the following chart as a guide to establish an accurate rate of this product. Use a spreader setting that provides an application rate of 3.5 pounds per 1,000 square feet or 150 pounds per acre. Application rates will vary dependent upon speed, equipment wear and condition of spreader. Calibrate application equipment prior to use according to manufacturer's directions. Check frequently to be sure equipment is working properly and distributing granules uniformly and accurately.

| APPLICATION RATES FOR USE ON ORNAMENTALS | | |
|---|--|--|
| CROP | PEST | DOSAGE |
| Landscape Plantings | White grub larvae | |
| Including: Trees, Shrubs, Evergreens, Flowers, Foliage Plants, Ground Covers | Such as: Japanese beetle larvae, Chafers, <i>Phyllophaga</i> spp. Asiatic garden beetle, Oriental beetle | 3.5 to 4.5 pounds per 1,000 square feet |
| Apply as a broadcast treatment. Prior to application, remove black plastic or other weed barrier material that will not permit water permeability. Mechanical incorporation, irrigation or rainfall is necessary within 24 hours after application to move the active ingredient into soil. | | |
| Refer to label sections on "APPLICATION EQUIPMENT" and "SPREADER SETTINGS". | | |

DO NOT apply more than 200 pounds of this product (0.4 pound of active ingredient) per acre per year.

| APPLICATION RATES | | |
|-------------------|--|--|
| CROP | PEST | DOSAGE |
| Flower Beds | Adelgids Aphids Armored scales (suppression) Japanese beetle (adults) Lacebugs | 4 ounces per 12 square feet (3 ft. x 4 ft. bed area) 4 ounces =tsp ortbsp orcapfuls orcups |
| Roses | Pine tip moth (larvae) Psyllids Root weevil larvae (including Black vine) Sawflies (larvae) | 2 ounces per plant 2 ounces =tsp ortbsp orcapfuls orcups |
| Shrubs | | 4 ounces per foot of plant height 4 ounces =tsp ortbsp orcapfuls orcups |

For new plants, apply when planting.

For established plants, use before pest damage occurs or immediately seen.

Repeat applications every 8 weeks during the growing season.

Apply the required amount of granules evenly on top of soil, mix thoroughly in to the top soil layer, being careful not to damage the upper roots, then water in thoroughly. For flower beds, sprinkle granules evenly over bed.

RESTRICTIONS

- DO NOT allow runoff or puddling of irrigation water following application.
- **DO NOT** apply this product to areas which are water-logged or saturated as this will not allow penetration into the root zone of the plant.
- DO NOT apply more than 200 pounds (0.4 pound of active ingredient) / acre or 4.6 pounds / 1000 square feet / year.
- **DO NOT** apply to vegetable gardens.
- DO NOT apply near fish pools, ponds, lakes or streams.
- DO NOT use food utensils such as teaspoons or measuring cups for food purposes after use with this product.
- Not for sale, sale into, distribution and/or use in Nassau, Suffolk, Kings and Queens Counties in the state of New York.

STORAGE AND DISPOSAL

DO NOT contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, or feed. Store in original containers and out of the reach of children, preferably in a locked storage area.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Improper disposal of excess pesticide is a violation of Federal law.

SPILLS: If the container is leaking or material is spilled for any reason or cause, carefully sweep material into a pile. Refer to Precautionary Statements on label for hazards associated with the handling of this material.

DO NOT walk through spilled material. Dispose of as directed for pesticides above, or apply uncontaminated product according to Directions For Use. Keep unauthorized people away. For chemical spill, leak, fire, or exposure, you may contact CHEMTREC at 800-424-9300.

CONTAINER DISPOSAL: Nonrefillable container. **DO NOT** reuse or refill this container. Offer for recycling if available or place empty container in the trash.

WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVEREDTOYOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULARTRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BYWAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR RISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, ALL SUCH RISKS SHALL BE ASSUMED BYTHE BUYER, USER, OR ITS CUSTOMERS.TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S OR USER'S EXCLUSIVE REMEDY, AND

MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

Mallet is a registered trademark of Nufarm Americas Inc.

(<mark>RV____</mark>)

MALLET[®] 0.2% G READY-TO-SPREAD GRANULES

For [fertilization] [and] control of listed pests on Lawns, Landscape Areas, Roses, Flowers, and Shrubs.

Restriction: Not for sale, sale into, distribution and/or use in Nassau, Suffolk, Kings and Queens Counties in the state of New York.

REFER TO FERTILIZER TAG FOR ANALYSIS

KEEP OUT OF REACH OF CHILDREN CAUTION

SEE INSIDE BOOKLET FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300 For Medical Emergencies Only, Call (877) 325-1840

EPA REG. NO. 228-587 EPA EST. NO.

> [Nufarm: Grow a better tomorrow] [Grow a better tomorrow]

MANUFACTURED FOR NUFARM AMERICAS INC. 11901 South Austin Avenue Alsip, IL 60803



NET CONTENTS _____LBS. (_____KG)

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

| | FIRST AID |
|---------------------------|--|
| IF IN EYES | Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. |
| IF ON SKIN OR CLOTHING | Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. |

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment information.

NOTE TO PHYSICIAN

No specific antidote is available. Treat the patient symptomatically.

ENVIRONMENTAL HAZARDS

This product is highly toxic to aquatic invertebrates. To protect the environment, **DO NOT** allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. For best results, read and follow all label directions.

For Outdoor Residential Use Only on Lawns, Landscape Areas, Roses, Flowers, and Shrubs.

Note to Reviewer: the two statements in brackets below may be used as they relate to *Tilia* species:

[DO NOT apply this product, by any application method, to linden, basswood or other *Tilia* species in the State of Oregon.]

[DO NOT apply this product, by any application method, to linden, basswood or other *Tilia* species.]

PRODUCT INFORMATION

This product feeds the plant to promote strong roots and beautiful blooms, while protecting the plant against insect damage for up to eight (8) weeks. This product is taken up by the roots and travels throughout the entire plant. New growth is protected against insects for up to 8 weeks. This product works inside the plant so rain and water will not wash off the insect protection. This product kills Adelgids, Aphids, Fungus gnats, Leafminers, Lace bugs, Leafhoppers, Mealybugs, Plant bugs, Psyllids, Soft Scales, Thrips (suppression), Whiteflies, and other listed pests. Apply every 8 weeks during the growing season to roses, flowers and shrubs. 2 lbs. treats up to 16 medium-size roses or shrubs.

APPLICATION INFORMATION: ROSES, SHRUBS, FLOWERS

Use this product on Roses, Shrubs, and plantings around homes and residential areas to control listed pests. For new plants, apply when planting. For established plants, use before pest damage occurs or immediately when seen. Repeat applications every 8 weeks during the growing season.

HOW TO APPLY

Apply the required amount of granules evenly on top of soil, being careful not to damage the upper roots, incorporate thoroughly into the top soil layer (Wear glove if done by hand), then water in thoroughly after incorporating into soil. For

flower beds, sprinkle granules evenly over bed. For container plants, spread required amount of product evenly over the potting soil around the base of plant foliage and water thoroughly. For the first 10 days **DO NOT** water the container to the point that water overflows or leaks out the bottom of container.

KILLS

Adelgids, Aphids, Armored scales (suppression), Bark beetles (suppression), Borers (Round-headed including Eucalyptus longhorned), (Flat-headed including Alder, and Bronze Birch), Caterpillars, Fungus gnats, Japanese beetle adults, Lacebugs, Leaf beetles (including Elm, Viburnum, and Lily), Leafhoppers (including Glassy-winged sharpshooter), Leafminers (including Birch, Boxwood, and Holly), Mealybugs, Mimosa webworms, Pine tip moth larvae, Psyllids, Root weevil larvae (including Black vine weevils), Royal palm bugs, Sawflies (larvae), Soft scales (including Lobate lac scales), Thrips, White grub larvae (such as Japanese beetles, Chafers (Northern masked and European), Oriental beetles, and Asiatic garden beetles), and Whiteflies.

HOW MUCH TO USE

(for product packaged in containers that include a measuring cap or measuring device)

For Roses: Apply 2 oz. <u>XX</u> [capfuls] [cups] [tsp][tbsp] per plant For Shrubs: Apply 4 oz <u>XX</u> [capfuls] [cups] [tsp][tbsp] per foot of plant height For Flower Beds: Apply 4 oz <u>XX</u> [capfuls] [cups] [tsp][tbsp] per 12 sq ft (3' x 4' bed area) [tsp= teaspoon] [tbsp= tablespoon]

(for product packaged in containers with a shaker spout)

Roses: Apply 2 oz. per plant Shrubs: Apply 4 oz. per foot of plant height Flower Beds: See illustration below. Apply 4 oz. per 12 square feet (3' x 4' bed area).

APPLICATION RATES FOR CONTAINER PLANTS

| CONTAINER SIZE | AMOUNT OF PRODUCT NEEDED |
|----------------|--------------------------|
| 1 Gallon | 2.5 Tablespoons [tbsp] |
| 2 Gallon | 1/3 cup |
| 3 Gallon | 1/2 cup |
| PLANT SIZE | |
| 4 inch | 2.5 teaspoons [tsp] |
| 5 inch | 1.5 Tablespoons [tbsp] |
| 6 inch | 2.5 Tablespoons [tbsp] |

APPLICATION INFORMATION: LAWNS

Use this product on lawns around homes and residences for the control of listed soil inhabiting pests. **DO NOT** apply to lawns that are water saturated. Application to water saturated lawns will result in reduced performance.

APPLICATION EQUIPMENT

Apply this product uniformly over the treatment area. Both drop-type and rotary-type spreaders may be used to apply this product. DO NOT use spreaders that apply the material in concentrated bands.

APPLICATION RATES FOR LAWNS

| | PEST | DOSAGE |
|--|--|---|
| Larvae of: Annual bluegrass weevil Asiatic garden beetle Billbugs Black turfgrass ataenius European chafer | European Crane Fly Northern masked chafer Oriental beetle <i>Phyllophaga</i> spp. Southern masked chafer | 3.0 to 4.5 pounds per 1,000 square feet |
| Larvae of: Asiatic garden beetle Black turfgrass ataenius European chafer Japanese beetle | Northern masked chafer Oriental beetle <i>Phyllophaga</i> spp. Southern masked chafer | 3.5 pounds per 1,000 square feet |
| Larvae of: Annual bluegrass weevil Billbugs | | 3.5 to 4.5 pounds per 1,000 square feet |
| Mole crickets | | 4.5 pounds per 1,000 square feet |

For optimum control, make application prior to egg hatch of the target pest. Irrigation or rainfall is necessary within 24 hours after application to move the active ingredient through the thatch and into the soil.

RESTRICTIONS:

1. DO NOT mow lawn area until after irrigation or rainfall has occurred so that uniformity of application is not affected.

2. DO NOT apply more than 200 lbs. (0.4 lbs AI) per acre per year or 4.6 lbs/1000 ft² per year.

APPLICATION INFORMATION: LANDSCAPE AREAS

Apply this product as a broadcast application to landscape areas containing, trees, shrubs, evergreens, flowers, foliage plants, and ground covers to control listed soil and foliage pests. Make application prior to anticipated pest infestation to achieve control. Rainfall, or irrigation after application will aid in maximizing control.

APPLICATION RATES FOR LANDSCAPE AREAS

| LANDSCAPE PLANTINGS | PEST | DOSAGE |
|--|---|--|
| Including: Trees, Shrubs, Evergreens, Flowers, Foliage Plants, Ground Covers | White grub larvae Such as: Japanese beetle larvae, Chafers, <i>Phyllophaga</i> spp. Asiatic garden beetle, Oriental beetle | 3.5 to 4.5 pounds per 1,000 square feet |
| Apply as a broadcast treatment. Irrigation or rainfall is necessary within 24 hours after application to move the active ingredient into soil. | | |

| Flower Beds | Adelgids Aphids Armored scales (suppression) Japanese beetle (adults) Lacebugs | 4 ounces per 12 square feet (3 ft. x 4 ft. bed area) 4 ounces =tsp ortbsp or capfuls orcups |
|-------------|---|--|
| Roses | Leaf beetles (including Elm, Virburnum, and Lily) Leafhoppers (including Glassy-winged sharpshooter) Leafminers (including Birch and Boxwood) Mealybugs Pine tip moth (larvae) | 2 ounces per plant 2 ounces =tsp ortbsp or capfuls orcups |
| Shrubs | Pine up moti (larvae) Psyllids Root weevil larvae (including Black vine) Sawflies (larvae) Soft Scales (including Lobate lac) Thrips Whiteflies | 4 ounces per foot of plant height 4 ounces =tsp ortbsp or capfuls orcups |

For new plants, apply when planting.

For established plants, use before pest damage occurs or immediately seen.

Repeat applications every 8 weeks during the growing season.

Apply the required amount of granules evenly on top of soil; mix thoroughly into the top soil layer, being careful not to damage the upper roots, then water in thoroughly. For flower beds, sprinkle granules evenly over bed.

RESTRICTIONS

- **DO NOT** apply near fish pools, ponds, lakes or streams.
- **DO NOT** apply to vegetable gardens.
- **DO NOT** use utensils such as teaspoons or measuring cups for food handling after they have been used to measure this product.
- Not for sale, sale into, distribution and/or use in Nassau, Suffolk, Kings and Queens counties in the state of New York.
- **DO NOT** apply more than 200 pounds (0.4 pound of active ingredient) per acre per year or 4.6 pounds / 1000 ft².

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in a cool, dry place, away from heat or open flame.

PESTICIDE DISPOSAL: If empty – Non-refillable container. **DO NOT** refill or reuse this container. Place empty container in trash or offer for recycling if available. **If partly filled -** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BYWAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR RISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, ALL SUCH RISKS SHALL BE ASSUMED BYTHE BUYER, USER, OR ITS CUSTOMERS.TOTHE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

Mallet is a trademark of Nufarm Americas Inc.

All other trademarks that appear on this label which are not owned by Nufarm Americas Inc. or its subsidiaries are the property of their respective owners.



Optional language or marketing claims:

- 1. [Protects/Defends/Guards] plants from listed insects and feeds for up to 8 weeks
- 2. Up to 8 week insect [Protection/Defense/Control/Prevention] & [Exceptional] feeding
- 3. Up to 8 weeks of [insect] [Protection/Defense/Control/Prevention] [against insects] plus 8 weeks of [Exceptional] [Miracle-Gro/Osmocote] feeding [with [Miracle-Gro/Osmocote] plant food].
- 4. Up to 8 week insect [Protection/Defense/Control/Prevention] plus [Exceptional] [Miracle-Gro/Osmocote] plant food
- 5. Up to 8 weeks of insect [Protection/Defense/Control/Prevention] and [Exceptional] feeding [with Miracle-Gro/Osmocote plant food.]
- 6. [Dual Action:] Insect [Protection/Defense/Control/Prevention] & [Exceptional] feeding for up to 8 weeks
- 7. [Protects/Defends/Guards] and Feeds for up to 8 weeks [now] [with Exceptional] Miracle-Gro/Osmocote plant food]
- 8. Provides up to [1,2...8] weeks continuous release Protection/Defense/Control/Prevention] /feeding/care [for roses] [&] [flowers] [guaranteed!- or your money back]
- 9. Contains [Exceptional] Miracle-Gro [Rose] Plant Food [to Grow Bigger, More Beautiful Roses & Flowers] [to Feed for up to 8 weeks]
- 10. Contains [Miracle-Gro [Rose] plant food] [Osmocote Plant Food].
- 11. Provides [Exceptional] [Miracle-Gro/Osmocote] feeding for up to 8 weeks.
- 12. Grows plants twice as big [!] [&] [with fewer pests/insects/bugs!] [with fewer bugs!]
- 13. Feeds for up to 8 Weeks [with [Exceptional] Miracle-Gro [Rose] / Osmocote] Plant Food
- 14. Feeds and [Protects/Defends/Guards] plants against insects for up to 8 weeks
- 15. [Protects/Defends/Guards] against insects for 8 weeks
- 16. Long-lasting [Protection/Defense/Control/Prevention]
- 17. Effective [Protection/Defense/Control/Prevention]
- 18. systemic insect [Protection/Defense/Control/Prevention] for your plants
- 19. [Protects/Defends/Guards] plants from damage by: Aphids, Whiteflies, Mealybugs, Scale & other listed insects
- 20. promotes strong roots and beautiful blooms
- 21. rainproof [Protection/Defense/Control/Prevention]
- 22. no spraying, no mess
- 23. [Protects/Defends/Guards] against heavy infestations
- 24. highly effective, lasting [Protection/Defense/Control/Prevention]
- 25. feeds the plant to promote strong roots and beautiful blooms, while protecting/defending the plants against insect damage for up to 8 weeks
- 26. new growth is protected against insects for up to 8 weeks
- 27. Apply every 8 weeks during the growing season to roses, flowers and shrubs
- 28. 2-in-1 systemic*
- 29. rainproof [Protection/Defense/Control/Prevention] won't wash off
- 30. feeds and [Protects/Defends/Guards] [against insects] in one [easy] step
- 31. one application [Protects/Defends/Guards] for 8 weeks
- 32. 100% satisfaction guaranteed or your money back
- 33. [Product Name] exceptional formula [Protects/Defends/Guards] your plants against insects for up to eight weeks and feeds them. Now you can grow beautiful flowers and shrub in one easy step.
- 34. Treats up to [X Rose Bushes] [X sq ft] > (4 lb size treats 32 rose bushes or 200 sq ft
- 35. 2-in-1 systemic [Protection/Defense/Control/Prevention] + [Exceptional] [Miracle-Gro/Osmocote] feeding
- 36. Easy to use/apply [granules]
- 37. Easy [to use] Measuring [cap]
- 38. Quick & Easy Measuring [cap]
- 39. AccuDose Measuring [cap]
- 40. Systemic [Protection / Defense / Control / Prevention] [from / against / for / of] [any combination of listed insect].
- 41. Easy to use/apply [granules] [Just sprinkle at plant base][for up to 8 weeks of worry free care]
- 42. [Now] with MicroMax® Nutrients [for hearty, vigorous plants!]
- 43. Designed for Independent Retailers.
- 44. Turf Care Supply Corp Manufacturing [company logo]
- 45. Premier Turf Products [company logo]

*Insecticide & Fertilizer in 1 product