



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

April 4, 2021

Danielle Larochelle  
Regulatory Manager  
Nufarm Americas Inc.  
4020 Aerial Center Parkway, Suite 101  
Morrisville, NC 27560

Subject: Registration Review Label Mitigation for Ethephon  
Product Name: FirstPick Cotton Harvest Aid/Defoliant  
EPA Registration Number: 228-607  
Application Dates: 08/14/2018  
Decision Numbers: 567965

Dear Ms. Larochelle:

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all the information submitted with your application to support the Registration Review of the above referenced product in connection with the Ethephon Interim Decision, and has concluded that your submission is acceptable. The label referred to above, submitted in connection with registration under FIFRA, as amended, is acceptable.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

A copy of your label stamped "Accepted" is enclosed. Products shipped after 12 months from the date of this amendment must bear the new revised label. Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6.

Page 2 of 2  
EPA Reg. No. 228-607  
Decision No. 567965

If you have any questions about this letter, please contact Quinn Gavin by phone at 703-347-0325, or via email at [gavin.quinn@epa.gov](mailto:gavin.quinn@epa.gov).

Sincerely,

A handwritten signature in blue ink, appearing to read "Linda Arrington".

Linda Arrington, Branch Chief  
Risk Management and Implementation Branch 4  
Pesticide Re-Evaluation Division  
Office of Pesticide Programs

Enclosure

**ACCEPTED**

Apr 04, 2021

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 228-607

# FirstPick™

## Cotton Harvest Aid/Defoliant

[Alternate brand name: CottonQuik® Cotton Harvest Aid/Defoliant]

### ACTIVE INGREDIENTS

By Weight

Urea sulfate**	58.6%
Ethephon [(2-Chloroethyl)phosphonic acid] *	18.3%

<b>OTHER INGREDIENTS</b>	<u>23.1%</u>
--------------------------	--------------

<b>TOTAL</b>	100.0%
--------------	--------

\*This product contains 2.28 pounds of ethephon per gallon

\*\*Monocarbamide dihydrogen sulfate

### KEEP OUT OF REACH OF CHILDREN DANGER / PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.  
(If you do not understand the label, find someone to explain it to you in detail.)

**SEE INSIDE BOOKLET FOR FIRST AID AND PRECAUTIONARY STATEMENTS**

**For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300  
For Medical Emergencies Only, Call (877) 325-1840**

#### FIRST AID

<b>IF IN EYES</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>IF ON SKIN OR CLOTHING</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>IF SWALLOWED</b>	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>• Do not give anything to an unconscious person.</li> </ul>
<b>IF INHALED</b>	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>

#### HOTLINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment information.

**NOTE TO PHYSICIAN:** There is no specific antidote. Treat symptomatically. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred. Acid ingestion may cause gastroesophageal perforation. Perforation may occur within 72 hours, but along with abscess formation, may occur weeks later. Due to the corrosive property of this material, emesis is contraindicated. Probable mucosal damage may contraindicate the use of gastric lavage. The use of alkaline substances to neutralize the acid is contraindicated. Victims of severe overexposure by inhalation should be kept under medical observation for up to 72 hours for delayed onset of pulmonary edema.

EPA Reg. No. 228-607

EPA Est. No. \_\_\_\_\_

NET CONTENTS: \_\_\_\_ Gal. ( \_\_\_\_ L)

MANUFACTURED FOR  
NUFARM AMERICAS INC.  
11901 S. AUSTIN AVENUE  
ALSIP, IL 60803



[Grow a better tomorrow.]

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
DANGER / PELIGRO**

Corrosive. Causes irreversible eye damage. Do not get in eyes or on clothing. Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist.

**PERSONAL PROTECTIVE EQUIPMENT (PPE)**

**Applicators and other handlers must wear:**

- Long-sleeved shirt and long pants
- Waterproof gloves
- Shoes plus socks
- Protective eyewear

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

**ENGINEERING CONTROLS**

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

**Important:** When reduced PPE is worn because a closed system is being used, handlers must be provided all PPE specified above for "Applicators and Other Handlers" and have such PPE immediately available for use in an emergency, such as a spill or equipment breakdown.

**USER SAFETY RECOMMENDATIONS**

**Users Should:**

- Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using the toilet, or using tobacco.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

**ENVIRONMENTAL HAZARDS**

This product may be harmful to wildlife directly sprayed. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Do not apply in any manner not specified on the label.

**NON-TARGET ORGANISM ADVISORY STATEMENT:** This product is toxic to plants and may adversely impact the forage and habitat of non-target organisms, including pollinators, in areas adjacent to the treated site. Protect the forage and habitat of non-target organisms by following label directions intended to minimize spray drift.

**PHYSICAL OR CHEMICAL HAZARDS**

Do not allow this product to be heated above 176°F, as the quality of the product may deteriorate. If this product is heated above 230°F, vigorous decomposition may occur. Do not weld equipment containing this product.

**Clothing:** This product can attack cotton, nylon and leather clothing. If this product contacts clothing of this type, flush with plenty of water to minimize damage.

Do not mix with materials containing chlorates as this could result in the formation of hypochlorous acids which on heating will emit toxic chlorine fumes.

**DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Follow all applicable directions, restrictions and precautions on the EPA registered label. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation. This label must be in the possession of the user at the time of application.

## AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for protection of agricultural workers on farms, forests, nurseries, and greenhouses and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements in this labeling about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 48 hours. The REI increases to 72 hours in outdoor areas where average rainfall is less than 25 inches a year.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Long-sleeved shirt and long pants
- Waterproof gloves
- Shoes plus socks
- Protective eyewear

Notify workers of the application by warning them orally and posting signs at entrances to treated areas.

## SPRAY DRIFT MANAGEMENT

### AERIAL APPLICATIONS

- Do not release spray at a height greater than 10 feet above the vegetative canopy, unless a greater application height is necessary for pilot safety.
- For all applications, applicators are required to use a fine to medium or coarser droplet size (ASABE S572.1).
- The boom length must not exceed 65% of the wingspan for airplanes or 75% of the rotor blade diameter for helicopters.
- Applicators must use ½ swath displacement upwind at the downwind edge of the field.
- Nozzles must be oriented so the spray is directed toward the back of the aircraft.
- Do not apply when wind speeds exceed 10 miles per hour at the application site.
- Do not apply during temperature inversions.

### GROUND BOOM APPLICATIONS

- Apply with the nozzle height recommended by the manufacturer, but no more than 3 feet above the ground or crop canopy.
- For all applications, applicators are required to use a fine to medium or coarser droplet size (ASABE S572.1).
- Do not apply when wind speeds exceed 10 miles per hour at the application site.
- Do not apply during temperature inversions.

## SPRAY DRIFT ADVISORIES

THE APPLICATOR IS RESPONSIBLE FOR AVOIDING OFF-SITE SPRAY DRIFT.  
BE AWARE OF NEARBY NON-TARGET SITES AND ENVIRONMENTAL CONDITIONS.

### IMPORTANCE OF DROPLET SIZE

An effective way to reduce spray drift is to apply large droplets. Use the largest droplets that provide target pest control. While applying larger droplets will reduce spray drift, the potential for drift will be greater if applications are made improperly or under unfavorable environmental conditions.

#### Controlling Droplet Size - Ground Boom

- Volume - Increasing the spray volume so that larger droplets are produced will reduce spray drift. Use the highest practical spray volume for the application. If a greater spray volume is needed, consider using a nozzle with a higher flow rate.
- Pressure - Use the lowest spray pressure recommended for the nozzle to produce the target spray volume and droplet size.
- Spray Nozzle - Use a spray nozzle that is designed for the intended application. Consider using nozzles designed to reduce drift.

#### Controlling Droplet Size - Aircraft

- Adjust Nozzles - Follow nozzle manufacturers recommendations for setting up nozzles. Generally, to reduce fine droplets, nozzles should be oriented parallel with the airflow in flight.

#### BOOM HEIGHT - Ground Boom

For ground equipment, the boom should remain level with the crop and have minimal bounce.

## RELEASE HEIGHT - Aircraft

Higher release heights increase the potential for spray drift.

## SHIELDED SPRAYERS

Shielding the boom or individual nozzles can reduce spray drift. Consider using shielded sprayers. Verify that the shields are not interfering with the uniform deposition of the spray on the target area

## TEMPERATURE AND HUMIDITY

When making applications in hot and dry conditions, use larger droplets to reduce effects of evaporation.

## TEMPERATURE INVERSIONS

Drift potential is high during a temperature inversion. Temperature inversions are characterized by increasing temperature with altitude and are common on nights with limited cloud cover and light to no wind. The presence of an inversion can be indicated by ground fog or by the movement of smoke from a ground source or an aircraft smoke generator. Smoke that layers and moves laterally in a concentrated cloud (under low wind conditions) indicates an inversion, while smoke that moves upward and rapidly dissipates indicates good vertical air mixing. Avoid applications during temperature inversions.

## WIND

Drift potential generally increases with wind speed. AVOID APPLICATIONS DURING GUSTY WIND CONDITIONS.

Applicators need to be familiar with local wind patterns and terrain that could affect spray drift.

## APPLICATION INFORMATION

This product, or a tank mix of this product and an approved partner, when applied as a foliar spray to cotton, provides fast, effective defoliation of cotton plants and increases the speed and efficacy of opening of mature bolls. This product may be applied alone to cotton that is very physiologically mature; however, under most conditions, most consistent defoliation and regrowth inhibition is achieved with tank mixes of this product and an approved defoliant. Typically, satisfactory defoliation is achieved in 7 to 10 days. Under adverse conditions, such as low temperatures and/or toughened foliage, up to 14 days may be required for satisfactory defoliation. This product provides limited control of cotton regrowth.

Avoid spray drift to nearby crops as this product may cause modifications in plant growth. Plant injury or reduced yields may result.

## RESTRICTIONS

Do not apply this product through any type of irrigation system.

Do not plant another crop within 30 days after treatment.

## APPLICATION TIMING

Apply this product when sufficient, mature, unopened bolls have developed to produce the desired cotton yield (approximately 65% opened bolls in most cases). Consult University recommendations in your area for testing of boll maturity. Treatment with this product before the appropriate number of bolls have reached maturity may result in reduction of yield and lint quality.

## APPLICATION RATES

### FirstPick Tank Mixes

Apply this product at 1.5 to 2 quarts per acre, in tank mix with another defoliant for more consistent defoliation and boll opening (see Table below). Under less than optimum conditions and with rank cotton, higher rates of the defoliant are required.

Defoliant	Defoliant Rates for FirstPick tank mixes
Aim® EC	0.5 - 1.0 fl oz/A
Def® 6 Emulsifiable Defoliant / FOLEX® 6 EC	4.0 - 12 fl oz/A*
FreeFall™ SC Cotton Defoliant / Dropp® SC Cotton Defoliant	0.8 - 3.2 fl oz/A
ET® Herbicide/Defoliant	1.0 - 2.75 fl oz/A
Ginstar® EC Cotton Defoliant	3.0 - 8.0 fl oz/A
RESOURCE® Herbicide	3.0 - 6.0 fl oz/A

\*Under extreme cool, wet conditions, the rate of Def 6 / Folex 6 EC may be increased to 24 fl oz.

For most consistent regrowth inhibition, this product should be applied in a tank mix with a defoliant that contains the active ingredient thidiazuron, such as FreeFall SC.

This product may also be applied in tank mixes with any approved desiccants/herbicides, including Gramoxone Inteon, and "Roundup" (and other labeled glyphosate products).

Refer to product labels for rates and additional product information. Tank mixes must be made in accordance with the more restrictive of label limitations and precautions. Do not exceed any labeled dosage rates. This product cannot be mixed with any product containing a label prohibition against such mixing.

**Defoliation Enhancement.** This product may be applied at 0.4 quart per acre in tank mixes with Def 6 / Folex 6 EC or Dropp SC / FreeFall SC for defoliation enhancement. Refer to the Def 6 / Folex 6 EC and Dropp SC / FreeFall SC labels for rates of application. Application of this product at 0.4 quart per acre in tank mixes for defoliation enhancement is not sufficient to provide substantial boll opening.

**Planned Two-Pass Defoliation.** This product may be used in a planned two-pass defoliation program. Apply this product at 0.4 to 1.5 quarts per acre in a tank mix with any of the defoliant in the table above. Make the second application at 4 to 7 days after the initial application using this product at 1.5 to 2.5 quarts per acre in a tank mix with any of the defoliant in the table above. Do not exceed 3.5 quarts of product per acre per year. Consult your agricultural advisor, University contact or Extension Service for recommended defoliation practices for your area.

#### **FirstPick Alone**

Apply 3.0 to 3.5 quarts of this product per acre for effective defoliation and boll opening of very mature cotton under optimum conditions, i.e., relatively dry with average temperatures of 80°F and above.

#### **SPRAY VOLUMES**

To ensure optimum activity, thorough and uniform spray coverage is required. It is essential that cotton leaves and unopened bolls are contacted in order to achieve satisfactory results. Apply as a dilute spray in 10 to 30 gallons of water per acre by ground application or 3 to 10 gallons of water per acre by aerial application.

#### **SPRAY ADDITIVES**

The use of adjuvants with this product is required only where necessary for optimum performance of the tank mix partner. To reduce the potential for dessication of cotton foliage, minimum rates of nonionic surfactant should be used.

#### **USE LIMITATIONS**

Two applications of this product are allowed per year, but do not exceed a maximum of 3.5 quarts of this product per acre per year (equivalent to 2.0 pounds ethephon active ingredient per acre per year).

The maximum amount of ethephon active ingredient that can be applied to cotton per acre per year from all sources of ethephon is 2.0 pounds.

Do not harvest cotton sooner than 7 days after treatment with this product.

#### **MIXING PROCEDURE**

Add 1/2 to 3/4 of the required amount of water to the spray tank and begin agitation. Add any dry formulations first. Then add this product. Next add any other liquid formulations. Add adjuvants last before adding the remaining amount of water. Prepare only as much spray solution as can be used on the day of mixing. Do not allow the spray solution to stand overnight. Do not permit undiluted product to contact painted surfaces, spray equipment or any airplane parts. All spills must be rinsed immediately with plenty of water.

#### **EQUIPMENT CLEANING**

This product is entirely water soluble. Rinse equipment inside and out at the end of each day with ample quantity of water. Rinse the empty tank with fresh water and spray rinsate over the labeled crop. Rinse the exterior well with water and flush the liquid spray system with water. Run the pump long enough to clear the lines and nozzles of product residues. If spraying is interrupted, close the bottom tank valve and flush the liquid spray system with fresh water.

#### **EQUIPMENT GUIDANCE**

This product, like all ethephon-containing products, produces an acidic solution in the spray tank. Before using these products, check all equipment for durable components and change out suspect parts for acid resistant parts. Stainless steel, polypropylene, polyethylene, 6061 and 7075 aluminum, EPDM, Viton, Teflon, Kynar, nylon nozzle bodies, ceramic, and glass filled poly are preferred materials. Avoid galvanized, unpainted mild steel, 2024 aluminum, cast iron, nylon impellers, polyacetal, acrylic plastic, leather seals, and cardboard gaskets. Check with a reputable equipment supplier if you have questions.

## **STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage and disposal.

**PESTICIDE STORAGE:** Material crystallizes below 32°F. Do not heat above 176°F. Materials recommended for use with this product include polyethylene, polypropylene, PVC, CPVC, fiberglass made with reinforced resins such as polyesters and epoxides, most rubbers and 316 stainless steel. Do not expose mild steel, leather, nylon, or acid sensitive resins such as delrin and celcon to undiluted product.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.



**CONTAINER HANDLING:**

**[Note to Reviewer:** The following statement will be included on all Final Printed Labels bearing multiple Container Handling statements] **“NOTE:** This product is available in multiple containers. Refer to the Net Contents section of this product’s labeling for the applicable “Nonrefillable” or “Refillable” designation. Follow the container handling instructions below that apply to your container type / size.”

**Nonrefillable Containers 5 Gallons or Less:** Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Plastic containers are also disposable by incineration, or, if allowed by state and local authorities, by burning. If burned stay out of smoke.

**Nonrefillable containers larger than 5 gallons:** Nonrefillable container. Do not reuse or refill this container. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. **Triple rinse as follows:** Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. **Pressure rinse as follows:** Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 psi for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

**Refillable containers larger than 5 gallons:** Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10% full with water and, if possible, spray all sides while adding water. If practical, agitate vigorously or recirculate water with the pump for two minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

**Refillable Container:** Refill this container with pesticide only. Do not reuse this container for any other purpose. Close all openings and replace all caps. Contact Nufarm’s Customer Service Department at 1- 800-345-3330 to arrange for return of the empty refillable container.

**WARRANTY DISCLAIMER**

The directions for use of this product must be followed carefully. **TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED “AS IS” BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE.** UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

**LIMITATION OF LIABILITY**

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR ARISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS. TO THE



EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

**If you do not agree with or do not accept any of the directions for use, the warranty disclaimers, or limitations of liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.**

(RV032521)

[FirstPick] [CottonQuik] is a trademark of Nufarm Americas Inc.  
All other trademarks are the property of their respective owners.