



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

Lizbeth Rea
Nufarm Americas, Inc.
150 Harvester Drive, Ste. 200
Burr Ridge, IL 60527

JUL 31 2009

Dear Ms. Rea:

Subject: Labeling Amendment; Originally Submitted as Notification
Adonis 75 WSP PPC Insecticide
EPA Registration No. 228-700
Date Submitted: July 15, 2009 (submitted as notification)

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records. Please submit one (1) final printed copy for the above mentioned label before releasing the product for shipment.

Please note that, with the acceptance of this label amendment, the official product name for this product has been changed to Adonis 75 WSP PPC Insecticide. Please use this product name in all future correspondences with the Agency regarding this product.

Sincerely yours,

Kable Bo Davis
Entomologist
Insecticide-Rodenticide Branch
Registration Division (7505P)

Enclosure- Stamped Labeling

2/12

Adonis 75 WSP PPC Insecticide

For use by individuals/firms licensed or registered by the state to apply termiticide products. States may have more restrictive requirements regarding qualifications of persons using this product. Consult the structural pest control regulatory agency of your state prior to use of this product.

For prevention or control of subterranean termites

ACTIVE INGREDIENT:

Imidacloprid: 1-[(6-Chloro-3-pyridinyl)methyl]-N-nitro-2-imidazolidinimine..... 75.0%

OTHER INGREDIENTS:..... 25.0%

TOTAL:..... 100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION/PRECAUCION

PRECAUCION AL USUARIO: Si usted no puede leer o entender inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.


(TO THE USER: If you cannot read or understand English, do not use this product until the label has been fully explained to you.)

See inside label booklet for additional **FIRST AID** and **PRECAUTIONARY STATEMENTS**

EPA Reg. No. 228-700

Manufactured for:

Nufarm Americas Inc.
150 Harvester Drive
Burr Ridge, IL 60527



EPA Est. No. indicated by the 8th digit of the batch number on this package:

(G)=67545-AZ-001; (H)=65387-AR-002

Adonis 75 WSP PPC Insecticide contains imidacloprid, the active ingredient used in Premise®.

Net Weight:

000228-000700.20090730.EXFR.Notification

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION/PRECAUCION**

Harmful if swallowed, inhaled, or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse. Keep children and pets away from treated area until spray is dry.

When treating adjacent to an existing structure, the applicator must check the area to be treated, and immediately adjacent areas of the structure, for visible and accessible cracks and holes to prevent any leaks or significant exposures to persons occupying the structure. People present or residing in the structure during application must be advised to remove their pets and themselves from the structure if they see any signs of leakage. After application, the applicator is required to check for leaks. All leaks resulting in the deposition of termiticide in locations other than those prescribed on this label must be cleaned up prior to leaving the application site. Do not allow people or pets to contact contaminated areas or to reoccupy contaminated areas of the structure until the clean up is completed.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Pesticide handlers (mixers, loaders, and applicators) must wear long-sleeved shirt and long pants, socks, shoes, and chemical-resistant gloves made of waterproof material such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, polyethylene, polyvinylchloride (PVC) or viton. After the product is diluted in accordance with label directions for use, shirt, pants, socks, and shoes must be worn. In addition, all pesticide handlers must wear protective eyewear when working in a non-ventilated space or when applying termiticide by rodding or sub-slab injection.

FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice • Have person sip a glass of water if able to swallow • Do not induce vomiting unless told to do so by a poison control center or doctor • Do not give anything by mouth to an unconscious person
IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-424-9300 for emergency medical treatment information.	
NOTE TO PHYSICIAN	
No specific antidote is available. Treat the patient symptomatically.	

ENVIRONMENTAL HAZARDS

This product is highly toxic to aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

Extreme care must be taken to avoid runoff. Apply only to soil or other fill substrate that will accept the solution at the specified rate. Do not treat soil that is water-saturated or frozen or in any conditions where run-off or movement from the treatment area (site) is likely to occur.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Structures that contain wells or cisterns within the foundation of the structure can only be treated using the treated backfill method described in the treatment around wells and cisterns section of this label. Consult state and local specifications for specified distances of wells from treated area, or if such regulations do not exist, refer to Federal Housing Administration Specifications (H.U.D.) for guidance.

Do not formulate this product into other end-use products.

Use Precautions:

- Plug and fill all holes drilled in concrete slab areas of the building with an impervious material after treatment.
- Do NOT apply until the location of all heat pipes, ducts, electrical conduits and water and sewer lines are identified.
- Do NOT plant edible plants for consumption in soil that has been treated.
- Do NOT contaminate public or private water supplies, wells and cisterns.
- ALL leaks of this product applications into areas not prescribed on this label must be cleaned up prior to leaving the application site. Do NOT allow people or pets to come into contact or to reoccupy contaminated areas until clean up is completed.
- All filling hoses must have an air gap or use anti-backflow equipment.
- When applying in close proximity to potable water supplies, consult state, Federal or local authorities for information regarding approved treatment practices.
- When treating adjacent to an existing structure, the applicator must check the area to be treated, and immediately adjacent areas of the structure, for visible and accessible cracks and holes to prevent any leaks or significant exposures to persons occupying the structure. People present or residing in the structure during application must be advised to remove their pets and themselves from the structure if they see any signs of leakage. After application, the applicator is required to check for leaks. All leaks resulting in the deposition of termiticide in locations other than those prescribed on this label must be cleaned up prior to leaving the application site. Do not allow people or pets to contact contaminated areas or to reoccupy contaminated areas of the structure until the clean up is completed.
- The applicator must take into account structural design considerations and potential post-application effects from heating, ventilation and air conditioning systems (HVAC) when applying this product indoors.
- The applicator must take into account soil type, soil compaction, grade conditions, utilities and location and type of domestic water supply when applying this product outdoors.
- Be sure to use anti-backflow equipment or procedures to prevent siphonage of this product into water supplies in order to prevent contamination of public and private water supplies.
- Do not treat soil that is water saturated or frozen or in any conditions where runoff or movement from the treatment area (site) is likely to occur.
- Do not treat while precipitation is occurring.
- Do not apply to effluent discharge systems such as leach beds, French drains or sumps.
- Consult state and local specifications for specified distances of wells from treated areas, or if such regulations do not exist, refer to Federal Housing Administration Specifications (H.U.D.) for guidance.
- All holes in commonly occupied areas into which material has been applied must be plugged. Plugs must be of a non-cellulose material or covered by an impervious, non-cellulose material. Note: Crawlspace are to be considered inside of the structure.
- Do not remove packets from container except for immediate use.

- Keep water-soluble packets in this container and store in a cool dry place but not below freezing (32°F).

INFORMATION

Apply this product as an insecticidal barrier to control and prevent infestations of subterranean termites in and around structures and constructions. In order to establish a barrier between the structure and the termites in the soil, the insecticide emulsion must be adequately dispersed in the soil.

Applicators must be familiar with current termite control practices. These practices include trenching, rodding, sub-slab injections, coarse fan spraying of soil surfaces, crack and crevice (void) injection, and excavated soil treatment. Determining which control practices to use is dependent upon the biology and behavior of the species involved.

Proper application of this product will provide a continuous barrier between the wood and other cellulose material in the structure and the termite colonies in the soil. In some instances where an aerial or an above ground colony is established, make supplemental treatments to control the termites, landscape modifications, and / or structural repairs to deprive the termites of a moisture source.

The standards for subterranean termite control vary due to regulations, treatment procedures, soil types, construction practices and other factors. Be sure to follow all federal, state and local regulations and treatment standards for protection of structures from termites. Based on local specifications, use a 0.05% for typical situations and a 0.10% dilution in cases of severe or persistent infestations.

MIXING DIRECTIONS

Precautions:

- Do NOT allow packets to become wet prior to adding to the tank.
- Do NOT handle the clean inner packets with wet hands or wet gloves.
- Do NOT use this product in a tank-mix with products that contain Boron or release free chlorine. Combining these products will result in a plastic that is not soluble in water or solvents (such as diesel oils, kerosene, gasoline or alcohol). NOTE: Use chlorinated water if necessary.
- Because the water-soluble packets are not soluble in petroleum-based liquids, do NOT attempt to use these water-soluble packets directly in diesel oils or summer spray type oils such as those used in ULV or LV applications.
- Rough handling of the packets causes breakage.
- Reseal outer carton to protect remaining packets.

Mix this product with water only using the chart below:

Desired Concentration	Water (Gallons)	Product (packets)
0.05%	25	1
	50	2
	100	4
0.10%	25	2
	50	4
	100	8

Unit Conversions: 1 pint = 16 fluid ounces (oz.); 1 gallon = 4 quarts = 8 pints = 128 fluid ounces (oz.)

To Mix:

1. Fill tank ¼ to 1/3 full.
2. Start pump to begin by-pass agitation and place end of treating tool in tank to allow circulation through hose.
3. Add appropriate amount of this product (see table below).
4. Add remaining amount of water.
5. Let pump run and allow recirculation through the hose for 2 to 3 minutes.

APPLICATION INSTRUCTIONS

Refer to the appropriate section below for specific application instructions. Remove all non-essential wood and cellulose containing material from around crawlspaces, foundation walls, and porches.

In order to eliminate termite access to moisture, repair faulty plumbing and/or construction grade.

NOTE – Definition of Critical Areas: Critical areas include areas where the foundation is penetrated by utility services, cracks and expansion joints, bath traps and areas where cement constructions have been poured adjacent to the foundation as stairs, patios and slab additions.

Application Volume: To provide maximum control and protection against termite infestation, apply the specified volume of the finished water emulsion and active ingredient as set forth in the **DIRECTIONS FOR USE** section of this label. If soil will not accept the labeled application volume, reduce the volume provided there is a corresponding increase in concentration so that the amount of active ingredient applied to the soil remains the same.

Note: Large reductions of application volume reduce the ability to obtain a continuous barrier. Variance is allowed when volume and concentration are consistent with label directed rates and a continuous barrier can still be achieved.

FOAM APPLICATIONS

This product may be converted to a foam and depending on circumstances, used alone or in combination with other techniques listed above to control and prevent termite infestation. When used in combination, at least 75% of the gallons of this product must be applied as a typical liquid treatment. The remaining 25% or less gallons may be applied as foam to appropriate locations.

Foam Use Precautions:

- When applying the product as a foam application in combination with another method of treatment, do NOT exceed the maximum-labeled application rate.
- Be sure to exercise care and safety around electrical utilities. Note location of electrical sources prior to foaming voids to avoid possible shock hazard.

Foam Mixing Instructions:

To generate a 0.05% solution, mix the specified amount of this product (from table below) in water and add the manufacturer's specified amount of foam agent to the solution.

Finished Foam (gallons)	Product (packets)	Water (gallons)	Foam Expansion Ratio
25	1	1	25:1
		2.5	10:1
		5	5:1
50	2	1	50:1
		2.5	20:1
		5	10:1

Foam Application Instructions:

Use foam to treat voids to control or prevent localized infestations of termites and carpenter ants harboring in voids. Make application to voids such as: behind veneers, piers (concrete or wood), chimneys, into rubble and stone foundations, into block voids, structural voids (i.e., between stud walls), poles, stumps, and wood in crawlspaces using either the foam alone or in combination with liquid emulsion. Be sure to note the location of electrical sources prior to foaming voids in order to avoid possible shock hazard.

PRE-CONSTRUCTION SUBTERRANEAN TERMITE CONTROL

Do not apply at a lower dosage and/or concentration than specified on this label for applications prior to the installation of the finished grade.

Prior to each application, applicators must notify the general contractor, construction superintendent, or similar responsible party of the intended termiticide application and intended sites of application and instruct the responsible person to notify construction workers and other individuals to leave the area to be treated during application and until the termiticide is absorbed into the soil.

When treating foundations deeper than 4 feet, apply the termiticide as the backfill is being replaced, or if the construction contractor fails to notify the applicator to permit this, treat the foundation to a minimum depth of 4 feet after the backfill has been installed. The applicator must trench and rod into the trench or trench along the foundation walls and around pillars and other foundation elements, at the rate prescribed from grade to a minimum depth of 4 feet. When the top of the footing is exposed, the applicator must treat the soil adjacent to the footing to a depth not to exceed the bottom of the footing. Do not treat a structure below the footing.

Horizontal Barriers: Horizontal barriers must be created wherever treated soil will be covered, such as concrete slabs and footings, porches, stairs and crawlspaces.

For a 0.05% application rate, apply 1 gallon of dilution per 10 square feet. If the fill is washed gravel or other coarse material, use a rate of 1.5 gallons of a 0.05% emulsion per 10 square feet. Use a low-pressure spray (no more than 25 psi) and a coarse spray nozzle to make the application. In addition to the above application, apply 4 gallons of solution per 10 linear feet to provide a uniform treated zone in soil at critical areas such as along the inside of foundation walls, and around plumbing, bath traps, utility services and other features that will penetrate the slab.

Vertical Barriers: Vertical barriers must be created around the base of foundations, utility entrances, plumbing, back-filled soil against foundation walls and other critical areas. After completion of grading, apply by trench or trenching and rodding around the slab or foundation perimeter. Apply 4 gallons of solution per 10 linear feet per foot of depth using a low pressure (no more than 25 psi) spray to treat soil which will be placed in the trench after rodding. Be sure to mix the spray solution with the soil when it is being placed in the trench.

- The emulsion must reach the top of the footing when trenching or trenching and rodding into the trench. Rod holes must be spaced so as to achieve a continuous termiticide barrier and must never be more than 12 inches apart.
- Rod holes must not extend below the footing.
- Do not allow soil washout around the footing.
- Trenches do not need to be wider than 6 inches.
- The emulsion must be mixed with the soil as it is being replaced in the trench.
- Make an inside vertical barrier as necessary for monolithic slabs.

NOTE: Achieve best results by rodding in trench followed by flooding of the trench and treatment of backfill as opposed to using soil rodding alone to establish a vertical termiticide barrier.

Crawl Spaces: For crawl spaces, apply vertical termiticide barriers at the rate of 4 gallons of emulsion per 10 linear feet per foot of depth from grade to the top of the footing, or if the footing is more than 4 feet below grade, to a minimum depth of 4 feet. Apply by trenching and rodding into the trench, or trenching. Treat both sides of foundation and around all piers and pipes. Where physical obstructions, such as concrete walkways adjacent to foundation elements, prevent trenching, make treatment by rodding alone. When soil type and/or conditions make trenching prohibitive, use rodding. When the top of the footing is exposed, the applicator must treat the soil adjacent to the footing to a depth not to exceed the bottom of the footing. Read and follow the mixing and use direction section of the label if situations are encountered where the soil will not accept the full application volume.

- 1) Rod holes and trenches must not extend below the bottom of the footing.
- 2) Rod holes must be spaced so as to achieve a continuous chemical barrier but in no case more than 12 inches apart.

- 3) Trenches must be a minimum of 6 inches deep or to the bottom of the footing, whichever is less, and need not be wider than 6 inches. When trenching in sloping (tiered) soil, the trench must be stepped to ensure adequate distribution and to prevent termiticide from running off. The emulsion must be mixed with the soil as it is replaced in the trench.
- 4) When treating crawl spaces, turn off the air circulation system of the structure until application has been completed and all termiticide has been absorbed by the soil.

Hollow Block Foundations or Voids: Apply to hollow block voids using a rate of 2 gallons of emulsion per 10 linear feet and be sure that the application reaches the top of the footing or soil. As a precaution against application leakage in the treated areas, applicators must closely examine treatments of voids in block or rubble foundation walls and inspect areas of potential runoff. Note that some areas are not be treatable or will require alteration prior to treatment.

POST-CONSTRUCTION SUBTERRANEAN TERMITE CONTROL

For post-construction treatment, apply this product by injection, trenching, rodding into the trench or coarse fan spray.

Use Precautions

- Do NOT make treatments until the locations of all heat and / or air conditioning ducts and vents are known and identified. **Use extreme caution to avoid contamination of ducts and vents.**
- In commonly occupied areas, plug and fill all holes drilled for application using a non-cellulose material or by covering the hole with a non-cellulose material.
- To avoid soil wash-out when injecting around the foundation, do not use pressures above 25 psi.
- Special care must be taken to distribute the treatment evenly.
- Do not treat a structure below the bottom of the footing.
- Wear respiratory protection when treating crawl spaces (NOTE: Prior to treatment, bring inadequately ventilated crawl spaces into compliance with FHA Minimum Property Standards specifying 1 square foot of ventilator opening per 150 square feet of crawl space area).

Foundations: Apply 4 gallons per 10 linear feet per foot of depth by trenching or trenching and rodding into the trench along the foundation walls and around pillars and other foundation elements from grade to the top of the footing. When trenching, the trench must be 6 inches deep by 6 inches wide. When the footing is more than 4 feet below grade, the applicator must trench and rod into the trench or trench along the foundation walls at the rate prescribed to a minimum depth of four feet. The actual depth of treatment will vary depending on the location of termite activity, soil type and degree of compaction. When the top of the footing is exposed, the applicator must treat the soil adjacent to the footing to a depth not to exceed the bottom of the footing. Do not treat a structure below the footing.

Slabs: Establish vertical barriers within the structure by sub-slab injection and outside the structure by trenching or rodding and trenching. Use a rate of 4 gallons of emulsion per 10 linear feet per foot of depth.

Make applications along the outside of the foundation and where necessary, beneath the slab on the inside of foundation walls. If necessary, make treatments along all cracks and expansion joints, beneath the slab along both sides of interior-supported walls, and to one side of interior partitions.

Where necessary, establish horizontal barriers by grid pattern injection or by long-rodding vertically through the slab using the following instructions:

- In order to form a continuous insecticidal barrier, drill holes in the slab and/or foundation no more than 12 inches apart.
- Treat all existing cracks and cold, construction or expansion joints.
- For shallow foundations (1 foot or less), dig a narrow trench approximately 6 inches wide and deep along the outside of the foundation walls being careful to not dig below the bottom of the footing. While replacing the soil in the trench, make the application at a rate of 4 gallons per 10 linear feet per foot of depth being sure to incorporate the emulsion completely into the soil.

- For foundations deeper than 1 foot, follow the rates listed for basements below.
- Treat exposed soil in bath traps using a 0.05% emulsion.

Basements: Make sub-slab injection along the inside of foundation walls, along cracks and partition walls, around pipes, piers, conduits, and along both sides of interior footing-supported walls.

When the footing is greater than 1 foot deep from grade to the bottom of the foundation, apply 4 gallons of emulsion per 10 linear feet per foot of depth by trenching and rodding into the trench or injecting.

When the footing is more than four feet below grade, apply using the same rate listed above by either trenching and rodding into the trench or trench along foundation walls at the rate prescribed for four feet of depth. Soil type, degree of compaction, and location of termite activity will determine the maximum depth of application.

- In order to form a continuous insecticidal barrier, rod holes must be no more than 12 inches apart.
- Do NOT treat any structure below the footing.

Bath Traps: Treat exposed soil or soil covered with tar or a similar type sealant beneath and around plumbing and/or drain pipe entry areas with 3 gallons of emulsion per square foot. Cut and install an access or inspection vent if not already present. After inspection and removal of any wood or cellulose debris, treat the soil by rodding or drenching.

Accessible Crawlspace: Apply vertical termiticide barriers at the rate of 4 gallons of emulsion per 10 linear feet per foot of depth from grade to the top of the footing, or if the footing is more than 4 feet below grade, to a minimum depth of 4 feet. Apply by trenching and rodding into the trench, or trenching. Treat both sides of foundation and around all piers and pipes. Where physical obstructions such as concrete walkways adjacent to foundation elements prevent trenching, make treatment by rodding alone. When soil type and/or conditions make trenching prohibitive, use rodding. When the top of the footing is exposed, the applicator must treat the soil adjacent to the footing to a depth not to exceed the bottom of the footing. If situations are encountered where the soil will not accept the full application volume:

1. Rod holes and trenches must not extend below the bottom of the footing.
2. Rod holes must be spaced so as to achieve a continuous chemical barrier but in no case be more than 12 inches apart.
3. Trenches must be a minimum of 6 inches deep or to the bottom of the footing, whichever is less, and need not be wider than 6 inches. When trenching in sloping (tiered) soil, the trench must be stepped to ensure adequate distribution and to prevent termiticide from running off. The emulsion must be mixed with the soil as it is replaced in the trench.
4. When treating plenums and crawlspaces, turn off the air circulation system of the structure until application has been completed and all termiticide has been absorbed by the soil.

Inaccessible Crawlspaces: For inaccessible interior areas, such as areas where there is insufficient clearance between floor joists and ground surfaces to allow operator access, excavate if possible, and treat according to the instructions for accessible crawlspaces. Otherwise, apply one or a combination of the following two methods:

1. To establish a horizontal barrier, apply to the soil surface 1 gallon of emulsion per 10 square feet overall using a nozzle pressure of less than 25 psi and a coarse application nozzle. Use one or more extension rods to make the application to the soil for areas that cannot be reached with the application wand. Do not broadcast or powerspray with higher pressures.
2. To establish a horizontal barrier, drill through the foundation wall or through the floor above and treat the soil perimeter at a rate of 1 gallon of emulsion per 10 square feet. Drill spacing must be at intervals not to exceed 16 inches. Many States have smaller intervals; check State regulations that apply.

NOTE: Turn off the air circulation systems of the structure until application has been completed and all termiticide has been absorbed by the soil when treating plenums and crawlspaces.

Masonry or Hollow Block Voids: Drill and treat voids in multiple masonry elements of the structure extending from the structure to the soil in order to create a continuous treatment barrier in the area to be treated. Apply at the rate of 2 gallons of solution per 10 linear feet of footing, using a nozzle pressure of

less than 25 psi. Drill spacing must be at intervals not to exceed 16 inches (or smaller depending upon specific state regulations). When using this treatment, access holes must be drilled below the sill plate and must be as close as possible to the footing as is practical. Care must be exercised not to drill entirely through and into the structure. Treatment of voids in block or rubble foundation walls must be closely examined. Applicators must inspect areas of possible runoff as a precaution against application leakage in the treated areas. Some areas not not treatable or will require mechanical alteration prior to treatment. All leaks resulting in the deposition of termiticide in locations other than those prescribed on this label must be cleaned up prior to leaving the application site. Do not allow people or pets to contact contaminated areas or to reoccupy the contaminated areas of the structure until the cleanup is completed.

Plenums: Apply at a rate of 4 gallons of solution per 10 linear feet per foot of depth of soil for plenum-type structures that use a sealed underfloor space to heat and/or cool the air in the structure. Ensure the application is made to provide a uniform treated zone adjacent to the foundations walls (both sides), supporting piers, conduit, or plumbing by creating a 6 inch trench or by trenching and rodding (if conditions permit) to the top of the footing. Make a surface application at a rate of 1.5 gallons of emulsion per 10 square feet as a very course spray under low pressure (no more than 25 psi when measured at the treating tool with the valve on) to the interior foundation wall if conditions do not permit trenching or rodding. Do not exceed an 18 inch wide treated strip horizontally from the foundation walls, piers or pipes.

When treating plenums, turn off the air circulation system of the structure until application has been completed and all termiticide has been absorbed by the soil.

TREATMENT AROUND WELLS OR CISTERNS: Do not contaminate wells or cisterns.

Structures with Wells/Cisterns Inside Foundations: Structures that contain wells or cisterns within the foundation of a structure can only be treated using the following techniques:

1. Do not apply within 5 feet of any well or cistern by the backfill method or by rodding and/or trenching. Soil between 5 and 10 feet from the well or cistern must be treated by the backfill method only. Application to soil adjacent to water pipes within 3 feet of grade must only be done by the backfill method.
 - (a) Trench and remove soil to be treated onto heavy plastic sheeting or similar material or into a wheelbarrow.
 - (b) Treat the soil at the rate of 4 gallons of dilute emulsion per 10 linear feet per foot of depth of the trench, or 1 gallon per 1.0 cubic feet of soil. Refer to the "Mixing Directions" section of this label. Mix thoroughly into the soil taking care to contain the liquid and prevent runoff or spillage.
 - (c) After the treated soil has absorbed the diluted emulsion, replace the soil into the trench.

Structures with Adjacent Wells/Cisterns and/or Other Water Bodies: Applicators must inspect all structures with nearby water sources such as wells, cisterns, surface ponds, streams, and other bodies of water and evaluate, at a minimum, the treatment rates listed below prior to making an application.

1. Prior to treatment, if feasible, expose the water pipe(s) coming from the well to the structure, if the pipe(s) enter the structure within 3 feet of grade.
2. Prior to treatment, applicators are advised to take precautions to limit the risk of applying the termiticide into subsurface drains that could empty into any bodies of water. These precautions include evaluating whether application of the termiticide to the top of the footer will result in contamination of the subsurface drain. Factors such as depth to the drain system and soil type and degree of compaction must be taken into account in determining the depth of treatment.
3. When appropriate (i.e., on the water side of the structure), the treated backfill technique (described above) can also be used to minimize offsite movement of termiticide.

NOTE: Consult state, local or federal agencies for information regarding approved treatment practices in your area prior to applying near wells or cisterns.

RETREATMENT

Annual retreatment of the structure is prohibited unless there is clear evidence that reinfestation or barrier disruption has occurred.

Retreatment for subterranean termites can only be performed if there is clear evidence of reinfestation or disruption of the barrier due to construction, excavation, or landscaping and/or evidence of the breakdown of the termiticide in the soil. Retreat these vulnerable or reinfested areas in accordance with application techniques described in this labeling. The timing and type of retreatments will vary depending on factors such as soil types, soil conditions, termite pressure and other factors that reduce the effectiveness of the barrier.

Perform retreatment when a structure is not known to be reinfested and the treated area is not disturbed, ONLY if the structure was last treated five or more years ago and in the judgment of the applicator it is necessary to ensure adequate protection of the structure.

PERIMETER PEST CONTROL

Use Precautions:

- Do NOT use this product against native or imported fire ants, pharaoh, or harvester ants.
- Do NOT allow residents or pets in to the immediate application sites during the application or into treated areas until the application has dried.
- Retreat no more than once per month to maintain control.

To control ants in houses and other structures, apply a 0.05 to 0.10% solution as a surface, spot, crack, crevice or wall void application. Apply this product where pests enter structures or crawl or hide on buildings, porches, patios and other structures, around doors and windows, eaves and attic vents, utility entry points, soffit areas and other exterior openings including foundation cracks or drilled holes. Spray into the cracks or crevices where ants or their nests are present. Apply to the point of wetting the entire area but not to the point of dripping or runoff from vertical or overhead surfaces.

When ants are trailing or finding food or shelter, treat soil, turf or groundcover using a 0.05 to 0.10% solution sprayed onto the surfaces. For tunneling ants in soil, apply as a drench or soil injection at intervals to create a continuously treated zone. Treat along the edge of walls, driveways or other hard surfaces where ants are tunneling below the surface.

For aerial nests in tree hollows or non-structural wooden construction such as posts, fences and decks, treat the interior cavities and / or the nest site with a 0.05 to 0.10% solution as a spray, mist or foam.

NOTE: In the case of severe pest pressure or when rapid knockdown is desired, supplement this product treatments with targeted applications of a pyrethroid to doors and windows, utility entry points and other places where the pests enter the structure. Be sure to read and follow the label instructions on all companion products used.

Use this product as a secondary treatment when another registered termite control product / system is used as the primary treatment for prevention and / or control of subterranean termites. Apply as a spot treatment to critical areas of the structure such as utility and plumbing entry sites, bath traps, expansion joints, foundation cracks and areas with known or suspected infestations. See the Post-Construction treatment section of this label for specific application instructions.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Exposure to moisture or excessive handling of water-soluble packets may cause breakage.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR ARISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

(RV073009N)