



## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

MAY 2 2011

Mr. George Meindl Nufarm Americas, Inc. 150 Harvester Drive, Suite 200 Burr Ridge, IL 60527

Subject: Notification per PR Notice 98-10 – Change Primary Brand Name

EPA Reg. No. 228-703

Application Dated - April 19, 2011

Proposed Name Change: Quincept® LT Herbicide Ready-to-Use

Dear Mr. Meindl:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the subject product.

The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10. The label submitted with the application has been date-stamped "Notification" and will be placed in our records.

If you have any questions regarding this letter, please contact Maggie Rudick at (703) 347-0257 or <a href="maggie@epa.gov">rudick.maggie@epa.gov</a>.

Sincerely,

Kathryn V. Montegue, Product Manager 23

Herbicide Branch

Registration Division (7505P) Office of Pesticide Programs

|           |                           | · .                    |  |                          |
|-----------|---------------------------|------------------------|--|--------------------------|
|           | •                         |                        |  |                          |
| ease read | l instructions on reverse | before completing form |  | Form Approved. OMB No. 2 |
|           |                           |                        |  |                          |

| SEPA Environmental Protein   |   |  | Registration  | OPP Identifier Number  |
|--|---|--|---|--|
| Environmental Protein Washington, DO   |   |  | Amendment   |  |
| Wastington, DC   | 20400   | X  | Other   |  |
| Applic   | ation for Pesticio  | le - Section   | I   |  |
| 1. Company/Product Number<br>-228-703  |   | roduct Manager<br>n-Montague   |   | Proposed Classification  |
| 4. Company/Product (Name) Quincept LT Herbicide Ready-to-Use   | PM# 23  |  |   | None Restricted  |
| 5. Name and Address of Applicant (Include ZIP Code)  | 6. Expe   | dited Reveiw.  | In accordance w   | ith FIFRA Section 3(c)(3)  |
| Nufarm Americas, Inc.  |   |  |   | composition and labeling   |
| 150 Harvester Drive Suite 200  | to:   | os No  |   |  |
| Burr Ridge, IL 60527   | EFAI  | eg. No   |   |  |
| Check if this is a new address   | Produc  | t Name   |   |  |
|  | Section - II  |  |   |  |
| Amendment - Explain below.  Resubmission in response to Agency letter dated  |   | Final printed label<br>Agency letter date<br>"Me Too" Applica                    | ed  | MOITA  |
| X Notification - Explain below.  | <u> </u>  | Other - Explain be   |   |  |
| Explanation: Use additional page(s) if necessary. (For se  | ction I and Section II.)  |  | MAY - 2   | 2011   |
| See cover letter for detailed explanation. Label notification with the provisions of PR Notice 98-10 and EPA regulation confidential statement of formula of this product. I underst I further understand that if this notification is not consistent FIFRA and I may be subject to enforcement action and per | s at 40 CFR 152.46, an<br>and that it is a violation<br>withe terms of PR Noti-<br>nalties under sections 1 | d no other change<br>of 18 U.S.C. Sec.<br>ce 98-10 and 40 C<br>2 and 14 of FIFRA | es have been made<br>1001 to willfully ma<br>CFR 152.46, this pro | to the labeling or the ake false statements to EPA.  |
|  | Section - III   |  |   |  |
| 1. Material This Product Will Be Packaged In:  |   |  | I   |  |
| Child-Resistant Packaging Unit Packaging Yes   | Water Soluble Pa  | ckaging  | 2. Type of Contain  | ·  |
| Yes Yes No No  | Yes   |  | Plasti  | 1  |
|  | No No   |  | Glass   |  |
| * Certification must<br>be submitted   If "Yes" No. per<br>Unit Packaging wgt. contain   | or Package wgt  | No. per<br>container   | ( )   | (Specify)  |
| 3. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions  |   |  |   |  |
| Label Container  |   |  |   |  |
| 6. Manner in Which Label is Affixed to Product Little Pa   | hograph<br>per glued<br>enciled   | Other  | 010074-79-404-404-404-4   | albertales and Artificial and Artifi |
|  | Section - IV  |  |   |  |
| 1. Contact Point (Complete items directly below for identific  | ation of individual to be   | contacted, if nece   | essary, to process ti   | his application.)  |
| Name<br>George Meindl george.meindl@us.nufarm.cor  | Title<br>Regulatory Af  | fairs Manage   | I   | one No. (Include Area Code)<br>455.2017  |
| Certify that the statements I have made on this form I acknowledge that any knowlingly false or misleading both under applicable law.  |   |  |   | (Stamped)  |
| 2. Signatur  | 3. Title<br>Regulator   | y Affairs  | Manager <sup>©</sup>  | ( , , , , , , , , , , , , , , , , , , ,  |
| 4. Typed Name  | 5. Date   | ······································   | <del></del>   | ( ( (  |
| George Meindl  | 4/19/20   | 11   |   | ccccc  |



Nufarm Americas, Inc. George Meindl Regulatory Affairs Manager 150 Harvester Drive, Suite 200 Burr Ridge, IL 60527 Phone: 630.455-2017 Fax: 630.455.2030 george.meindl@us.nufarm.com

April 19, 2011

Via Overnight Courier

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U. S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 S. Crystal Drive
Arlington, VA 22202

Subject:

NUP-09065 Herbicide Ready-to-Use

EPA Reg. No. 228-703

Change primary brand name to

Quincept® LT Herbicide Ready-to-Use

Dear Ms. Montague:

Nufarm Americas Inc. would like to make a change to the primary brand name for the subject registration. We would like the primary brand name for the subject registration to be: Quincept® LT Herbicide Ready-to-Use. We feel that this label change is permitted and consistent with PRN98-10 section II (Labeling notifications) part A (Changing primary brand name). The new primary brand name is not false and misleading.

To process this request please find enclosed the following:

- Application for Pesticide Registration (EPA form 8570-1)
- Final print labeling with new primary brand name (1 copy)

If you should have any questions regarding this matter, please feel free to contact me at 630.455.2017 or email at <a href="mailto:george.meindl@us.nufarm.com">george.meindl@us.nufarm.com</a>.

Sincerely,

George Meindl

Regulatory Affairs Manager

Nufarm Americas, Inc.

### NOTIFICATION

MAY - 2 2011

# Quincept<sup>®</sup>LT HERBICIDE

Ready-To-Use

FOR SELECTIVE BROADLEAF AND GRASSY WEED CONTROL IN RESIDENTIAL AND ORNAMENTAL TURFGRASSES. TO CONTROL CRABGRASS, DANDELION, CLOVER, HENBIT, PLANTAINS, WILD ONION, AND MANY LISTED OTHER LAWN WEEDS.

**CONTAINS 2,4-D, QUINCLORAC AND DICAMBA** 

1 QUART TREATS (COVERS) UP TO 250 SQ. FT. 1 GALLON TREATS (COVERS) UP TO 1,000 SQ. FT.

| 0.331%                   |
|--------------------------|
| 0.137%                   |
| 0.034%                   |
|                          |
|                          |
|                          |
| 0.275%, 0.0230 lb/gal    |
| 0.137%, 0.0115 lb/gal    |
| . 0.034%, 0.0029 lb/gal. |
|                          |

# KEEP OUT OF REACH OF CHILDREN CAUTION

SEE INSIDE BOOKLET FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300 For Medical Emergencies Only, Call (877) 325-1840

| EPA REG. NO. 228-703<br>EPA EST. NO.<br>NUP-09065 |                | 1:  | Manufactured For<br>RM AMERICAS INC.<br>50 Harvester Drive<br>urr Ridge, IL 60527 |
|---|----------------|-----|---|
| NET CONTENTS: GALS.                               | QТ.            | PT. |   |
| 000228.00703.20110419.primary bra                 | andname change |     |   |

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or on clothing. .

#### PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are made of natural rubber. If you want more options, follow the instructions for category A on an EPA chemical-resistance category selection chart.

#### All applicators and other handlers must wear:

- Protective eyewear (goggles, face shield or safety glasses)
- Long-sleeved shirt and long pants
- Shoes plus socks, and
- Chemical-resistant gloves

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

#### **USER SAFETY RECOMMENDATIONS**

Users should: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. If pesticide gets on skin, wash immediately with soap and water. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

| FIRST AID   |  |  |
|-------------|--|--|
| F SWALLOWED | <ul> <li>Call a poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> </ul>   |  |
|             | <ul> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>   |  |
| F IN EYES   | Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.     Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.     Call a poison control center or doctor for treatment advice. |  |

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment information.

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish and aquatic invertebrates. Drift or runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Drift or runoff may adversely affect nontarget plants. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from target area. Clean and rinse spray equipment using soap or detergent and water, and rinse thoroughly before reuse for other spraying. When cleaning equipment, do not pour washwater on the ground; spray or drain over a large area away from wells and other water sources. Do not contaminate water when disposing of equipment washwaters or rinsate. Do not apply this product through any type of irrigation system. Do not contaminate water used for irrigation or domestic purposes.

The chemicals in this product have properties and characteristics associated with chemicals detected in groundwater. The use of these chemicals in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-D have been associated with mixing/loading and disposal sites. Caution should be exercised when handling these herbicides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing or transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.



#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Do not enter or allow people (or pets) to enter the treated area until sprays have dried. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

#### **USE RESTRICTIONS**

Do not allow drift of spray mist to vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants.

Do not pour spray solutions near desirable plants.

Do not apply sprays which are too fine because mists can drift and damage other plants.

Do not allow contact with exposed feeder roots of ornamentals and trees.

Do not apply broadcast applications when air temperature exceeds 90°F.

Do not use on lawns with desirable clovers and legumes or on ornamentals.

Do not use clippings as mulch or compost around flowers, ornamentals, trees or in vegetable gardens.

Do not apply this product by air or through any type of irrigation equipment.

#### **USE PRECAUTIONS**

Use lawn type sprayer with coarse spray as wind drift is less likely. Maximum control of weeds will be obtained from spring or early fall applications when weeds are actively growing. Use the higher rate for hard-to-control weeds. Do not apply broadcast applications when air temperature exceeds 90°F. When using small, spot treatment applications in temperature over 90°F, turf injury may occur.


The suitable use of this product on non-recommended turf species may be determined by treating a small area at any rate/acre (or rate/1,000 sq. ft.) which does not exceed the maximum labeled rate for the turf type where the product is to be applied. The treated area should be observed for any sign of turf injury for a period of 30 days of normal growing conditions to determine the phytotoxicity and efficacy to the treated area.

Adding oil, wetting agent, or other surfactant to the spray may be used to increase effectiveness on weeds but doing so may reduce selectivity to turf resulting in turf damage. Clean and rinse spray equipment using soap or detergent and water, and rinse thoroughly before reuse for other sprays.

This product can be mixed with some liquid fertilizers or liquid iron materials. Because liquid fertilizer and liquid iron differ in pH, free ammonia content, density, salt concentration and percentage of water, a compatibility test is recommended prior to mixing in application equipment. All regulations, either State or Federal, relating to the application of liquid fertilizers or liquid iron and this product must be strictly followed.

Make no more than 2 applications per year. For ornamental lawns and turf, apply no more than 1 .5 <u>lbs. ae</u> 2,4-D per acre (0.5 <u>oz. ae</u> 2,4-D per 1 ,000 sq. ft.) per application and no more than 3.0 <u>lbs. ae</u> 2,4-D per acre (1 .0 <u>oz. ae</u> 2,4-D per 1 ,000 sq. ft.) per year, excluding spot treatments.

If soil moisture is not sufficient prior to application, irrigation may improve weed control. For best results do not water or irrigate for 24 hours after application. If rainfall does not occur in 2 to 7 days after application, irrigation of at least one-half inch is required.



This product combines three proven active ingredients [Quinclorac, 2,4-D, and Dicamba] to provide broad spectrum control of grassy and broadleaf weeds. This herbicide is absorbed by foliage and roots of weeds and translocated throughout the plant. Use as directed to control or suppress the following weeds:

#### WEEDS:

| GRASSY                   | Carolina geranium             | Hedge bindweed               | Pokeweed                    | Tarweed                     |
|--------------------------|-------------------------------|------------------------------|-----------------------------|-----------------------------|
| WEEDS                    | Carpetweed                    | Hedge mustard                | Poorjoe                     | Thistle                     |
|                          | Catchweed bedstraw            | Hemp                         | Povertyweed                 | Tick trefoil                |
| Crabgrass, Large         | Catsear                       | Henbit                       | Prostrate spurge            | Toadf lax                   |
| Crabgrass, Smooth        | Catnip                        | Hoary cress                  | Prostrate vervain           | Trailing crown vetch        |
| Barnyardgrass            | Chickweed                     | Horsetail                    | Puncture vine               | Tumble mustard              |
| Foxtail, Giant           | Chicory                       | Indiana mallow               | Purslane                    | Tumble pigweed              |
| Foxtail, Green           | Cinquefoil                    | Ironweed                     | Ragweed                     | Tumbleweed                  |
| Foxtail, Yellow          | Common                        | Jewelweed                    | Red clover                  | Velvet leaf                 |
| Signalgrass,             | chickweed                     | Jimsonweed                   | Redroot pigweed             | Venice mallow               |
| Broadleaf                | Common mullein                | Kochia                       | Red sorrel                  | Veronica                    |
|                          | Common sowthistle             | Knawel                       | Redstem filaree             | Vervain                     |
| BROADLEAF WEEDS          | Corn chamomile                | Knotweed                     | Rough cinquefoil            | Vetch                       |
| Alder                    | Creeping Jenny                | Lambsquarter                 | Rough fleabane              | Violet, wild                |
| Annual yellow sweet      | Crimson clover                | Lespedeza                    | Roundleafed                 | Virginia .                  |
| clover                   | Croton                        | Locoweed                     | marigold                    | buttonweed                  |
| Artichoke                | Cudweed                       | Lupine                       | Rush                        | Virginia creeper            |
| Aster                    | Curly dock                    | Mallow                       | Russian pigweed             | Virginia pepperweed         |
| Austrian fieldcress      | Curly indigo                  | Marshelder                   | Russian thistle             | Wavyleaf bullthistle        |
| Bedstraw                 | Dandelion                     | Matchweed                    | St. Johnswort               | Western clematis            |
| Beggartick               | Dead Nettle                   | Mexicanweed                  | Scarlet pimpernel           | Western salsify             |
| Biden                    | Dock                          | Milk vetch                   | Scotch thistle              | White clover                |
| Bindweed                 | Dollarweed                    | Milkweed                     | Sheep sorrel                | White mustard               |
| Bird vetch               | Dogbane                       | bloodflower                  | Shepherdspurse              | Wild mustard                |
| Bitterweed               | Dogfennel                     | Mugwort                      | Slender plantain            | Wild aster                  |
| Bitter wintercress       | Elderberry                    | Morningglory                 | Smallflower                 | Wild buckwheat              |
| Black-eyed Susan         | English daisy                 | Mouseear                     | galinsoga                   | Wild carrot                 |
| Black medic              | Fall dandelion                | chickweed                    | Smartweed                   | Wild four-o'clock,          |
| Black mustard            | False dandelion               | Musk thistle                 | Smooth dock                 | Wild garlic                 |
| Blackseed plantain       | False flax                    | Mustard                      | Smooth pigweed              | Wild geranium               |
| Blessed thistle          | False sunflower               | Narrowleaf plantain          | Sneezeweed                  | Wild lettuce                |
| Blue lettuce             | Fiddleneck                    | Narrowleaf vetch             | Southern wild rose          | Wild marigold               |
| Blue vervain             | Field bindweed                | Nettle                       | Sowthistle                  | Wild onion                  |
| Box elder                | Field pansy                   | Orange hawkweed              | Spanishneedle               | Wild parsnip                |
| Bracted plantain         | Flea bane (Daisy)             | Oxalis                       | Spatterdock                 | Wild radish                 |
| Brassbuttons             | Flixweed                      | Oxeye daisy                  | Speedwell                   | Wild rape                   |
| Bristly oxtongue         | Florida betony                | Parsley-piert                | Spiny amaranth              | Wild strawberry             |
| Broadleaf dock           | Florida pusley                | Parsnip                      | Spiny cocklebur             | Wild sweet potato           |
| Broadleaf plantain       | Frenchweed                    | Pearlwort                    | Spotted catsear             | Wild vetch                  |
| Broomweed                | Galinsoga                     | Pennycress                   | Spotted knapweed            | Willow                      |
| Buckhorn                 | Garlic mustard                | Pennywort                    | Spotted spurge              | Witchweed                   |
| Buckhorn plantain        | Goathead                      | Peppergrass                  | Spurge                      | Woodsorrel                  |
| Bulbous buttercup        | Goatsbeard                    | Pepperweed                   | Spurweed                    | Woolly croton               |
| Bull nettle              | Goldenrod                     | Pigweed                      | Stinging nettle             | Woolly plantain             |
| Bull thistle             | Ground ivy                    | Pineywoods                   | Stinkweed                   | Wormseed                    |
| Burdock                  | Gumweed                       | bedstraw                     | Stitchwort                  | Yarrow                      |
| Burning nettle           | Hairy bittercress             | Plains coeopsis              | Strawberry clover           | Yellow Rocket               |
| Bur ragweed              | Hairy fleabane                | Plantain                     | Sumac                       | Yellow flower               |
| Burweed                  | Hawkweed                      | Poison hemlock               | Sunflower                   | pepperweed                  |
| Buttercup                | Healall                       | Poison ivy                   | Sweet clover                | and other broadleaf         |
| Canada thistle           | Heartleaf drymary             | Poison oak                   | Tall nettle                 | weeds.                      |
| Some of these species ma | av require repeat spot applic | cations and/or use of the ma | aximum specified rate on th | is product label even under |

Some of these species may require repeat spot applications and/or use of the maximum specified rate on this product label even under ideal conditions for application.

#### **USE SITES**

This product is a ready-to-use herbicide designed for the treatment of individual weeds and weed patches. This product can be applied postemergence to the following turfgrasses:

| HIGHLY TOLERANT<br>TURFGRASSES  | MODERATELY TOLERANT<br>TURFGRASSES   | DO NOT APPLY TO THE FOLLOWING TURFGRASSES   |
|---|--|---|
| COOL SEASON TURFGRASS Bluegrass, Kentucky Fescue, Tall Ryegrass, Annual Ryegrass, Perennial | COOL SEASON TURFGRASS Bentgrass, Creeping (1,3) Bluegrass, Annual (Poa Annua) (1) Bluegrass, Rough (Poa trivialis) Fescue, Chewing's Fescue, Fine (2) Fescue, Hard Fescue, Red | Bahiagrass Bentgrass, Colonial Bentgrass, Seaside Buffalograss Carpetgrass Centipedegrass Dichondra Paspalum, Seashore St. Augustinegrass |
|   | WARM SEASON TURFGRASS Bermudagrass, Common (1) Bermudagrass, (Hybrids) (1) Zoysiagrass   | Ot. Adgustinegrass  |

Temporary yellowing and discoloration on these species may occur after application.
 Only apply to fine fescue when it is part of a blend.

Warm season turfgrasses such as Common Bermuda and Zoysia may see temporary discoloration. Do not apply during growth stages from dormancy to green-up and from green-up to dormancy.



5

<sup>3.</sup> Application to established creeping Bentgrass must be applied in 2 split applications at 2.4 to 4.0 fl. oz. per 1,000 sq. ft.

# ر ک

#### **DIRECTIONS FOR USE**

#### HOW TO USE:

- For sprayer with spray head or trigger separate from spray bottle, first connect trigger to spray bottle.
- · Grasp container and point sprayer away from body.
- · Adjust spray nozzle to desired setting.
- Squeeze trigger and direct spray to target weed(s).
- Apply enough product to cover the target weed(s). Spray to wet the weed leaf surface.
- · One application should be sufficient.
- Effects begin to show after 24 to 48 hours.
- A repeat application may be required in 3 to 4 weeks for hard to kill (or control) weeds.
- · To obtain wider coverage, raise container.
- Optional text: [1 gallon covers up to 1,000 sq. ft.], [1 quart covers up to 250 sq. ft.].

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Always use original container to store pesticides in a secured warehouse or storage building. Store at temperatures above 32°F. If allowed to freeze, remix before using. This does not alter the product. Containers should be opened in well ventilated areas. Keep container tightly sealed when not in use. Do not stack cardboard cases more than two pallets high. Do not store near open containers of fertilizer, seed or other pesticides.

**PESTICIDE DISPOSAL:** Pesticide wastes are toxic. If container is damaged or if pesticide has leaked, contain all spillage. Absorb and clean up all spilled material with granules or sand. Place in a closed, labeled container for proper disposal. Improper disposal of excess pesticide, spray mixtures, or rinsate is a violation of Federal law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

Or

#### CONTAINER HANDLING:

Nonrefillable Containers 5 Gallons or Less: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers are also disposable by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

#### WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

#### LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR RISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL

WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product; and return it unopened to the Seller; and the purchase price will be refunded.

(RV080610)

QUINCEPT is a registered trademark of Nufarm Americas Inc.

#### [OPTIONAL BOX]

#### PRODUCT FACTS

#### What it Does:

Kills Broadleaf Weeds including Chickweed, Clover, Dandelion and Grassy Weeds including Crabgrass (See inside for complete list).

Where-to-Use:-(Icon-weeds)--- -

Lawns: Kills the Weeds not the Lawn.

#### When to Use:

Do not apply broadcast applications when air temperature exceeds 90°F.

Questions and Comments: (Icon phone) (Icon computer)
Call xxx-xxx-xxxx or visit our website at <u>www.xxxxxxxxx</u>

#### **MEASUREMENT CALCULATIONS**

| 3 teaspoons = 1 Tablespoon     | 1 fluid ounce = 6 teaspoons   |
|--------------------------------|-------------------------------|
| 1/2 fluid ounce = 3 teaspoons  | 1 fluid ounce = 2 Tablespoons |
| 1/2 fluid ounce = 1 Tablespoon | 4 fluid ounces = 1/2 cup      |

#### **OPTIONAL MARKETING CLAIMS - FRONT PANEL**

Kill Crabgrass

[Also] Controls Crabgrass

Kills crabgrass, dandelion, clover and 200+ weeds

Controls Sensitive Weeds such as...

Controls both grassy and broadleaf weeds in one easy step

Controls Hard-to-Kill weeds such as...

Kills Broadleaf and grassy weeds

Kills over 200 weeds

Kills Crabgrass and All Major Broadleaf Weeds

Kills Dandelion, Clover and Other Broadleaf Weeds

Kills Dandelion, Clover and Other Listed Broadleaf Weeds

Use When Weeds Are Actively Growing

Kills the Weeds, Not the Lawn

Rainproof in Hours - Won't Wash Away

Won't Harm the Home Lawn when Used as Directed

Illustration(s) of various weeds listed on label

Easy to Use

For Thick, Weed-Free Turf

Three Way Control

Apply to a Moist Lawn

Contains Three Way Power

One Quart Covers Up To 250 Square Feet, (One XXX covers up to XX,XXX square feet)

Easy to Mix

Just Add Water

**New Formulation** 

Simple to use

Proven Performance

New

### LABEL HISTORY

| File Name                                      | Revision Mark | Comment  |
|--|---------------|--|
| 000228-00703.20110419 primary brandname change | RV080610      | Changing PBN to Quincept LT Herbicide Ready-to-Use per PRN98-10 label notification |
|  |               |  |
|  |               |  |
|  |               |  |

